



API Reference

Amazon MemoryDB



API Version 2021-01-01

Amazon MemoryDB: API Reference

Table of Contents

Welcome	1
Actions	2
BatchUpdateCluster	4
Request Syntax	4
Request Parameters	4
Response Syntax	4
Response Elements	6
Errors	7
See Also	7
CopySnapshot	9
Request Syntax	9
Request Parameters	9
Response Syntax	10
Response Elements	11
Errors	12
See Also	12
CreateACL	14
Request Syntax	14
Request Parameters	14
Response Syntax	15
Response Elements	15
Errors	16
See Also	16
CreateCluster	18
Request Syntax	18
Request Parameters	19
Response Syntax	24
Response Elements	26
Errors	26
See Also	28
CreateMultiRegionCluster	29
Request Syntax	29
Request Parameters	29
Response Syntax	31

Response Elements	32
Errors	32
See Also	33
CreateParameterGroup	34
Request Syntax	34
Request Parameters	34
Response Syntax	35
Response Elements	35
Errors	36
See Also	36
CreateSnapshot	38
Request Syntax	38
Request Parameters	38
Response Syntax	39
Response Elements	40
Errors	40
See Also	41
CreateSubnetGroup	42
Request Syntax	42
Request Parameters	42
Response Syntax	43
Response Elements	43
Errors	44
See Also	45
CreateUser	46
Request Syntax	46
Request Parameters	46
Response Syntax	47
Response Elements	48
Errors	48
See Also	49
DeleteACL	50
Request Syntax	50
Request Parameters	50
Response Syntax	50
Response Elements	51

Errors	51
See Also	51
DeleteCluster	53
Request Syntax	53
Request Parameters	53
Response Syntax	54
Response Elements	56
Errors	56
See Also	57
DeleteMultiRegionCluster	58
Request Syntax	58
Request Parameters	58
Response Syntax	58
Response Elements	59
Errors	59
See Also	59
DeleteParameterGroup	61
Request Syntax	61
Request Parameters	61
Response Syntax	61
Response Elements	61
Errors	62
See Also	62
DeleteSnapshot	64
Request Syntax	64
Request Parameters	64
Response Syntax	64
Response Elements	65
Errors	65
See Also	66
DeleteSubnetGroup	67
Request Syntax	67
Request Parameters	67
Response Syntax	67
Response Elements	68
Errors	68

See Also	68
DeleteUser	70
Request Syntax	70
Request Parameters	70
Response Syntax	70
Response Elements	71
Errors	71
See Also	71
DescribeACLs	73
Request Syntax	73
Request Parameters	73
Response Syntax	74
Response Elements	74
Errors	75
See Also	75
DescribeClusters	76
Request Syntax	76
Request Parameters	76
Response Syntax	77
Response Elements	79
Errors	79
See Also	80
DescribeEngineVersions	81
Request Syntax	81
Request Parameters	81
Response Syntax	82
Response Elements	83
Errors	83
See Also	84
DescribeEvents	85
Request Syntax	85
Request Parameters	85
Response Syntax	87
Response Elements	87
Errors	87
See Also	88

DescribeMultiRegionClusters	89
Request Syntax	89
Request Parameters	89
Response Syntax	90
Response Elements	90
Errors	91
See Also	91
DescribeParameterGroups	93
Request Syntax	93
Request Parameters	93
Response Syntax	94
Response Elements	94
Errors	95
See Also	95
DescribeParameters	96
Request Syntax	96
Request Parameters	96
Response Syntax	97
Response Elements	97
Errors	98
See Also	98
DescribeReservedNodes	99
Request Syntax	99
Request Parameters	99
Response Syntax	101
Response Elements	101
Errors	102
See Also	102
DescribeReservedNodesOfferings	104
Request Syntax	104
Request Parameters	104
Response Syntax	105
Response Elements	106
Errors	106
See Also	107
DescribeServiceUpdates	108

Request Syntax	108
Request Parameters	108
Response Syntax	109
Response Elements	110
Errors	110
See Also	110
DescribeSnapshots	112
Request Syntax	112
Request Parameters	112
Response Syntax	113
Response Elements	114
Errors	115
See Also	115
DescribeSubnetGroups	117
Request Syntax	117
Request Parameters	117
Response Syntax	118
Response Elements	118
Errors	119
See Also	119
DescribeUsers	120
Request Syntax	120
Request Parameters	120
Response Syntax	121
Response Elements	122
Errors	122
See Also	122
FailoverShard	124
Request Syntax	124
Request Parameters	124
Response Syntax	124
Response Elements	126
Errors	127
See Also	127
ListAllowedMultiRegionClusterUpdates	129
Request Syntax	129

Request Parameters	129
Response Syntax	129
Response Elements	129
Errors	130
See Also	130
ListAllowedNodeTypeUpdates	132
Request Syntax	132
Request Parameters	132
Response Syntax	132
Response Elements	132
Errors	133
See Also	133
ListTags	135
Request Syntax	135
Request Parameters	135
Response Syntax	135
Response Elements	136
Errors	136
See Also	137
PurchaseReservedNodesOffering	139
Request Syntax	139
Request Parameters	139
Response Syntax	140
Response Elements	140
Errors	141
See Also	142
ResetParameterGroup	143
Request Syntax	143
Request Parameters	143
Response Syntax	144
Response Elements	144
Errors	144
See Also	145
TagResource	146
Request Syntax	146
Request Parameters	146

Response Syntax	147
Response Elements	147
Errors	147
See Also	149
UntagResource	150
Request Syntax	150
Request Parameters	150
Response Syntax	151
Response Elements	151
Errors	151
See Also	153
UpdateACL	154
Request Syntax	154
Request Parameters	154
Response Syntax	155
Response Elements	155
Errors	155
See Also	156
UpdateCluster	158
Request Syntax	158
Request Parameters	158
Response Syntax	162
Response Elements	164
Errors	164
See Also	166
UpdateMultiRegionCluster	167
Request Syntax	167
Request Parameters	167
Response Syntax	168
Response Elements	169
Errors	169
See Also	170
UpdateParameterGroup	171
Request Syntax	171
Request Parameters	171
Response Syntax	172

Response Elements	172
Errors	172
See Also	173
UpdateSubnetGroup	174
Request Syntax	174
Request Parameters	174
Response Syntax	175
Response Elements	175
Errors	175
See Also	176
UpdateUser	177
Request Syntax	177
Request Parameters	177
Response Syntax	178
Response Elements	178
Errors	178
See Also	179
Data Types	180
ACL	182
Contents	182
See Also	183
ACLPendingChanges	184
Contents	184
See Also	184
ACLsUpdateStatus	185
Contents	185
See Also	185
Authentication	186
Contents	186
See Also	186
AuthenticationMode	187
Contents	187
See Also	187
AvailabilityZone	188
Contents	188
See Also	188

Cluster	189
Contents	189
See Also	194
ClusterConfiguration	195
Contents	195
See Also	198
ClusterPendingUpdates	199
Contents	199
See Also	199
Endpoint	200
Contents	200
See Also	200
EngineVersionInfo	201
Contents	201
See Also	201
Event	203
Contents	203
See Also	204
Filter	205
Contents	205
See Also	205
MultiRegionCluster	206
Contents	206
See Also	208
Node	209
Contents	209
See Also	210
Parameter	211
Contents	211
See Also	212
ParameterGroup	213
Contents	213
See Also	213
ParameterNameValue	215
Contents	215
See Also	215

PendingModifiedServiceUpdate	216
Contents	216
See Also	216
RecurringCharge	217
Contents	217
See Also	217
RegionalCluster	218
Contents	218
See Also	218
ReplicaConfigurationRequest	220
Contents	220
See Also	220
ReservedNode	221
Contents	221
See Also	223
ReservedNodesOffering	224
Contents	224
See Also	225
ReshardingStatus	226
Contents	226
See Also	226
SecurityGroupMembership	227
Contents	227
See Also	227
ServiceUpdate	228
Contents	228
See Also	229
ServiceUpdateRequest	231
Contents	231
See Also	231
Shard	232
Contents	232
See Also	233
ShardConfiguration	234
Contents	234
See Also	234

ShardConfigurationRequest	235
Contents	235
See Also	235
ShardDetail	236
Contents	236
See Also	236
SlotMigration	238
Contents	238
See Also	238
Snapshot	239
Contents	239
See Also	240
Subnet	241
Contents	241
See Also	241
SubnetGroup	243
Contents	243
See Also	244
Tag	245
Contents	245
See Also	245
UnprocessedCluster	246
Contents	246
See Also	246
User	247
Contents	247
See Also	248
Common Parameters	249
Common Errors	252

Welcome

MemoryDB is a fully managed, Redis OSS-compatible, in-memory database that delivers ultra-fast performance and Multi-AZ durability for modern applications built using microservices architectures. MemoryDB stores the entire database in-memory, enabling low latency and high throughput data access. It is compatible with Redis OSS, a popular open source data store, enabling you to leverage Redis OSS' flexible and friendly data structures, APIs, and commands.

This document was last published on July 3, 2025.

Actions

The following actions are supported:

- [BatchUpdateCluster](#)
- [CopySnapshot](#)
- [CreateACL](#)
- [CreateCluster](#)
- [CreateMultiRegionCluster](#)
- [CreateParameterGroup](#)
- [CreateSnapshot](#)
- [CreateSubnetGroup](#)
- [CreateUser](#)
- [DeleteACL](#)
- [DeleteCluster](#)
- [DeleteMultiRegionCluster](#)
- [DeleteParameterGroup](#)
- [DeleteSnapshot](#)
- [DeleteSubnetGroup](#)
- [DeleteUser](#)
- [DescribeACLs](#)
- [DescribeClusters](#)
- [DescribeEngineVersions](#)
- [DescribeEvents](#)
- [DescribeMultiRegionClusters](#)
- [DescribeParameterGroups](#)
- [DescribeParameters](#)
- [DescribeReservedNodes](#)
- [DescribeReservedNodesOfferings](#)
- [DescribeServiceUpdates](#)
- [DescribeSchemas](#)
- [DescribeSnapshots](#)

- [DescribeSubnetGroups](#)
- [DescribeUsers](#)
- [FailoverShard](#)
- [ListAllowedMultiRegionClusterUpdates](#)
- [ListAllowedNodeTypeUpdates](#)
- [ListTags](#)
- [PurchaseReservedNodesOffering](#)
- [ResetParameterGroup](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateACL](#)
- [UpdateCluster](#)
- [UpdateMultiRegionCluster](#)
- [UpdateParameterGroup](#)
- [UpdateSubnetGroup](#)
- [UpdateUser](#)

BatchUpdateCluster

Apply the service update to a list of clusters supplied. For more information on service updates and applying them, see [Applying the service updates](#).

Request Syntax

```
{  
    "ClusterNames": [ "string" ],  
    "ServiceUpdate": {  
        "ServiceUpdateNameToApply": "string"  
    }  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClusterNames

The cluster names to apply the updates.

Type: Array of strings

Array Members: Maximum number of 20 items.

Required: Yes

ServiceUpdate

The unique ID of the service update

Type: [ServiceUpdateRequest](#) object

Required: No

Response Syntax

```
{  
    "ProcessedClusters": [  
        {  
            "ClusterName": "string",  
            "Status": "string"  
        }  
    ]  
}
```

```
"ACLName": "string",
"ARN": "string",
"AutoMinorVersionUpgradeAvailabilityMode": "string",
"ClusterEndpoint": {
    "Address": "string",
    "Port": number
},
"DataTiering": "string",
"Description": "string",
"Engine": "string",
"EnginePatchVersion": "string",
"EngineVersion": "string",
"IpDiscovery": "string",
"KmsKeyId": "string",
"MaintenanceWindow": "string",
"MultiRegionClusterName": "string",
"Name": "string",
"NetworkType": "string",
"NodeType": "string",
"NumberOfShards": number,
"ParameterGroupName": "string",
"ParameterGroupStatus": "string",
"PendingUpdates": {
    "ACLs": {
        "ACLToApply": "string"
    },
    "Resharding": {
        "SlotMigration": {
            "ProgressPercentage": number
        }
    },
    "ServiceUpdates": [
        {
            "ServiceUpdateName": "string",
            "Status": "string"
        }
    ]
},
"SecurityGroups": [
    {
        "SecurityGroupId": "string",
        "Status": "string"
    }
]
```

```
        ],
        "Shards": [
            {
                "Name": "string",
                "Nodes": [
                    {
                        "AvailabilityZone": "string",
                        "CreateTime": number,
                        "Endpoint": {
                            "Address": "string",
                            "Port": number
                        },
                        "Name": "string",
                        "Status": "string"
                    }
                ],
                "NumberOfNodes": number,
                "Slots": "string",
                "Status": "string"
            }
        ],
        "SnapshotRetentionLimit": number,
        "SnapshotWindow": "string",
        "SnsTopicArn": "string",
        "SnsTopicStatus": "string",
        "Status": "string",
        "SubnetGroupName": "string",
        "TLSEnabled": boolean
    }
],
"UnprocessedClusters": [
    {
        "ClusterName": "string",
        "ErrorMessage": "string",
        "ErrorType": "string"
    }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ProcessedClusters

The list of clusters that have been updated.

Type: Array of [Cluster](#) objects

UnprocessedClusters

The list of clusters where updates have not been applied.

Type: Array of [UnprocessedCluster](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterValueException

HTTP Status Code: 400

ServiceUpdateNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)

- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CopySnapshot

Makes a copy of an existing snapshot.

Request Syntax

```
{  
  "KmsKeyId": "string",  
  "SourceSnapshotName": "string",  
  "Tags": [  
    {  
      "Key": "string",  
      "Value": "string"  
    }  
  ],  
  "TargetBucket": "string",  
  "TargetSnapshotName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

KmsKeyId

The ID of the KMS key used to encrypt the target snapshot.

Type: String

Length Constraints: Maximum length of 2048.

Required: No

SourceSnapshotName

The name of an existing snapshot from which to make a copy.

Type: String

Required: Yes

Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

TargetBucket

The Amazon S3 bucket to which the snapshot is exported. This parameter is used only when exporting a snapshot for external access. When using this parameter to export a snapshot, be sure MemoryDB has the needed permissions to this S3 bucket. For more information, see [Step 2: Grant MemoryDB Access to Your Amazon S3 Bucket](#).

Type: String

Length Constraints: Maximum length of 255.

Pattern: ^[A-Za-z0-9._-]+\$

Required: No

TargetSnapshotName

A name for the snapshot copy. MemoryDB does not permit overwriting a snapshot, therefore this name must be unique within its context - MemoryDB or an Amazon S3 bucket if exporting.

Type: String

Required: Yes

Response Syntax

```
{  
  "Snapshot": {  
    "ARN": "string",  
    "ClusterConfiguration": {  
      "Description": "string",  
      "Engine": "string",  
      "EngineVersion": "string",  
      "LogDeliveryArn": "string",  
      "Memory": "string",  
      "NodeType": "string",  
      "NumNodes": 123,  
      "ParameterGroup": "string",  
      "PreferredMaintenanceWindow": "string",  
      "ProvisionedThroughput": "string",  
      "ReplicationFactor": 123,  
      "Snapshot": "string",  
      "SnapshotArn": "string",  
      "SnapshotName": "string",  
      "SnapshotStatus": "string",  
      "SnapshotType": "string",  
      "StorageType": "string",  
      "VpcId": "string"  
    },  
    "Tags": [  
      {"Key": "string", "Value": "string"}  
    ]  
  }  
}
```

```
"MaintenanceWindow": "string",
"MultiRegionClusterName": "string",
"MultiRegionParameterGroupName": "string",
"Name": "string",
"NodeType": "string",
"NumShards": number,
"ParameterGroupName": "string",
"Port": number,
"Shards": [
  {
    "Configuration": {
      "ReplicaCount": number,
      "Slots": "string"
    },
    "Name": "string",
    "Size": "string",
    "SnapshotCreationTime": number
  }
],
"SnapshotRetentionLimit": number,
"SnapshotWindow": "string",
"SubnetGroupName": "string",
"TopicArn": "string",
"VpcId": "string"
},
"DataTiering": "string",
"KmsKeyId": "string",
"Name": "string",
"Source": "string",
"Status": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Snapshot](#)

Represents a copy of an entire cluster as of the time when the snapshot was taken.

Type: [Snapshot](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

InvalidSnapshotStateFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SnapshotAlreadyExistsFault

HTTP Status Code: 400

SnapshotNotFoundFault

HTTP Status Code: 400

SnapshotQuotaExceededFault

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateACL

Creates an Access Control List. For more information, see [Authenticating users with Access Control Lists \(ACLs\)](#).

Request Syntax

```
{  
    "ACLName": "string",  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ],  
    "UserNames": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ACLName

The name of the Access Control List.

Type: String

Required: Yes

Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

UserNames

The list of users that belong to the Access Control List.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

Response Syntax

```
{
  "ACL": {
    "ARN": "string",
    "Clusters": [ "string" ],
    "MinimumEngineVersion": "string",
    "Name": "string",
    "PendingChanges": {
      "UserNamesToAdd": [ "string" ],
      "UserNamesToRemove": [ "string" ]
    },
    "Status": "string",
    "UserNames": [ "string" ]
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ACL

The newly-created Access Control List.

Type: ACL object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ACLAalreadyExistsFault

HTTP Status Code: 400

ACLQuotaExceededFault

HTTP Status Code: 400

DefaultUserRequired

HTTP Status Code: 400

DuplicateUserNameFault

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

UserNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)

- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateCluster

Creates a cluster. All nodes in the cluster run the same protocol-compliant engine software.

Request Syntax

```
{  
    "ACLName": "string",  
    "AutoMinorVersionUpgrade": boolean,  
    "ClusterName": "string",  
    "DataTiering": boolean,  
    "Description": "string",  
    "Engine": "string",  
    "EngineVersion": "string",  
    "IpDiscovery": "string",  
    "KmsKeyId": "string",  
    "MaintenanceWindow": "string",  
    "MultiRegionClusterName": "string",  
    "NetworkType": "string",  
    "NodeType": "string",  
    "NumReplicasPerShard": number,  
    "NumShards": number,  
    "ParameterGroupName": "string",  
    "Port": number,  
    "SecurityGroupIds": [ "string" ],  
    "SnapshotArns": [ "string" ],  
    "SnapshotName": "string",  
    "SnapshotRetentionLimit": number,  
    "SnapshotWindow": "string",  
    "SnsTopicArn": "string",  
    "SubnetGroupName": "string",  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ],  
    "TLSEnabled": boolean  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ACLName

The name of the Access Control List to associate with the cluster.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: Yes

AutoMinorVersionUpgrade

When set to true, the cluster will automatically receive minor engine version upgrades after launch.

Type: Boolean

Required: No

ClusterName

The name of the cluster. This value must be unique as it also serves as the cluster identifier.

Type: String

Required: Yes

DataTiering

Enables data tiering. Data tiering is only supported for clusters using the r6gd node type. This parameter must be set when using r6gd nodes. For more information, see [Data tiering](#).

Type: Boolean

Required: No

Description

An optional description of the cluster.

Type: String

Required: No

Engine

The name of the engine to be used for the cluster.

Type: String

Required: No

EngineVersion

The version number of the Redis OSS engine to be used for the cluster.

Type: String

Required: No

IpDiscovery

The mechanism for discovering IP addresses for the cluster discovery protocol. Valid values are 'ipv4' or 'ipv6'. When set to 'ipv4', cluster discovery functions such as cluster slots, cluster shards, and cluster nodes return IPv4 addresses for cluster nodes. When set to 'ipv6', the cluster discovery functions return IPv6 addresses for cluster nodes. The value must be compatible with the NetworkType parameter. If not specified, the default is 'ipv4'.

Type: String

Valid Values: ipv4 | ipv6

Required: No

KmsKeyId

The ID of the KMS key used to encrypt the cluster.

Type: String

Required: No

MaintenanceWindow

Specifies the weekly time range during which maintenance on the cluster is performed. It is specified as a range in the format ddd:hh24:mi-ddd:hh24:mi (24H Clock UTC). The minimum maintenance window is a 60 minute period.

Valid values for ddd are:

- sun
- mon
- tue
- wed
- thu
- fri
- sat

Example: sun:23:00-mon:01:30

Type: String

Required: No

[MultiRegionClusterName](#)

The name of the multi-Region cluster to be created.

Type: String

Required: No

[NetworkType](#)

Specifies the IP address type for the cluster. Valid values are 'ipv4', 'ipv6', or 'dual_stack'. When set to 'ipv4', the cluster will only be accessible via IPv4 addresses. When set to 'ipv6', the cluster will only be accessible via IPv6 addresses. When set to 'dual_stack', the cluster will be accessible via both IPv4 and IPv6 addresses. If not specified, the default is 'ipv4'.

Type: String

Valid Values: ipv4 | ipv6 | dual_stack

Required: No

[NodeType](#)

The compute and memory capacity of the nodes in the cluster.

Type: String

Required: Yes

[NumReplicasPerShard](#)

The number of replicas to apply to each shard. The default value is 1. The maximum is 5.

Type: Integer

Required: No

[NumShards](#)

The number of shards the cluster will contain. The default value is 1.

Type: Integer

Required: No

[ParameterGroupName](#)

The name of the parameter group associated with the cluster.

Type: String

Required: No

[Port](#)

The port number on which each of the nodes accepts connections.

Type: Integer

Required: No

[SecurityGroupIds](#)

A list of security group names to associate with this cluster.

Type: Array of strings

Required: No

[SnapshotArns](#)

A list of Amazon Resource Names (ARN) that uniquely identify the RDB snapshot files stored in Amazon S3. The snapshot files are used to populate the new cluster. The Amazon S3 object name in the ARN cannot contain any commas.

Type: Array of strings

Required: No

[SnapshotName](#)

The name of a snapshot from which to restore data into the new cluster. The snapshot status changes to restoring while the new cluster is being created.

Type: String

Required: No

[SnapshotRetentionLimit](#)

The number of days for which MemoryDB retains automatic snapshots before deleting them. For example, if you set SnapshotRetentionLimit to 5, a snapshot that was taken today is retained for 5 days before being deleted.

Type: Integer

Required: No

[SnapshotWindow](#)

The daily time range (in UTC) during which MemoryDB begins taking a daily snapshot of your shard.

Example: 05:00-09:00

If you do not specify this parameter, MemoryDB automatically chooses an appropriate time range.

Type: String

Required: No

[SnsTopicArn](#)

The Amazon Resource Name (ARN) of the Amazon Simple Notification Service (SNS) topic to which notifications are sent.

Type: String

Required: No

[SubnetGroupName](#)

The name of the subnet group to be used for the cluster.

Type: String

Required: No

Tags

A list of tags to be added to this resource. Tags are comma-separated key,value pairs (e.g. Key=myKey, Value=myKeyValue). You can include multiple tags as shown following: Key=myKey, Value=myKeyValue Key=mySecondKey, Value=mySecondKeyValue.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

TLSEnabled

A flag to enable in-transit encryption on the cluster.

Type: Boolean

Required: No

Response Syntax

```
{  
  "Cluster": {  
    "ACLName": "string",  
    "ARN": "string",  
    "AutoMinorVersionUpgrade": boolean,  
    "AvailabilityMode": "string",  
    "ClusterEndpoint": {  
      "Address": "string",  
      "Port": number  
    },  
    "DataTiering": "string",  
    "Description": "string",  
    "Engine": "string",  
    "EnginePatchVersion": "string",  
    "EngineVersion": "string",  
    "IpDiscovery": "string",  
    "KmsKeyId": "string",  
    "MaintenanceWindow": "string",  
    "MultiRegionClusterName": "string",  
    "Name": "string",  
  }  
}
```

```
"NetworkType": "string",  
"NodeType": "string",  
"NumberOfShardsnumber,  
"ParameterGroupName": "string",  
"ParameterGroupStatus": "string",  
"PendingUpdates": {  
    "ACLs": {  
        "ACLToApply": "string"  
    },  
    "Resharding": {  
        "SlotMigration": {  
            "ProgressPercentage": number  
        }  
    },  
    "ServiceUpdates": [  
        {  
            "ServiceUpdateName": "string",  
            "Status": "string"  
        }  
    ]  
},  
"SecurityGroups": [  
    {  
        "SecurityGroupId": "string",  
        "Status": "string"  
    }  
],  
"Shards": [  
    {  
        "Name": "string",  
        "Nodes": [  
            {  
                "AvailabilityZone": "string",  
                "CreateTime": number,  
                "Endpoint": {  
                    "Address": "string",  
                    "Port": number  
                },  
                "Name": "string",  
                "Status": "string"  
            }  
        ],  
        "NumberOfNodes": number,  
        "Slots": "string",  
    }  
]
```

```
        "Status": "string"
    }
],
"SnapshotRetentionLimit": number,
"SnapshotWindow": "string",
"SnsTopicArn": "string",
"SnsTopicStatus": "string",
>Status": "string",
"SubnetGroupName": "string",
"TLSEnabled": boolean
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Cluster](#)

The newly-created cluster.

Type: [Cluster](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ACLNotFoundFault

HTTP Status Code: 400

ClusterAlreadyExistsFault

HTTP Status Code: 400

ClusterQuotaForCustomerExceededFault

HTTP Status Code: 400

InsufficientClusterCapacityFault

HTTP Status Code: 400

InvalidACLStateFault

HTTP Status Code: 400

InvalidCredentialsException

HTTP Status Code: 400

InvalidMultiRegionClusterStateFault

The requested operation cannot be performed on the multi-Region cluster in its current state.

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

InvalidVPCNetworkStateFault

HTTP Status Code: 400

MultiRegionClusterNotFoundFault

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

NodeQuotaForClusterExceededFault

HTTP Status Code: 400

NodeQuotaForCustomerExceededFault

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

ShardsPerClusterQuotaExceededFault

HTTP Status Code: 400

SubnetGroupNotFoundFault

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateMultiRegionCluster

Creates a new multi-Region cluster.

Request Syntax

```
{  
    "Description": "string",  
    "Engine": "string",  
    "EngineVersion": "string",  
    "MultiRegionClusterNameSuffix": "string",  
    "MultiRegionParameterGroupName": "string",  
    "NodeType": "string",  
    "NumShards": number,  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ],  
    "TLSEnabled": boolean  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Description

A description for the multi-Region cluster.

Type: String

Required: No

Engine

The name of the engine to be used for the multi-Region cluster.

Type: String

Required: No

[EngineVersion](#)

The version of the engine to be used for the multi-Region cluster.

Type: String

Required: No

[MultiRegionClusterNameSuffix](#)

A suffix to be added to the Multi-Region cluster name. Amazon MemoryDB automatically applies a prefix to the Multi-Region cluster Name when it is created. Each Amazon Region has its own prefix. For instance, a Multi-Region cluster Name created in the US-West-1 region will begin with "virxk", along with the suffix name you provide. The suffix guarantees uniqueness of the Multi-Region cluster name across multiple regions.

Type: String

Required: Yes

[MultiRegionParameterGroupName](#)

The name of the multi-Region parameter group to be associated with the cluster.

Type: String

Required: No

[NodeType](#)

The node type to be used for the multi-Region cluster.

Type: String

Required: Yes

[NumShards](#)

The number of shards for the multi-Region cluster.

Type: Integer

Required: No

Tags

A list of tags to be applied to the multi-Region cluster.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

TLSEnabled

Whether to enable TLS encryption for the multi-Region cluster.

Type: Boolean

Required: No

Response Syntax

```
{
  "MultiRegionCluster": {
    "ARN": "string",
    "Clusters": [
      {
        "ARN": "string",
        "ClusterName": "string",
        "Region": "string",
        "Status": "string"
      }
    ],
    "Description": "string",
    "Engine": "string",
    "EngineVersion": "string",
    "MultiRegionClusterName": "string",
    "MultiRegionParameterGroupName": "string",
    "NodeType": "string",
    "NumberOfShards": number,
    "Status": "string",
    "TLSEnabled": boolean
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[MultiRegionCluster](#)

Details about the newly created multi-Region cluster.

Type: [MultiRegionCluster](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ClusterQuotaForCustomerExceededFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

MultiRegionClusterAlreadyExistsFault

A multi-Region cluster with the specified name already exists.

HTTP Status Code: 400

MultiRegionParameterGroupNotFoundFault

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateParameterGroup

Creates a new MemoryDB parameter group. A parameter group is a collection of parameters and their values that are applied to all of the nodes in any cluster. For more information, see [Configuring engine parameters using parameter groups](#).

Request Syntax

```
{  
    "Description": "string",  
    "Family": "string",  
    "ParameterGroupName": "string",  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Description

An optional description of the parameter group.

Type: String

Required: No

Family

The name of the parameter group family that the parameter group can be used with.

Type: String

Required: Yes

ParameterGroupName

The name of the parameter group.

Type: String

Required: Yes

Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

Response Syntax

```
{  
  "ParameterGroup": {  
    "ARN": "string",  
    "Description": "string",  
    "Family": "string",  
    "Name": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ParameterGroup

The newly-created parameter group.

Type: [ParameterGroup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterGroupStateFault

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ParameterGroupAlreadyExistsFault

HTTP Status Code: 400

ParameterGroupQuotaExceededFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)

- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateSnapshot

Creates a copy of an entire cluster at a specific moment in time.

Request Syntax

```
{  
    "ClusterName": "string",  
    "KmsKeyId": "string",  
    "SnapshotName": "string",  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClusterName

The snapshot is created from this cluster.

Type: String

Required: Yes

KmsKeyId

The ID of the KMS key used to encrypt the snapshot.

Type: String

Required: No

SnapshotName

A name for the snapshot being created.

Type: String

Required: Yes

Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

Response Syntax

```
{
  "Snapshot": {
    "ARN": "string",
    "ClusterConfiguration": {
      "Description": "string",
      "Engine": "string",
      "EngineVersion": "string",
      "MaintenanceWindow": "string",
      "MultiRegionClusterName": "string",
      "MultiRegionParameterGroupName": "string",
      "Name": "string",
      "NodeType": "string",
      "NumShards": number,
      "ParameterGroupName": "string",
      "Port": number,
      "Shards": [
        {
          "Configuration": {
            "ReplicaCount": number,
            "Slots": "string"
          },
          "Name": "string",
          "Size": "string",
          "SnapshotCreationTime": number
        }
      ],
    }
  }
}
```

```
  "SnapshotRetentionLimit": number,
  "SnapshotWindow": "string",
  "SubnetGroupName": "string",
  "TopicArn": "string",
  "VpcId": "string"
},
"DataTiering": "string",
"KmsKeyId": "string",
"Name": "string",
"Source": "string",
"Status": "string
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Snapshot](#)

The newly-created snapshot.

Type: [Snapshot](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ClusterNotFoundFault

HTTP Status Code: 400

InvalidClusterStateFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SnapshotAlreadyExistsFault

HTTP Status Code: 400

SnapshotQuotaExceededFault

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateSubnetGroup

Creates a subnet group. A subnet group is a collection of subnets (typically private) that you can designate for your clusters running in an Amazon Virtual Private Cloud (VPC) environment. When you create a cluster in an Amazon VPC, you must specify a subnet group. MemoryDB uses that subnet group to choose a subnet and IP addresses within that subnet to associate with your nodes. For more information, see [Subnets and subnet groups](#).

Request Syntax

```
{  
    "Description": "string",  
    "SubnetGroupName": "string",  
    "SubnetIds": [ "string" ],  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Description

A description for the subnet group.

Type: String

Required: No

SubnetGroupName

The name of the subnet group.

Type: String

Required: Yes

SubnetIds

A list of VPC subnet IDs for the subnet group.

Type: Array of strings

Required: Yes

Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

Response Syntax

```
{  
    "SubnetGroup": {  
        "ARN": "string",  
        "Description": "string",  
        "Name": "string",  
        "Subnets": [  
            {  
                "AvailabilityZone": {  
                    "Name": "string"  
                },  
                "Identifier": "string",  
                "SupportedNetworkTypes": [ "string" ]  
            }  
        ],  
        "SupportedNetworkTypes": [ "string" ],  
        "VpcId": "string"  
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

SubnetGroup

The newly-created subnet group.

Type: [SubnetGroup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidSubnet

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SubnetGroupAlreadyExistsFault

HTTP Status Code: 400

SubnetGroupQuotaExceededFault

HTTP Status Code: 400

SubnetNotAllowedFault

HTTP Status Code: 400

SubnetQuotaExceededFault

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateUser

Creates a MemoryDB user. For more information, see [Authenticating users with Access Control Lists \(ACLs\)](#).

Request Syntax

```
{  
    "AccessString": "string",  
    "AuthenticationMode": {  
        "Passwords": [ "string" ],  
        "Type": "string"  
    },  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ],  
    "UserName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccessString

Access permissions string used for this user.

Type: String

Pattern: .*\S.*

Required: Yes

AuthenticationMode

Denotes the user's authentication properties, such as whether it requires a password to authenticate.

Type: [AuthenticationMode](#) object

Required: Yes

[Tags](#)

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

[UserName](#)

The name of the user. This value must be unique as it also serves as the user identifier.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: Yes

Response Syntax

```
{  
  "User": {  
    "AccessString": "string",  
    "ACLNames": [ "string" ],  
    "ARN": "string",  
    "Authentication": {  
      "PasswordCount": number,  
      "Type": "string"  
    },  
    "MinimumEngineVersion": "string",  
    "Name": "string",  
    "Status": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

User

The newly-created user.

Type: [User](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

DuplicateUserNameFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

UserAlreadyExistsFault

HTTP Status Code: 400

UserQuotaExceededFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteACL

Deletes an Access Control List. The ACL must first be disassociated from the cluster before it can be deleted. For more information, see [Authenticating users with Access Control Lists \(ACLs\)](#).

Request Syntax

```
{  
    "ACLName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ACLName

The name of the Access Control List to delete.

Type: String

Required: Yes

Response Syntax

```
{  
    "ACL": {  
        "ARN": "string",  
        "Clusters": [ "string" ],  
        "MinimumEngineVersion": "string",  
        "Name": "string",  
        "PendingChanges": {  
            "UserNamesToAdd": [ "string" ],  
            "UserNamesToRemove": [ "string" ]  
        },  
        "Status": "string",  
        "UserNames": [ "string" ]  
    }  
}
```

}

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ACL](#)

The Access Control List object that has been deleted.

Type: [ACL](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ACLNotFoundFault

HTTP Status Code: 400

InvalidACLSyntaxFault

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)

- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteCluster

Deletes a cluster. It also deletes all associated nodes and node endpoints.

Note

CreateSnapshot permission is required to create a final snapshot. Without this permission, the API call will fail with an Access Denied exception.

Request Syntax

```
{  
    "ClusterName": "string",  
    "FinalSnapshotName": "string",  
    "MultiRegionClusterName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClusterName

The name of the cluster to be deleted

Type: String

Required: Yes

FinalSnapshotName

The user-supplied name of a final cluster snapshot. This is the unique name that identifies the snapshot. MemoryDB creates the snapshot, and then deletes the cluster immediately afterward.

Type: String

Required: No

MultiRegionClusterName

The name of the multi-Region cluster to be deleted.

Type: String

Required: No

Response Syntax

```
{  
  "Cluster": {  
    "ACLName": "string",  
    "ARN": "string",  
    "AutoMinorVersionUpgrade": boolean,  
    "AvailabilityMode": "string",  
    "ClusterEndpoint": {  
      "Address": "string",  
      "Port": number  
    },  
    "DataTiering": "string",  
    "Description": "string",  
    "Engine": "string",  
    "EnginePatchVersion": "string",  
    "EngineVersion": "string",  
    "IpDiscovery": "string",  
    "KmsKeyId": "string",  
    "MaintenanceWindow": "string",  
    "MultiRegionClusterName": "string",  
    "Name": "string",  
    "NetworkType": "string",  
    "NodeType": "string",  
    "NumberOfShards": number,  
    "ParameterGroupName": "string",  
    "ParameterGroupStatus": "string",  
    "PendingUpdates": {  
      "ACLs": {  
        "ACLToApply": "string"  
      },  
      "Resharding": {  
        "SlotMigration": {  
          "ProgressPercentage": number  
        }  
      }  
    }  
  }  
}
```

```
        },
        "ServiceUpdates": [
            {
                "ServiceUpdateName": "string",
                "Status": "string"
            }
        ]
    },
    "SecurityGroups": [
        {
            "SecurityGroupId": "string",
            "Status": "string"
        }
    ],
    "Shards": [
        {
            "Name": "string",
            "Nodes": [
                {
                    "AvailabilityZone": "string",
                    "CreateTime": number,
                    "Endpoint": {
                        "Address": "string",
                        "Port": number
                    },
                    "Name": "string",
                    "Status": "string"
                }
            ],
            "NumberOfNodes": number,
            "Slots": "string",
            "Status": "string"
        }
    ],
    "SnapshotRetentionLimit": number,
    "SnapshotWindow": "string",
    "SnsTopicArn": "string",
    "SnsTopicStatus": "string",
    "Status": "string",
    "SubnetGroupName": "string",
    "TLSEnabled": boolean
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Cluster

The cluster object that has been deleted.

Type: [Cluster](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ClusterNotFoundFault

HTTP Status Code: 400

InvalidClusterStateFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SnapshotAlreadyExistsFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteMultiRegionCluster

Deletes an existing multi-Region cluster.

Request Syntax

```
{  
    "MultiRegionClusterName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

MultiRegionClusterName

The name of the multi-Region cluster to be deleted.

Type: String

Required: Yes

Response Syntax

```
{  
    "MultiRegionCluster": {  
        "ARN": "string",  
        "Clusters": [  
            {  
                "ARN": "string",  
                "ClusterName": "string",  
                "Region": "string",  
                "Status": "string"  
            }  
        ],  
        "Description": "string",  
        "Engine": "string",  
        "EngineVersion": "string",  
        "MultiRegionClusterName": "string",  
        "MultiRegionParameterGroupName": "string",  
        "State": "string",  
        "Status": "string",  
        "Version": "string"  
    }  
}
```

```
"NodeType": "string",
"NumberOfShardsStatus": "string",
"TLSEnabled": boolean
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[MultiRegionCluster](#)

Details about the deleted multi-Region cluster.

Type: [MultiRegionCluster](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidMultiRegionClusterStateFault

The requested operation cannot be performed on the multi-Region cluster in its current state.

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

MultiRegionClusterNotFoundFault

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteParameterGroup

Deletes the specified parameter group. You cannot delete a parameter group if it is associated with any clusters. You cannot delete the default parameter groups in your account.

Request Syntax

```
{  
    "ParameterGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ParameterGroupName

The name of the parameter group to delete.

Type: String

Required: Yes

Response Syntax

```
{  
    "ParameterGroup": {  
        "ARN": "string",  
        "Description": "string",  
        "Family": "string",  
        "Name": "string"  
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ParameterGroup

The parameter group that has been deleted.

Type: [ParameterGroup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterGroupStateFault

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)

- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteSnapshot

Deletes an existing snapshot. When you receive a successful response from this operation, MemoryDB immediately begins deleting the snapshot; you cannot cancel or revert this operation.

Request Syntax

```
{  
    "SnapshotName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

[SnapshotName](#)

The name of the snapshot to delete.

Type: String

Required: Yes

Response Syntax

```
{  
    "Snapshot": {  
        "ARN": "string",  
        "ClusterConfiguration": {  
            "Description": "string",  
            "Engine": "string",  
            "EngineVersion": "string",  
            "MaintenanceWindow": "string",  
            "MultiRegionClusterName": "string",  
            "MultiRegionParameterGroupName": "string",  
            "Name": "string",  
            "NodeType": "string",  
            "NumShards": number,  
            "Tags": [  
                {  
                    "Key": "string",  
                    "Value": "string"  
                }  
            ]  
        },  
        "LastModified": "2019-01-01T12:00:00Z",  
        "Status": "DELETING",  
        "StatusMessage": "Snapshot is being deleted."  
    }  
}
```

```
"ParameterGroupName": "string",
"Port": number,
"Shards": [
  {
    "Configuration": {
      "ReplicaCount": number,
      "Slots": "string"
    },
    "Name": "string",
    "Size": "string",
    "SnapshotCreationTime": number
  }
],
"SnapshotRetentionLimit": number,
"SnapshotWindow": "string",
"SubnetGroupName": "string",
"TopicArn": "string",
"VpcId": "string"
},
"DataTiering": "string",
"KmsKeyId": "string",
"Name": "string",
"Source": "string",
"Status": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Snapshot](#)

The snapshot object that has been deleted.

Type: [Snapshot](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

InvalidSnapshotStateFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SnapshotNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteSubnetGroup

Deletes a subnet group. You cannot delete a default subnet group or one that is associated with any clusters.

Request Syntax

```
{  
    "SubnetGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

SubnetGroupName

The name of the subnet group to delete.

Type: String

Required: Yes

Response Syntax

```
{  
    "SubnetGroup": {  
        "ARN": "string",  
        "Description": "string",  
        "Name": "string",  
        "Subnets": [  
            {  
                "AvailabilityZone": {  
                    "Name": "string"  
                },  
                "Identifier": "string",  
                "SupportedNetworkTypes": [ "string" ]  
            }  
        ]  
    }  
}
```

```
        ],
        "SupportedNetworkTypes": [ "string" ],
        "VpcId": "string"
    }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[SubnetGroup](#)

The subnet group object that has been deleted.

Type: [SubnetGroup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SubnetGroupInUseFault

HTTP Status Code: 400

SubnetGroupNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)

- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteUser

Deletes a user. The user will be removed from all ACLs and in turn removed from all clusters.

Request Syntax

```
{  
    "UserName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

UserName

The name of the user to delete

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: Yes

Response Syntax

```
{  
    "User": {  
        "AccessString": "string",  
        "ACLNames": [ "string" ],  
        "ARN": "string",  
        "Authentication": {  
            "PasswordCount": number,  
            "Type": "string"  
        },  
        "MinimumEngineVersion": "string",  
        "Name": "string",  
    }  
}
```

```
    "Status": "string"
}
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

User

The user object that has been deleted.

Type: [User](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterValueException

HTTP Status Code: 400

InvalidUserStateFault

HTTP Status Code: 400

UserNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)

- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeACLs

Returns a list of ACLs.

Request Syntax

```
{  
    "ACLName": "string",  
    "MaxResults": number,  
    "NextToken": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ACLName

The name of the ACL.

Type: String

Required: No

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

Response Syntax

```
{  
    "ACLs": [  
        {  
            "ARN": "string",  
            "Clusters": [ "string" ],  
            "MinimumEngineVersion": "string",  
            "Name": "string",  
            "PendingChanges": {  
                "UserNamesToAdd": [ "string" ],  
                "UserNamesToRemove": [ "string" ]  
            },  
            "Status": "string",  
            "UserNames": [ "string" ]  
        }  
    ],  
    "NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ACLs

The list of ACLs.

Type: Array of [ACL](#) objects

NextToken

If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ACLNotFoundFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeClusters

Returns information about all provisioned clusters if no cluster identifier is specified, or about a specific cluster if a cluster name is supplied.

Request Syntax

```
{  
    "ClusterName": "string",  
    "MaxResults": number,  
    "NextToken": "string",  
    "ShowShardDetails": boolean  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClusterName

The name of the cluster.

Type: String

Required: No

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken

is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

ShowShardDetails

An optional flag that can be included in the request to retrieve information about the individual shard(s).

Type: Boolean

Required: No

Response Syntax

```
"Clusters": [
  {
    "ACLName": "string",
    "ARN": "string",
    "AutoMinorVersionUpgrade": boolean,
    "AvailabilityMode": "string",
    "ClusterEndpoint": {
      "Address": "string",
      "Port": number
    },
    "DataTiering": "string",
    "Description": "string",
    "Engine": "string",
    "EnginePatchVersion": "string",
    "EngineVersion": "string",
    "IpDiscovery": "string",
    "KmsKeyId": "string",
    "MaintenanceWindow": "string",
    "MultiRegionClusterName": "string",
    "Name": "string",
    "NetworkType": "string",
    "NodeType": "string",
    "NumberOfShards": number,
    "ParameterGroupName": "string",
```

```
"ParameterGroupStatus": "string",
"PendingUpdates": {
    "ACLs": {
        "ACLToApply": "string"
    },
    "Resharding": {
        "SlotMigration": {
            "ProgressPercentage": number
        }
    },
    "ServiceUpdates": [
        {
            "ServiceUpdateName": "string",
            "Status": "string"
        }
    ]
},
"SecurityGroups": [
    {
        "SecurityGroupId": "string",
        "Status": "string"
    }
],
"Shards": [
    {
        "Name": "string",
        "Nodes": [
            {
                "AvailabilityZone": "string",
                "CreateTime": number,
                "Endpoint": {
                    "Address": "string",
                    "Port": number
                },
                "Name": "string",
                "Status": "string"
            }
        ],
        "NumberOfNodes": number,
        "Slots": "string",
        "Status": "string"
    }
],
"SnapshotRetentionLimit": number,
```

```
        "SnapshotWindow": "string",
        "SnsTopicArn": "string",
        "SnsTopicStatus": "string",
        "Status": "string",
        "SubnetGroupName": "string",
        "TLSEnabled": boolean
    }
],
"NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Clusters

A list of clusters

Type: Array of [Cluster](#) objects

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ClusterNotFoundFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeEngineVersions

Returns a list of the available Redis OSS engine versions.

Request Syntax

```
{  
    "DefaultOnly": boolean,  
    "Engine": string,  
    "EngineVersion": string,  
    "MaxResults": number,  
    "NextToken": string,  
    "ParameterGroupFamily": string  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

DefaultOnly

If true, specifies that only the default version of the specified engine or engine and major version combination is to be returned.

Type: Boolean

Required: No

Engine

The name of the engine for which to list available versions.

Type: String

Required: No

EngineVersion

The Redis OSS engine version

Type: String

Required: No

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

ParameterGroupFamily

The name of a specific parameter group family to return details for.

Type: String

Required: No

Response Syntax

```
{
  "EngineVersions": [
    {
      "Engine": "string",
      "EnginePatchVersion": "string",
      "EngineVersion": "string",
      "ParameterGroupFamily": "string"
    }
  ],
  "NextToken": "string"
```

```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[EngineVersions](#)

A list of engine version details. Each element in the list contains detailed information about one engine version.

Type: Array of [EngineVersionInfo](#) objects

[NextToken](#)

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeEvents

Returns events related to clusters, security groups, and parameter groups. You can obtain events specific to a particular cluster, security group, or parameter group by providing the name as a parameter. By default, only the events occurring within the last hour are returned; however, you can retrieve up to 14 days' worth of events if necessary.

Request Syntax

```
{  
    "Duration": number,  
    "EndTime": number,  
    "MaxResults": number,  
    "NextToken": "string",  
    "SourceName": "string",  
    "SourceType": "string",  
    "StartTime": number  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Duration

The number of minutes worth of events to retrieve.

Type: Integer

Required: No

EndTime

The end of the time interval for which to retrieve events, specified in ISO 8601 format.

Example: 2017-03-30T07:03:49.555Z

Type: Timestamp

Required: No

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

SourceName

The identifier of the event source for which events are returned. If not specified, all sources are included in the response.

Type: String

Required: No

SourceType

The event source to retrieve events for. If no value is specified, all events are returned.

Type: String

Valid Values: node | parameter-group | subnet-group | cluster | user | acl

Required: No

StartTime

The beginning of the time interval to retrieve events for, specified in ISO 8601 format. Example: 2017-03-30T07:03:49.555Z

Type: Timestamp

Required: No

Response Syntax

```
{  
    "Events": [  
        {  
            "Date": number,  
            "Message": "string",  
            "SourceName": "string",  
            "SourceType": "string"  
        }  
    ],  
    "NextToken": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

Events

A list of events. Each element in the list contains detailed information about one event.

Type: Array of [Event](#) objects

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeMultiRegionClusters

Returns details about one or more multi-Region clusters.

Request Syntax

```
{  
    "MaxResults": number,  
    "MultiRegionClusterName": "string",  
    "NextToken": "string",  
    "ShowClusterDetails": boolean  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

MaxResults

The maximum number of results to return.

Type: Integer

Required: No

MultiRegionClusterName

The name of a specific multi-Region cluster to describe.

Type: String

Required: No

NextToken

A token to specify where to start paginating.

Type: String

Required: No

ShowClusterDetails

Details about the multi-Region cluster.

Type: Boolean

Required: No

Response Syntax

```
{
    "MultiRegionClusters": [
        {
            "ARN": "string",
            "Clusters": [
                {
                    "ARN": "string",
                    "ClusterName": "string",
                    "Region": "string",
                    "Status": "string"
                }
            ],
            "Description": "string",
            "Engine": "string",
            "EngineVersion": "string",
            "MultiRegionClusterName": "string",
            "MultiRegionParameterGroupName": "string",
            "NodeType": "string",
            "NumberOfShards": number,
            "Status": "string",
            "TLSEnabled": boolean
        }
    ],
    "NextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[MultiRegionClusters](#)

A list of multi-Region clusters.

Type: Array of [MultiRegionCluster](#) objects

[NextToken](#)

A token to use to retrieve the next page of results.

Type: String

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ClusterNotFoundFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

MultiRegionClusterNotFoundFault

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)

- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeParameterGroups

Returns a list of parameter group descriptions. If a parameter group name is specified, the list contains only the descriptions for that group.

Request Syntax

```
{  
    "MaxResults": number,  
    "NextToken": "string",  
    "ParameterGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

ParameterGroupName

The name of a specific parameter group to return details for.

Type: String

Required: No

Response Syntax

```
{  
    "NextToken": "string",  
    "ParameterGroups": [  
        {  
            "ARN": "string",  
            "Description": "string",  
            "Family": "string",  
            "Name": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[NextToken](#)

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

[ParameterGroups](#)

A list of parameter groups. Each element in the list contains detailed information about one parameter group.

Type: Array of [ParameterGroup](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeParameters

Returns the detailed parameter list for a particular parameter group.

Request Syntax

```
{  
    "MaxResults": number,  
    "NextToken": "string",  
    "ParameterGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

ParameterGroupName

The name of a specific parameter group to return details for.

Type: String

Required: Yes

Response Syntax

```
{  
    "NextToken": "string",  
    "Parameters": [  
        {  
            "AllowedValues": "string",  
            "DataType": "string",  
            "Description": "string",  
            "MinimumEngineVersion": "string",  
            "Name": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Parameters

A list of parameters specific to a particular parameter group. Each element in the list contains detailed information about one parameter.

Type: Array of [Parameter](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeReservedNodes

Returns information about reserved nodes for this account, or about a specified reserved node.

Request Syntax

```
{  
    "Duration": "string",  
    "MaxResults": number,  
    "NextToken": "string",  
    "NodeType": "string",  
    "OfferingType": "string",  
    "ReservationId": "string",  
    "ReservedNodesOfferingId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Duration

The duration filter value, specified in years or seconds. Use this parameter to show only reservations for this duration.

Type: String

Required: No

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxRecords value, a marker is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional marker returned from a prior request. Use this marker for pagination of results from this operation. If this parameter is specified, the response includes only records beyond the marker, up to the value specified by MaxRecords.

Type: String

Required: No

NodeType

The node type filter value. Use this parameter to show only those reservations matching the specified node type. For more information, see [Supported node types](#).

Type: String

Required: No

OfferingType

The offering type filter value. Use this parameter to show only the available offerings matching the specified offering type. Valid values: "All Upfront"|"Partial Upfront"|"No Upfront"

Type: String

Required: No

ReservationId

The reserved node identifier filter value. Use this parameter to show only the reservation that matches the specified reservation ID.

Type: String

Required: No

ReservedNodesOfferingId

The offering identifier filter value. Use this parameter to show only purchased reservations matching the specified offering identifier.

Type: String

Required: No

Response Syntax

```
{  
    "NextToken": "string",  
    "ReservedNodes": [  
        {  
            "ARN": "string",  
            "Duration": number,  
            "FixedPrice": number,  
            "NodeCount": number,  
            "NodeType": "string",  
            "OfferingType": "string",  
            "RecurringCharges": [  
                {  
                    "RecurringChargeAmount": number,  
                    "RecurringChargeFrequency": "string"  
                }  
            ],  
            "ReservationId": "string",  
            "ReservedNodesOfferingId": "string",  
            "StartTime": number,  
            "State": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[NextToken](#)

An optional marker returned from a prior request. Use this marker for pagination of results from this operation. If this parameter is specified, the response includes only records beyond the marker, up to the value specified by MaxRecords.

Type: String

[ReservedNodes](#)

Returns information about reserved nodes for this account, or about a specified reserved node.

Type: Array of [ReservedNode objects](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ReservedNodeNotFoundFault

The requested node does not exist.

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)

- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeReservedNodesOfferings

Lists available reserved node offerings.

Request Syntax

```
{  
    "Duration": "string",  
    "MaxResults": number,  
    "NextToken": "string",  
    "NodeType": "string",  
    "OfferingType": "string",  
    "ReservedNodesOfferingId": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Duration

Duration filter value, specified in years or seconds. Use this parameter to show only reservations for a given duration.

Type: String

Required: No

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxRecords value, a marker is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional marker returned from a prior request. Use this marker for pagination of results from this operation. If this parameter is specified, the response includes only records beyond the marker, up to the value specified by MaxRecords.

Type: String

Required: No

NodeType

The node type for the reserved nodes. For more information, see [Supported node types](#).

Type: String

Required: No

OfferingType

The offering type filter value. Use this parameter to show only the available offerings matching the specified offering type. Valid values: "All Upfront"|"Partial Upfront"|"No Upfront"

Type: String

Required: No

ReservedNodesOfferingId

The offering identifier filter value. Use this parameter to show only the available offering that matches the specified reservation identifier.

Type: String

Required: No

Response Syntax

```
{  
    "NextToken": "string",  
    "ReservedNodesOfferings": [  
        {  
            "Duration": number,  
            "OfferingType": "All Upfront" | "Partial Upfront" | "No Upfront",  
            "OfferingId": "string",  
            "OfferingArn": "string",  
            "OfferingName": "string",  
            "OfferingStatus": "Active" | "Pending",  
            "OfferingType": "All Upfront" | "Partial Upfront" | "No Upfront",  
            "OfferingTermInYears": 12,  
            "OfferingTermInMonths": 12  
        }  
    ]  
}
```

```
"FixedPrice": number,  
"NodeType": "string",  
"OfferingType": "string",  
"RecurringCharges": [  
    {  
        "RecurringChargeAmountnumber,  
        "RecurringChargeFrequency": "string"  
    }  
],  
"ReservedNodesOfferingId": "string"  
}  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

An optional marker returned from a prior request. Use this marker for pagination of results from this operation. If this parameter is specified, the response includes only records beyond the marker, up to the value specified by MaxRecords.

Type: String

ReservedNodesOfferings

Lists available reserved node offerings.

Type: Array of [ReservedNodesOffering](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ReservedNodesOfferingNotFoundFault

The requested node offering does not exist.

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeServiceUpdates

Returns details of the service updates.

Request Syntax

```
{  
    "ClusterNames": [ "string" ],  
    "MaxResults": number,  
    "NextToken": "string",  
    "ServiceUpdateName": "string",  
    "Status": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClusterNames

The list of cluster names to identify service updates to apply.

Type: Array of strings

Array Members: Maximum number of 20 items.

Required: No

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken

is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

ServiceUpdateName

The unique ID of the service update to describe.

Type: String

Required: No

Status

The status(es) of the service updates to filter on.

Type: Array of strings

Array Members: Maximum number of 4 items.

Valid Values: available | in-progress | complete | scheduled

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "ServiceUpdates": [
    {
      "AutoUpdateStartDate": number,
      "ClusterName": "string",
      "Description": "string",
      "Engine": "string",
      "NodesUpdated": "string",
      "ReleaseDate": number,
      "ServiceUpdateName": "string",
      "Status": "string",
      "Type": "string"
    }
  ]
}
```

{}

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[NextToken](#)

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

[ServiceUpdates](#)

A list of service updates

Type: Array of [ServiceUpdate](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeSchemas

Returns information about cluster snapshots. By default, DescribeSchemas lists all of your snapshots; it can optionally describe a single snapshot, or just the snapshots associated with a particular cluster.

Request Syntax

```
{  
    "ClusterName": "string",  
    "MaxResults": number,  
    "NextToken": "string",  
    "ShowDetail": boolean,  
    "SnapshotName": "string",  
    "Source": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClusterName

A user-supplied cluster identifier. If this parameter is specified, only snapshots associated with that specific cluster are described.

Type: String

Required: No

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

ShowDetail

A Boolean value which if true, the shard configuration is included in the snapshot description.

Type: Boolean

Required: No

SnapshotName

A user-supplied name of the snapshot. If this parameter is specified, only this named snapshot is described.

Type: String

Required: No

Source

If set to system, the output shows snapshots that were automatically created by MemoryDB. If set to user the output shows snapshots that were manually created. If omitted, the output shows both automatically and manually created snapshots.

Type: String

Required: No

Response Syntax

```
{  
  "NextToken": "string",  
  "Snapshots": [  
    {  
      "ARN": "string",  
      "CreationTime": "string",  
      "Description": "string",  
      "Name": "string",  
      "ShardCount": 123,  
      "Status": "string"  
    }  
  ]  
}
```

```
"ClusterConfiguration": {  
    "Description": "string",  
    "Engine": "string",  
    "EngineVersion": "string",  
    "MaintenanceWindow": "string",  
    "MultiRegionClusterName": "string",  
    "MultiRegionParameterGroupName": "string",  
    "Name": "string",  
    "NodeType": "string",  
    "NumShards": number,  
    "ParameterGroupName": "string",  
    "Port": number,  
    "Shards": [  
        {  
            "Configuration": {  
                "ReplicaCount": number,  
                "Slots": "string"  
            },  
            "Name": "string",  
            "Size": "string",  
            "SnapshotCreationTime": number  
        }  
    ],  
    "SnapshotRetentionLimit": number,  
    "SnapshotWindow": "string",  
    "SubnetGroupName": "string",  
    "TopicArn": "string",  
    "VpcId": "string"  
},  
    "DataTiering": "string",  
    "KmsKeyId": "string",  
    "Name": "string",  
    "Source": "string",  
    "Status": "string"  
}  
]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Snapshots

A list of snapshots. Each item in the list contains detailed information about one snapshot.

Type: Array of [Snapshot](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SnapshotNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeSubnetGroups

Returns a list of subnet group descriptions. If a subnet group name is specified, the list contains only the description of that group.

Request Syntax

```
{  
    "MaxResults": number,  
    "NextToken": "string",  
    "SubnetGroupName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

SubnetGroupName

The name of the subnet group to return details for.

Type: String

Required: No

Response Syntax

```
{  
    "NextToken": "string",  
    "SubnetGroups": [  
        {  
            "ARN": "string",  
            "Description": "string",  
            "Name": "string",  
            "Subnets": [  
                {  
                    "AvailabilityZone": {  
                        "Name": "string"  
                    },  
                    "Identifier": "string",  
                    "SupportedNetworkTypes": [ "string" ]  
                }  
            ],  
            "SupportedNetworkTypes": [ "string" ],  
            "VpcId": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

SubnetGroups

A list of subnet groups. Each element in the list contains detailed information about one group.

Type: Array of [SubnetGroup](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SubnetGroupNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DescribeUsers

Returns a list of users.

Request Syntax

```
{  
    "Filters": [  
        {  
            "Name": "string",  
            "Values": [ "string" ]  
        }  
    ],  
    "MaxResults": number,  
    "NextToken": "string",  
    "UserName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Filters

Filter to determine the list of users to return.

Type: Array of [Filter](#) objects

Required: No

MaxResults

The maximum number of records to include in the response. If more records exist than the specified MaxResults value, a token is included in the response so that the remaining results can be retrieved.

Type: Integer

Required: No

[NextToken](#)

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Required: No

[UserName](#)

The name of the user.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

Response Syntax

```
{
  "NextToken": "string",
  "Users": [
    {
      "AccessString": "string",
      "ACLNames": [ "string" ],
      "ARN": "string",
      "Authentication": {
        "PasswordCount": number,
        "Type": "string"
      },
      "MinimumEngineVersion": "string",
      "Name": "string",
      "Status": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

NextToken

An optional argument to pass in case the total number of records exceeds the value of MaxResults. If nextToken is returned, there are more results available. The value of nextToken is a unique pagination token for each page. Make the call again using the returned token to retrieve the next page. Keep all other arguments unchanged.

Type: String

Users

A list of users.

Type: Array of [User](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

UserNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)

- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

FailoverShard

Used to failover a shard. This API is designed for testing the behavior of your application in case of MemoryDB failover. It is not designed to be used as a production-level tool for initiating a failover to overcome a problem you may have with the cluster. Moreover, in certain conditions such as large scale operational events, Amazon may block this API.

Request Syntax

```
{  
  "ClusterName": "string",  
  "ShardName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClusterName

The cluster being failed over.

Type: String

Required: Yes

ShardName

The name of the shard.

Type: String

Required: Yes

Response Syntax

```
{  
  "Cluster": {  
    "ACLName": "string",  
    "ARN": "string",  
  },  
  "Shard": {  
    "ShardName": "string",  
    "ShardNumber": "string",  
    "Status": "string",  
  }  
}
```

```
"AutoMinorVersionUpgrade": boolean,
"AvailabilityMode": string,
"ClusterEndpoint": {
    "Address": string,
    "Port": number
},
"DataTiering": string,
"Description": string,
"Engine": string,
"EnginePatchVersion": string,
"EngineVersion": string,
"IpDiscovery": string,
"KmsKeyId": string,
"MaintenanceWindow": string,
"MultiRegionClusterName": string,
"Name": string,
"NetworkType": string,
"NodeType": string,
"NumberOfShards": number,
"ParameterGroupName": string,
"ParameterGroupStatus": string,
"PendingUpdates": {
    "ACLs": {
        "ACLToApply": string
    },
    "Resharding": {
        "SlotMigration": {
            "ProgressPercentage": number
        }
    },
    "ServiceUpdates": [
        {
            "ServiceUpdateName": string,
            "Status": string
        }
    ]
},
"SecurityGroups": [
    {
        "SecurityGroupId": string,
        "Status": string
    }
],
"Shards": [
```

```
{  
    "Name": "string",  
    "Nodes": [  
        {  
            "AvailabilityZone": "string",  
            "CreateTime": number,  
            "Endpoint": {  
                "Address": "string",  
                "Port": number  
            },  
            "Name": "string",  
            "Status": "string"  
        }  
    ],  
    "NumberOfNodes": number,  
    "Slots": "string",  
    "Status": "string"  
},  
    "SnapshotRetentionLimit": number,  
    "SnapshotWindow": "string",  
    "SnsTopicArn": "string",  
    "SnsTopicStatus": "string",  
    "Status": "string",  
    "SubnetGroupName": "string",  
    "TLSEnabled": boolean  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Cluster](#)

The cluster being failed over.

Type: [Cluster object](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

APICallRateForCustomerExceededFault

HTTP Status Code: 400

ClusterNotFoundFault

HTTP Status Code: 400

InvalidClusterStateFault

HTTP Status Code: 400

InvalidKMSKeyFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ShardNotFoundFault

HTTP Status Code: 400

TestFailoverNotAvailableFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListAllowedMultiRegionClusterUpdates

Lists the allowed updates for a multi-Region cluster.

Request Syntax

```
{  
    "MultiRegionClusterName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

MultiRegionClusterName

The name of the multi-Region cluster.

Type: String

Required: Yes

Response Syntax

```
{  
    "ScaleDownNodeTypes": [ "string" ],  
    "ScaleUpNodeTypes": [ "string" ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ScaleDownNodeTypes

The node types that the cluster can be scaled down to.

Type: Array of strings

ScaleUpNodeTypes

The node types that the cluster can be scaled up to.

Type: Array of strings

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

MultiRegionClusterNotFoundFault

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)

- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListAllowedNodeTypeUpdates

Lists all available node types that you can scale to from your cluster's current node type. When you use the UpdateCluster operation to scale your cluster, the value of the NodeType parameter must be one of the node types returned by this operation.

Request Syntax

```
{  
    "ClusterName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ClusterName

The name of the cluster you want to scale. MemoryDB uses the cluster name to identify the current node type being used by this cluster, and from that to create a list of node types you can scale up to.

Type: String

Required: Yes

Response Syntax

```
{  
    "ScaleDownNodeTypes": [ "string" ],  
    "ScaleUpNodeTypes": [ "string" ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[ScaleDownNodeTypes](#)

A list node types which you can use to scale down your cluster.

Type: Array of strings

[ScaleUpNodeTypes](#)

A list node types which you can use to scale up your cluster.

Type: Array of strings

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ClusterNotFoundFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)

- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListTags

Lists all tags currently on a named resource. A tag is a key-value pair where the key and value are case-sensitive. You can use tags to categorize and track your MemoryDB resources. For more information, see [Tagging your MemoryDB resources](#).

When you add or remove tags from multi region clusters, you might not immediately see the latest effective tags in the ListTags API response due to it being eventually consistent specifically for multi region clusters. For more information, see [Tagging your MemoryDB resources](#).

Request Syntax

```
{  
    "ResourceArn": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceArn

The Amazon Resource Name (ARN) of the resource for which you want the list of tags.

Type: String

Required: Yes

Response Syntax

```
{  
    "TagList": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]
```

}

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[TagList](#)

A list of tags as key-value pairs.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ACLNotFoundFault

HTTP Status Code: 400

ClusterNotFoundFault

HTTP Status Code: 400

InvalidARNFault

HTTP Status Code: 400

InvalidClusterStateFault

HTTP Status Code: 400

MultiRegionClusterNotFoundFault

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

MultiRegionParameterGroupNotFoundFault

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SnapshotNotFoundFault

HTTP Status Code: 400

SubnetGroupNotFoundFault

HTTP Status Code: 400

UserNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)

- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

PurchaseReservedNodesOffering

Allows you to purchase a reserved node offering. Reserved nodes are not eligible for cancellation and are non-refundable.

Request Syntax

```
{  
    "NodeCount": number,  
    "ReservationId": "string",  
    "ReservedNodesOfferingId": "string",  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

NodeCount

The number of node instances to reserve.

Type: Integer

Required: No

ReservationId

A customer-specified identifier to track this reservation.

Type: String

Required: No

ReservedNodesOfferingId

The ID of the reserved node offering to purchase.

Type: String

Required: Yes

Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: No

Response Syntax

```
{  
    "ReservedNode": {  
        "ARN": "string",  
        "Duration": number,  
        "FixedPrice": number,  
        "NodeCount": number,  
        "NodeType": "string",  
        "OfferingType": "string",  
        "RecurringCharges": [  
            {  
                "RecurringChargeAmount": number,  
                "RecurringChargeFrequency": "string"  
            }  
        ],  
        "ReservationId": "string",  
        "ReservedNodesOfferingId": "string",  
        "StartTime": number,  
        "State": "string"  
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ReservedNode

Represents the output of a `PurchaseReservedNodesOffering` operation.

Type: [ReservedNode](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ReservedNodeAlreadyExistsFault

You already have a reservation with the given identifier.

HTTP Status Code: 400

ReservedNodeQuotaExceededFault

The request cannot be processed because it would exceed the user's node quota.

HTTP Status Code: 400

ReservedNodesOfferingNotFoundFault

The requested node offering does not exist.

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ResetParameterGroup

Modifies the parameters of a parameter group to the engine or system default value. You can reset specific parameters by submitting a list of parameter names. To reset the entire parameter group, specify the AllParameters and ParameterGroupName parameters.

Request Syntax

```
{  
    "AllParameters": boolean,  
    "ParameterGroupName": "string",  
    "ParameterNames": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AllParameters

If true, all parameters in the parameter group are reset to their default values. If false, only the parameters listed by ParameterNames are reset to their default values.

Type: Boolean

Required: No

ParameterGroupName

The name of the parameter group to reset.

Type: String

Required: Yes

ParameterNames

An array of parameter names to reset to their default values. If AllParameters is true, do not use ParameterNames. If AllParameters is false, you must specify the name of at least one parameter to reset.

Type: Array of strings

Required: No

Response Syntax

```
{  
  "ParameterGroup": {  
    "ARN": "string",  
    "Description": "string",  
    "Family": "string",  
    "Name": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ParameterGroup

The parameter group being reset.

Type: [ParameterGroup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterGroupStateException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

TagResource

Use this operation to add tags to a resource. A tag is a key-value pair where the key and value are case-sensitive. You can use tags to categorize and track all your MemoryDB resources. For more information, see [Tagging your MemoryDB resources](#).

When you add tags to multi region clusters, you might not immediately see the latest effective tags in the ListTags API response due to it being eventually consistent specifically for multi region clusters. For more information, see [Tagging your MemoryDB resources](#).

You can specify cost-allocation tags for your MemoryDB resources, Amazon generates a cost allocation report as a comma-separated value (CSV) file with your usage and costs aggregated by your tags. You can apply tags that represent business categories (such as cost centers, application names, or owners) to organize your costs across multiple services. For more information, see [Using Cost Allocation Tags](#).

Request Syntax

```
{  
    "ResourceArn": "string",  
    "Tags": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceArn

The Amazon Resource Name (ARN) of the resource to which the tags are to be added.

Type: String

Required: Yes

Tags

A list of tags to be added to this resource. A tag is a key-value pair. A tag key must be accompanied by a tag value, although null is accepted.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Required: Yes

Response Syntax

```
{  
    "TagList": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[TagList](#)

A list of tags as key-value pairs.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ACLNotFoundFault

HTTP Status Code: 400

ClusterNotFoundFault

HTTP Status Code: 400

InvalidARNFault

HTTP Status Code: 400

InvalidClusterStateFault

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

MultiRegionClusterNotFoundFault

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

MultiRegionParameterGroupNotFoundFault

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SnapshotNotFoundFault

HTTP Status Code: 400

SubnetGroupNotFoundFault

HTTP Status Code: 400

TagQuotaPerResourceExceeded

HTTP Status Code: 400

UserNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UntagResource

Use this operation to remove tags on a resource. A tag is a key-value pair where the key and value are case-sensitive. You can use tags to categorize and track all your MemoryDB resources. For more information, see [Tagging your MemoryDB resources](#).

When you remove tags from multi region clusters, you might not immediately see the latest effective tags in the ListTags API response due to it being eventually consistent specifically for multi region clusters. For more information, see [Tagging your MemoryDB resources](#).

You can specify cost-allocation tags for your MemoryDB resources, Amazon generates a cost allocation report as a comma-separated value (CSV) file with your usage and costs aggregated by your tags. You can apply tags that represent business categories (such as cost centers, application names, or owners) to organize your costs across multiple services. For more information, see [Using Cost Allocation Tags](#).

Request Syntax

```
{  
    "ResourceArn": "string",  
    "TagKeys": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ResourceArn

The Amazon Resource Name (ARN) of the resource to which the tags are to be removed.

Type: String

Required: Yes

TagKeys

The list of keys of the tags that are to be removed.

Type: Array of strings

Required: Yes

Response Syntax

```
{  
    "TagList": [  
        {  
            "Key": "string",  
            "Value": "string"  
        }  
    ]  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[TagList](#)

The list of tags removed.

Type: Array of [Tag](#) objects

Array Members: Maximum number of 200 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ACLNotFoundFault

HTTP Status Code: 400

ClusterNotFoundFault

HTTP Status Code: 400

InvalidARNFault

HTTP Status Code: 400

InvalidClusterStateFault

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

MultiRegionClusterNotFoundFault

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

MultiRegionParameterGroupNotFoundFault

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SnapshotNotFoundFault

HTTP Status Code: 400

SubnetGroupNotFoundFault

HTTP Status Code: 400

TagNotFoundFault

HTTP Status Code: 400

UserNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateACL

Changes the list of users that belong to the Access Control List.

Request Syntax

```
{  
    "ACLName": "string",  
    "UserNamesToAdd": [ "string" ],  
    "UserNamesToRemove": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ACLName

The name of the Access Control List.

Type: String

Required: Yes

UserNamesToAdd

The list of users to add to the Access Control List.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

UserNamesToRemove

The list of users to remove from the Access Control List.

Type: Array of strings

Array Members: Minimum number of 1 item.

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

Response Syntax

```
{  
    "ACL": {  
        "ARN": "string",  
        "Clusters": [ "string" ],  
        "MinimumEngineVersion": "string",  
        "Name": "string",  
        "PendingChanges": {  
            "UserNamesToAdd": [ "string" ],  
            "UserNamesToRemove": [ "string" ]  
        },  
        "Status": "string",  
        "UserNames": [ "string" ]  
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ACL

The updated Access Control List.

Type: [ACL](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ACLNotFoundFault

HTTP Status Code: 400

DefaultUserRequired

HTTP Status Code: 400

DuplicateUserNameFault

HTTP Status Code: 400

InvalidACLSyntaxFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

UserNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)

- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateCluster

Modifies the settings for a cluster. You can use this operation to change one or more cluster configuration settings by specifying the settings and the new values.

Request Syntax

```
{  
    "ACLName": "string",  
    "ClusterName": "string",  
    "Description": "string",  
    "Engine": "string",  
    "EngineVersion": "string",  
    "IpDiscovery": "string",  
    "MaintenanceWindow": "string",  
    "NodeType": "string",  
    "ParameterGroupName": "string",  
    "ReplicaConfiguration": {  
        "ReplicaCount": number  
    },  
    "SecurityGroupIds": [ "string" ],  
    "ShardConfiguration": {  
        "ShardCount": number  
    },  
    "SnapshotRetentionLimit": number,  
    "SnapshotWindow": "string",  
    "SnsTopicArn": "string",  
    "SnsTopicStatus": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ACLName

The Access Control List that is associated with the cluster.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

[ClusterName](#)

The name of the cluster to update.

Type: String

Required: Yes

[Description](#)

The description of the cluster to update.

Type: String

Required: No

[Engine](#)

The name of the engine to be used for the cluster.

Type: String

Required: No

[EngineVersion](#)

The upgraded version of the engine to be run on the nodes. You can upgrade to a newer engine version, but you cannot downgrade to an earlier engine version. If you want to use an earlier engine version, you must delete the existing cluster and create it anew with the earlier engine version.

Type: String

Required: No

[IpDiscovery](#)

The mechanism for discovering IP addresses for the cluster discovery protocol. Valid values are 'ipv4' or 'ipv6'. When set to 'ipv4', cluster discovery functions such as cluster slots, cluster shards, and cluster nodes will return IPv4 addresses for cluster nodes. When set to 'ipv6', the cluster discovery functions return IPv6 addresses for cluster nodes. The value must be compatible with the NetworkType parameter. If not specified, the default is 'ipv4'.

Type: String

Valid Values: ipv4 | ipv6

Required: No

MaintenanceWindow

Specifies the weekly time range during which maintenance on the cluster is performed. It is specified as a range in the format ddd:hh24:mi-ddd:hh24:mi (24H Clock UTC). The minimum maintenance window is a 60 minute period.

Valid values for ddd are:

- sun
- mon
- tue
- wed
- thu
- fri
- sat

Example: sun:23:00-mon:01:30

Type: String

Required: No

NodeType

A valid node type that you want to scale this cluster up or down to.

Type: String

Required: No

ParameterGroupName

The name of the parameter group to update.

Type: String

Required: No

ReplicaConfiguration

The number of replicas that will reside in each shard.

Type: [ReplicaConfigurationRequest](#) object

Required: No

SecurityGroupIds

The SecurityGroupIds to update.

Type: Array of strings

Required: No

ShardConfiguration

The number of shards in the cluster.

Type: [ShardConfigurationRequest](#) object

Required: No

SnapshotRetentionLimit

The number of days for which MemoryDB retains automatic cluster snapshots before deleting them. For example, if you set SnapshotRetentionLimit to 5, a snapshot that was taken today is retained for 5 days before being deleted.

Type: Integer

Required: No

SnapshotWindow

The daily time range (in UTC) during which MemoryDB begins taking a daily snapshot of your cluster.

Type: String

Required: No

SnsTopicArn

The SNS topic ARN to update.

Type: String

Required: No

SnsTopicStatus

The status of the Amazon SNS notification topic. Notifications are sent only if the status is active.

Type: String

Required: No

Response Syntax

```
{  
    "Cluster": {  
        "ACLName": "string",  
        "ARN": "string",  
        "AutoMinorVersionUpgrade": boolean,  
        "AvailabilityMode": "string",  
        "ClusterEndpoint": {  
            "Address": "string",  
            "Port": number  
        },  
        "DataTiering": "string",  
        "Description": "string",  
        "Engine": "string",  
        "EnginePatchVersion": "string",  
        "EngineVersion": "string",  
        "IpDiscovery": "string",  
        "KmsKeyId": "string",  
        "MaintenanceWindow": "string",  
        "MultiRegionClusterName": "string",  
        "Name": "string",  
        "NetworkType": "string",  
        "NodeType": "string",  
        "NumberOfShards": number,  
        "ParameterGroupName": "string",  
        "ParameterGroupStatus": "string",  
        "PendingUpdates": {  
            "ACLs": {  
                "ACLToApply": "string"  
            },  
            "Resharding": {  
            }  
        }  
    }  
}
```

```
    "SlotMigration": {
        "ProgressPercentage": number
    },
},
"ServiceUpdates": [
    {
        "ServiceUpdateName": "string",
        "Status": "string"
    }
]
},
"SecurityGroups": [
    {
        "SecurityGroupId": "string",
        "Status": "string"
    }
],
"Shards": [
    {
        "Name": "string",
        "Nodes": [
            {
                "AvailabilityZone": "string",
                "CreateTime": number,
                "Endpoint": {
                    "Address": "string",
                    "Port": number
                },
                "Name": "string",
                "Status": "string"
            }
        ],
        "NumberOfNodes": number,
        "Slots": "string",
        "Status": "string"
    }
],
"SnapshotRetentionLimit": number,
"SnapshotWindow": "string",
"SnsTopicArn": "string",
"SnsTopicStatus": "string",
"Status": "string",
"SubnetGroupName": "string",
"TLSEnabled": boolean
```

```
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[Cluster](#)

The updated cluster.

Type: [Cluster object](#)

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

ACLNotFoundFault

HTTP Status Code: 400

ClusterNotFoundFault

HTTP Status Code: 400

ClusterQuotaForCustomerExceededFault

HTTP Status Code: 400

InvalidACLSecurityFault

HTTP Status Code: 400

InvalidClusterStateFault

HTTP Status Code: 400

InvalidKMSKeyFault

HTTP Status Code: 400

InvalidNodeStateFault

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

InvalidVPCNetworkStateFault

HTTP Status Code: 400

NodeQuotaForClusterExceededFault

HTTP Status Code: 400

NodeQuotaForCustomerExceededFault

HTTP Status Code: 400

NoOperationFault

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

ShardsPerClusterQuotaExceededFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateMultiRegionCluster

Updates the configuration of an existing multi-Region cluster.

Request Syntax

```
{  
    "Description": "string",  
    "EngineVersion": "string",  
    "MultiRegionClusterName": "string",  
    "MultiRegionParameterGroupName": "string",  
    "NodeType": "string",  
    "ShardConfiguration": {  
        "ShardCount": number  
    },  
    "UpdateStrategy": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Description

A new description for the multi-Region cluster.

Type: String

Required: No

EngineVersion

The new engine version to be used for the multi-Region cluster.

Type: String

Required: No

MultiRegionClusterName

The name of the multi-Region cluster to be updated.

Type: String

Required: Yes

[MultiRegionParameterGroupName](#)

The new multi-Region parameter group to be associated with the cluster.

Type: String

Required: No

[NodeType](#)

The new node type to be used for the multi-Region cluster.

Type: String

Required: No

[ShardConfiguration](#)

A request to configure the sharding properties of a cluster

Type: [ShardConfigurationRequest](#) object

Required: No

[UpdateStrategy](#)

The strategy to use for the update operation. Supported values are "coordinated" or "uncoordinated".

Type: String

Valid Values: coordinated | uncoordinated

Required: No

Response Syntax

```
{  
  "MultiRegionCluster": {  
    "ARN": "string",  
    "Clusters": [  
      ...  
    ]  
  }  
}
```

```
{  
    "ARN": "string",  
    "ClusterName": "string",  
    "Region": "string",  
    "Status": "string"  
}  
,  
"Description": "string",  
"Engine": "string",  
"EngineVersion": "string",  
"MultiRegionClusterName": "string",  
"MultiRegionParameterGroupName": "string",  
"NodeType": "string",  
"NumberOfShards": number,  
"Status": "string",  
"TLSEnabled": boolean  
}  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[MultiRegionCluster](#)

The status of updating the multi-Region cluster.

Type: [MultiRegionCluster](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidMultiRegionClusterStateFault

The requested operation cannot be performed on the multi-Region cluster in its current state.

HTTP Status Code: 400

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

MultiRegionClusterNotFoundFault

The specified multi-Region cluster does not exist.

HTTP Status Code: 400

MultiRegionParameterGroupNotFoundFault

The specified multi-Region parameter group does not exist.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateParameterGroup

Updates the parameters of a parameter group. You can modify up to 20 parameters in a single request by submitting a list parameter name and value pairs.

Request Syntax

```
{  
    "ParameterGroupName": "string",  
    "ParameterNameValues": [  
        {  
            "ParameterName": "string",  
            "ParameterValue": "string"  
        }  
    ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

ParameterGroupName

The name of the parameter group to update.

Type: String

Required: Yes

ParameterNameValues

An array of parameter names and values for the parameter update. You must supply at least one parameter name and value; subsequent arguments are optional. A maximum of 20 parameters may be updated per request.

Type: Array of [ParameterNameValue](#) objects

Required: Yes

Response Syntax

```
{  
  "ParameterGroup": {  
    "ARN": "string",  
    "Description": "string",  
    "Family": "string",  
    "Name": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

ParameterGroup

The updated parameter group

Type: [ParameterGroup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterGroupStateFault

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

ParameterGroupNotFoundFault

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateSubnetGroup

Updates a subnet group. For more information, see [Updating a subnet group](#)

Request Syntax

```
{  
    "Description": "string",  
    "SubnetGroupName": "string",  
    "SubnetIds": [ "string" ]  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

Description

A description of the subnet group

Type: String

Required: No

SubnetGroupName

The name of the subnet group

Type: String

Required: Yes

SubnetIds

The EC2 subnet IDs for the subnet group.

Type: Array of strings

Required: No

Response Syntax

```
{  
  "SubnetGroup": {  
    "ARN": "string",  
    "Description": "string",  
    "Name": "string",  
    "Subnets": [  
      {  
        "AvailabilityZone": {  
          "Name": "string"  
        },  
        "Identifier": "string",  
        "SupportedNetworkTypes": [ "string" ]  
      }  
    ],  
    "SupportedNetworkTypes": [ "string" ],  
    "VpcId": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[SubnetGroup](#)

The updated subnet group

Type: [SubnetGroup](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidSubnet

HTTP Status Code: 400

ServiceLinkedRoleNotFoundFault

HTTP Status Code: 400

SubnetGroupNotFoundFault

HTTP Status Code: 400

SubnetInUse

HTTP Status Code: 400

SubnetNotAllowedFault

HTTP Status Code: 400

SubnetQuotaExceededFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateUser

Changes user password(s) and/or access string.

Request Syntax

```
{  
    "AccessString": "string",  
    "AuthenticationMode": {  
        "Passwords": [ "string" ],  
        "Type": "string"  
    },  
    "UserName": "string"  
}
```

Request Parameters

For information about the parameters that are common to all actions, see [Common Parameters](#).

The request accepts the following data in JSON format.

AccessString

Access permissions string used for this user.

Type: String

Pattern: .*\S.*

Required: No

AuthenticationMode

Denotes the user's authentication properties, such as whether it requires a password to authenticate.

Type: [AuthenticationMode](#) object

Required: No

UserName

The name of the user

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: Yes

Response Syntax

```
{  
    "User": {  
        "AccessString": "string",  
        "ACLNames": [ "string" ],  
        "ARN": "string",  
        "Authentication": {  
            "PasswordCount": number,  
            "Type": "string"  
        },  
        "MinimumEngineVersion": "string",  
        "Name": "string",  
        "Status": "string"  
    }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

User

The updated user

Type: [User](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InvalidParameterCombinationException

HTTP Status Code: 400

InvalidParameterValueException

HTTP Status Code: 400

InvalidUserStateFault

HTTP Status Code: 400

UserNotFoundFault

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for Kotlin](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

Data Types

The Amazon MemoryDB API contains several data types that various actions use. This section describes each data type in detail.

 **Note**

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [ACL](#)
- [ACLPendingChanges](#)
- [ACLSUpdateStatus](#)
- [Authentication](#)
- [AuthenticationMode](#)
- [AvailabilityZone](#)
- [Cluster](#)
- [ClusterConfiguration](#)
- [ClusterPendingUpdates](#)
- [Endpoint](#)
- [EngineVersionInfo](#)
- [Event](#)
- [Filter](#)
- [MultiRegionCluster](#)
- [Node](#)
- [Parameter](#)
- [ParameterGroup](#)
- [ParameterNameValue](#)
- [PendingModifiedServiceUpdate](#)
- [RecurringCharge](#)

- [RegionalCluster](#)
- [ReplicaConfigurationRequest](#)
- [ReservedNode](#)
- [ReservedNodesOffering](#)
- [ReshardingStatus](#)
- [SecurityGroupMembership](#)
- [ServiceUpdate](#)
- [ServiceUpdateRequest](#)
- [Shard](#)
- [ShardConfiguration](#)
- [ShardConfigurationRequest](#)
- [ShardDetail](#)
- [SlotMigration](#)
- [Snapshot](#)
- [Subnet](#)
- [SubnetGroup](#)
- [Tag](#)
- [UnprocessedCluster](#)
- [User](#)

ACL

An Access Control List. You can authenticate users with Access Control Lists. ACLs enable you to control cluster access by grouping users. These Access control lists are designed as a way to organize access to clusters.

Contents

ARN

The Amazon Resource Name (ARN) of the ACL

Type: String

Required: No

Clusters

A list of clusters associated with the ACL.

Type: Array of strings

Required: No

MinimumEngineVersion

The minimum engine version supported for the ACL

Type: String

Required: No

Name

The name of the Access Control List

Type: String

Required: No

PendingChanges

A list of updates being applied to the ACL.

Type: [ACLPendingChanges](#) object

Required: No

Status

Indicates ACL status. Can be "creating", "active", "modifying", "deleting".

Type: String

Required: No

UserNames

The list of user names that belong to the ACL.

Type: Array of strings

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ACLPendingChanges

Returns the updates being applied to the ACL.

Contents

UserNamesToAdd

A list of users being added to the ACL

Type: Array of strings

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

UserNamesToRemove

A list of user names being removed from the ACL

Type: Array of strings

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ACLsUpdateStatus

The status of the ACL update

Contents

ACLToApply

A list of ACLs pending to be applied.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Authentication

Denotes the user's authentication properties, such as whether it requires a password to authenticate. Used in output responses.

Contents

PasswordCount

The number of passwords belonging to the user. The maximum is two.

Type: Integer

Required: No

Type

Indicates whether the user requires a password to authenticate.

Type: String

Valid Values: password | no-password | iam

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

AuthenticationMode

Denotes the user's authentication properties, such as whether it requires a password to authenticate. Used in output responses.

Contents

Passwords

The password(s) used for authentication

Type: Array of strings

Array Members: Minimum number of 1 item.

Required: No

Type

Indicates whether the user requires a password to authenticate. All newly-created users require a password.

Type: String

Valid Values: password | iam

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

AvailabilityZone

Indicates if the cluster has a Multi-AZ configuration (`multiaz`) or not (`singleaz`).

Contents

Name

The name of the Availability Zone.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Cluster

Contains all of the attributes of a specific cluster.

Contents

ACLName

The name of the Access Control List associated with this cluster.

Type: String

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

ARN

The Amazon Resource Name (ARN) of the cluster.

Type: String

Required: No

AutoMinorVersionUpgrade

When set to true, the cluster will automatically receive minor engine version upgrades after launch.

Type: Boolean

Required: No

AvailabilityMode

Indicates if the cluster has a Multi-AZ configuration (multiaz) or not (singleaz).

Type: String

Valid Values: singleaz | multiaz

Required: No

ClusterEndpoint

The cluster's configuration endpoint

Type: [Endpoint](#) object

Required: No

DataTiering

Enables data tiering. Data tiering is only supported for clusters using the r6gd node type. This parameter must be set when using r6gd nodes. For more information, see [Data tiering](#).

Type: String

Valid Values: true | false

Required: No

Description

A description of the cluster

Type: String

Required: No

Engine

The name of the engine used by the cluster.

Type: String

Required: No

EnginePatchVersion

The Redis OSS engine patch version used by the cluster

Type: String

Required: No

EngineVersion

The Redis OSS engine version used by the cluster

Type: String

Required: No

IpDiscovery

The mechanism that the cluster uses to discover IP addresses. Returns 'ipv4' when DNS endpoints resolve to IPv4 addresses, or 'ipv6' when DNS endpoints resolve to IPv6 addresses.

Type: String

Valid Values: ipv4 | ipv6

Required: No

KmsKeyId

The ID of the KMS key used to encrypt the cluster

Type: String

Required: No

MaintenanceWindow

Specifies the weekly time range during which maintenance on the cluster is performed. It is specified as a range in the format ddd:hh24:mi-ddd:hh24:mi (24H Clock UTC). The minimum maintenance window is a 60 minute period.

Type: String

Required: No

MultiRegionClusterName

The name of the multi-Region cluster that this cluster belongs to.

Type: String

Required: No

Name

The user-supplied name of the cluster. This identifier is a unique key that identifies a cluster.

Type: String

Required: No

NetworkType

The IP address type for the cluster. Returns 'ipv4' for IPv4 only, 'ipv6' for IPv6 only, or 'dual-stack' if the cluster supports both IPv4 and IPv6 addressing.

Type: String

Valid Values: ipv4 | ipv6 | dual_stack

Required: No

NodeType

The cluster's node type

Type: String

Required: No

NumberOfShards

The number of shards in the cluster

Type: Integer

Required: No

ParameterGroupName

The name of the parameter group used by the cluster

Type: String

Required: No

ParameterGroupStatus

The status of the parameter group used by the cluster, for example 'active' or 'applying'.

Type: String

Required: No

PendingUpdates

A group of settings that are currently being applied.

Type: [ClusterPendingUpdates](#) object

Required: No

SecurityGroups

A list of security groups used by the cluster

Type: Array of [SecurityGroupMembership](#) objects

Required: No

Shards

A list of shards that are members of the cluster.

Type: Array of [Shard](#) objects

Required: No

SnapshotRetentionLimit

The number of days for which MemoryDB retains automatic snapshots before deleting them.

For example, if you set SnapshotRetentionLimit to 5, a snapshot that was taken today is retained for 5 days before being deleted.

Type: Integer

Required: No

SnapshotWindow

The daily time range (in UTC) during which MemoryDB begins taking a daily snapshot of your shard. Example: 05:00-09:00 If you do not specify this parameter, MemoryDB automatically chooses an appropriate time range.

Type: String

Required: No

SnsTopicArn

The Amazon Resource Name (ARN) of the SNS notification topic

Type: String

Required: No

SnsTopicStatus

The SNS topic must be in Active status to receive notifications

Type: String

Required: No

Status

The status of the cluster. For example, Available, Updating, Creating.

Type: String

Required: No

SubnetGroupName

The name of the subnet group used by the cluster

Type: String

Required: No

TLSEnabled

A flag to indicate if In-transit encryption is enabled

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ClusterConfiguration

A list of cluster configuration options.

Contents

Description

The description of the cluster configuration

Type: String

Required: No

Engine

The name of the engine used by the cluster configuration.

Type: String

Required: No

EngineVersion

The Redis OSS engine version used by the cluster

Type: String

Required: No

MaintenanceWindow

The specified maintenance window for the cluster

Type: String

Required: No

MultiRegionClusterName

The name for the multi-Region cluster associated with the cluster configuration.

Type: String

Required: No

MultiRegionParameterGroupName

The name of the multi-Region parameter group associated with the cluster configuration.

Type: String

Required: No

Name

The name of the cluster

Type: String

Required: No

NodeType

The node type used for the cluster

Type: String

Required: No

NumShards

The number of shards in the cluster

Type: Integer

Required: No

ParameterGroupName

The name of parameter group used by the cluster

Type: String

Required: No

Port

The port used by the cluster

Type: Integer

Required: No

Shards

The list of shards in the cluster

Type: Array of [ShardDetail](#) objects

Required: No

SnapshotRetentionLimit

The snapshot retention limit set by the cluster

Type: Integer

Required: No

SnapshotWindow

The snapshot window set by the cluster

Type: String

Required: No

SubnetGroupName

The name of the subnet group used by the cluster

Type: String

Required: No

TopicArn

The Amazon Resource Name (ARN) of the SNS notification topic for the cluster

Type: String

Required: No

VpcId

The ID of the VPC the cluster belongs to

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ClusterPendingUpdates

A list of updates being applied to the cluster

Contents

ACLs

A list of ACLs associated with the cluster that are being updated

Type: [ACLsUpdateStatus](#) object

Required: No

Resharding

The status of an online resharding operation.

Type: [ReshardingStatus](#) object

Required: No

ServiceUpdates

A list of service updates being applied to the cluster

Type: Array of [PendingModifiedServiceUpdate](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Endpoint

Represents the information required for client programs to connect to the cluster and its nodes.

Contents

Address

The DNS hostname of the node.

Type: String

Required: No

Port

The port number that the engine is listening on.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

EngineVersionInfo

Provides details of the Redis OSS engine version

Contents

Engine

The name of the engine for which version information is provided.

Type: String

Required: No

EnginePatchVersion

The patched engine version

Type: String

Required: No

EngineVersion

The engine version

Type: String

Required: No

ParameterGroupFamily

Specifies the name of the parameter group family to which the engine default parameters apply.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Event

Represents a single occurrence of something interesting within the system. Some examples of events are creating a cluster or adding or removing a node.

Contents

Date

The date and time when the event occurred.

Type: Timestamp

Required: No

Message

The text of the event.

Type: String

Required: No

SourceName

The name for the source of the event. For example, if the event occurred at the cluster level, the identifier would be the name of the cluster.

Type: String

Required: No

SourceType

Specifies the origin of this event - a cluster, a parameter group, a security group, etc.

Type: String

Valid Values: node | parameter-group | subnet-group | cluster | user | acl

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Filter

Used to streamline results of a search based on the property being filtered.

Contents

Name

The property being filtered. For example, UserName.

Type: String

Pattern: .*\\$.*

Required: Yes

Values

The property values to filter on. For example, "user-123".

Type: Array of strings

Array Members: Minimum number of 1 item.

Pattern: .*\\$.*

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

MultiRegionCluster

Represents a multi-Region cluster.

Contents

ARN

The Amazon Resource Name (ARN) of the multi-Region cluster.

Type: String

Required: No

Clusters

The clusters in this multi-Region cluster.

Type: Array of [RegionalCluster](#) objects

Required: No

Description

The description of the multi-Region cluster.

Type: String

Required: No

Engine

The name of the engine used by the multi-Region cluster.

Type: String

Required: No

EngineVersion

The version of the engine used by the multi-Region cluster.

Type: String

Required: No

MultiRegionClusterName

The name of the multi-Region cluster.

Type: String

Required: No

MultiRegionParameterGroupName

The name of the multi-Region parameter group associated with the cluster.

Type: String

Required: No

NodeType

The node type used by the multi-Region cluster.

Type: String

Required: No

NumberOfShards

The number of shards in the multi-Region cluster.

Type: Integer

Required: No

Status

The current status of the multi-Region cluster.

Type: String

Required: No

TLSEnabled

Indicates if the multi-Region cluster is TLS enabled.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Node

Represents an individual node within a cluster. Each node runs its own instance of the cluster's protocol-compliant caching software.

Contents

AvailabilityZone

The Availability Zone in which the node resides

Type: String

Required: No

CreateTime

The date and time when the node was created.

Type: Timestamp

Required: No

Endpoint

The hostname for connecting to this node.

Type: [Endpoint](#) object

Required: No

Name

The node identifier. A node name is a numeric identifier (0001, 0002, etc.). The combination of cluster name, shard name and node name uniquely identifies every node used in a customer's Amazon account.

Type: String

Required: No

Status

The status of the service update on the node

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Parameter

Describes an individual setting that controls some aspect of MemoryDB behavior.

Contents

AllowedValues

The valid range of values for the parameter.

Type: String

Required: No

DataType

The parameter's data type

Type: String

Required: No

Description

A description of the parameter

Type: String

Required: No

MinimumEngineVersion

The earliest engine version to which the parameter can apply.

Type: String

Required: No

Name

The name of the parameter

Type: String

Required: No

Value

The value of the parameter

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ParameterGroup

Represents the output of a CreateParameterGroup operation. A parameter group represents a combination of specific values for the parameters that are passed to the engine software during startup.

Contents

ARN

The Amazon Resource Name (ARN) of the parameter group

Type: String

Required: No

Description

A description of the parameter group

Type: String

Required: No

Family

The name of the parameter group family that this parameter group is compatible with.

Type: String

Required: No

Name

The name of the parameter group

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ParameterNameValue

Describes a name-value pair that is used to update the value of a parameter.

Contents

ParameterName

The name of the parameter

Type: String

Required: No

ParameterValue

The value of the parameter

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PendingModifiedServiceUpdate

Update action that has yet to be processed for the corresponding apply/stop request

Contents

ServiceUpdateName

The unique ID of the service update

Type: String

Required: No

Status

The status of the service update

Type: String

Valid Values: available | in-progress | complete | scheduled

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

RecurringCharge

The recurring charge to run this reserved node.

Contents

RecurringChargeAmount

The amount of the recurring charge to run this reserved node.

Type: Double

Required: No

RecurringChargeFrequency

The frequency of the recurring price charged to run this reserved node.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

RegionalCluster

Represents a Regional cluster

Contents

ARN

The Amazon Resource Name (ARN) the Regional cluster

Type: String

Required: No

ClusterName

The name of the Regional cluster

Type: String

Required: No

Region

The Region the current Regional cluster is assigned to.

Type: String

Required: No

Status

The status of the Regional cluster.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)

- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ReplicaConfigurationRequest

A request to configure the number of replicas in a shard

Contents

ReplicaCount

The number of replicas to scale up or down to

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ReservedNode

Represents the output of a `PurchaseReservedNodesOffering` operation.

Contents

ARN

The Amazon Resource Name (ARN) of the reserved node.

Type: String

Required: No

Duration

The duration of the reservation in seconds.

Type: Integer

Required: No

FixedPrice

The fixed price charged for this reserved node.

Type: Double

Required: No

NodeCount

The number of nodes that have been reserved.

Type: Integer

Required: No

NodeType

The node type for the reserved nodes.

Type: String

Required: No

OfferingType

The offering type of this reserved node.

Type: String

Required: No

RecurringCharges

The recurring price charged to run this reserved node.

Type: Array of [RecurringCharge](#) objects

Required: No

ReservationId

A customer-specified identifier to track this reservation.

Type: String

Required: No

ReservedNodesOfferingId

The ID of the reserved node offering to purchase.

Type: String

Required: No

StartTime

The time the reservation started.

Type: Timestamp

Required: No

State

The state of the reserved node.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ReservedNodesOffering

The offering type of this node.

Contents

Duration

The duration of the reservation in seconds.

Type: Integer

Required: No

FixedPrice

The fixed price charged for this reserved node.

Type: Double

Required: No

NodeType

The node type for the reserved nodes. For more information, see [Supported node types](#).

Type: String

Required: No

OfferingType

The offering type of this reserved node.

Type: String

Required: No

RecurringCharges

The recurring price charged to run this reserved node.

Type: Array of [RecurringCharge](#) objects

Required: No

ReservedNodesOfferingId

The offering identifier.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ReshardingStatus

The status of the online resharding

Contents

SlotMigration

The status of the online resharding slot migration

Type: [SlotMigration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SecurityGroupMembership

Represents a single security group and its status.

Contents

SecurityGroupId

The identifier of the security group.

Type: String

Required: No

Status

The status of the security group membership. The status changes whenever a security group is modified, or when the security groups assigned to a cluster are modified.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ServiceUpdate

An update that you can apply to your MemoryDB clusters.

Contents

AutoUpdateStartDate

The date at which the service update will be automatically applied

Type: Timestamp

Required: No

ClusterName

The name of the cluster to which the service update applies

Type: String

Required: No

Description

Provides details of the service update

Type: String

Required: No

Engine

The name of the engine for which a service update is available.

Type: String

Required: No

NodesUpdated

A list of nodes updated by the service update

Type: String

Required: No

ReleaseDate

The date when the service update is initially available

Type: Timestamp

Required: No

ServiceUpdateName

The unique ID of the service update

Type: String

Required: No

Status

The status of the service update

Type: String

Valid Values: available | in-progress | complete | scheduled

Required: No

Type

Reflects the nature of the service update

Type: String

Valid Values: security-update

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ServiceUpdateRequest

A request to apply a service update

Contents

ServiceUpdateNameToApply

The unique ID of the service update

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Shard

Represents a collection of nodes in a cluster. One node in the node group is the read/write primary node. All the other nodes are read-only Replica nodes.

Contents

Name

The name of the shard

Type: String

Required: No

Nodes

A list containing information about individual nodes within the shard

Type: Array of [Node](#) objects

Required: No

NumberOfNodes

The number of nodes in the shard

Type: Integer

Required: No

Slots

The keyspace for this shard.

Type: String

Required: No

Status

The current state of this replication group - creating, available, modifying, deleting.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ShardConfiguration

Shard configuration options. Each shard configuration has the following: Slots and ReplicaCount.

Contents

ReplicaCount

The number of read replica nodes in this shard.

Type: Integer

Required: No

Slots

A string that specifies the keyspace for a particular node group. Keyspaces range from 0 to 16,383. The string is in the format startkey-endkey.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ShardConfigurationRequest

A request to configure the sharding properties of a cluster

Contents

ShardCount

The number of shards in the cluster

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ShardDetail

Provides details of a shard in a snapshot

Contents

Configuration

The configuration details of the shard

Type: [ShardConfiguration](#) object

Required: No

Name

The name of the shard

Type: String

Required: No

Size

The size of the shard's snapshot

Type: String

Required: No

SnapshotCreationTime

The date and time that the shard's snapshot was created

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)

- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SlotMigration

Represents the progress of an online resharding operation.

Contents

ProgressPercentage

The percentage of the slot migration that is complete.

Type: Double

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Snapshot

Represents a copy of an entire cluster as of the time when the snapshot was taken.

Contents

ARN

The ARN (Amazon Resource Name) of the snapshot.

Type: String

Required: No

ClusterConfiguration

The configuration of the cluster from which the snapshot was taken

Type: [ClusterConfiguration](#) object

Required: No

DataTiering

Enables data tiering. Data tiering is only supported for clusters using the r6gd node type. This parameter must be set when using r6gd nodes. For more information, see [Data tiering](#).

Type: String

Valid Values: true | false

Required: No

KmsKeyId

The ID of the KMS key used to encrypt the snapshot.

Type: String

Required: No

Name

The name of the snapshot

Type: String

Required: No

Source

Indicates whether the snapshot is from an automatic backup (automated) or was created manually (manual).

Type: String

Required: No

Status

The status of the snapshot. Valid values: creating | available | restoring | copying | deleting.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Subnet

Represents the subnet associated with a cluster. This parameter refers to subnets defined in Amazon Virtual Private Cloud (Amazon VPC) and used with MemoryDB.

Contents

AvailabilityZone

The Availability Zone where the subnet resides

Type: [AvailabilityZone](#) object

Required: No

Identifier

The unique identifier for the subnet.

Type: String

Required: No

SupportedNetworkTypes

The network types supported by this subnet. Returns an array of strings that can include 'ipv4', 'ipv6', or both, indicating whether the subnet supports IPv4 only, IPv6 only, or dual-stack deployments.

Type: Array of strings

Valid Values: ipv4 | ipv6 | dual_stack

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)

- [Amazon SDK for Ruby V3](#)

SubnetGroup

Represents the output of one of the following operations:

- [CreateSubnetGroup](#)
- [UpdateSubnetGroup](#)

A subnet group is a collection of subnets (typically private) that you can designate for your clusters running in an Amazon Virtual Private Cloud (VPC) environment.

Contents

ARN

The ARN (Amazon Resource Name) of the subnet group.

Type: String

Required: No

Description

A description of the subnet group

Type: String

Required: No

Name

The name of the subnet group

Type: String

Required: No

Subnets

A list of subnets associated with the subnet group.

Type: Array of [Subnet](#) objects

Required: No

SupportedNetworkTypes

The network types supported by this subnet group. Returns an array of strings that can include 'ipv4', 'ipv6', or both, indicating the IP address types that can be used for clusters deployed in this subnet group.

Type: Array of strings

Valid Values: ipv4 | ipv6 | dual_stack

Required: No

VpcId

The Amazon Virtual Private Cloud identifier (VPC ID) of the subnet group.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Tag

A tag that can be added to an MemoryDB resource. Tags are composed of a Key/Value pair. You can use tags to categorize and track all your MemoryDB resources. When you add or remove tags on clusters, those actions will be replicated to all nodes in the cluster. A tag with a null Value is permitted. For more information, see [Tagging your MemoryDB resources](#)

Contents

Key

The key for the tag. May not be null.

Type: String

Required: No

Value

The tag's value. May be null.

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

UnprocessedCluster

A cluster whose updates have failed

Contents

ClusterName

The name of the cluster

Type: String

Required: No

ErrorMessage

The error message associated with the update failure

Type: String

Required: No

ErrorType

The error type associated with the update failure

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

User

You create users and assign them specific permissions by using an access string. You assign the users to Access Control Lists aligned with a specific role (administrators, human resources) that are then deployed to one or more MemoryDB clusters.

Contents

AccessString

Access permissions string used for this user.

Type: String

Required: No

ACLNames

The names of the Access Control Lists to which the user belongs

Type: Array of strings

Length Constraints: Minimum length of 1.

Pattern: [a-zA-Z][a-zA-Z0-9\-\-]*

Required: No

ARN

The Amazon Resource Name (ARN) of the user.

Type: String

Required: No

Authentication

Denotes whether the user requires a password to authenticate.

Type: [Authentication](#) object

Required: No

MinimumEngineVersion

The minimum engine version supported for the user

Type: String

Required: No

Name

The name of the user

Type: String

Required: No

Status

Indicates the user status. Can be "active", "modifying" or "deleting".

Type: String

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing Amazon API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed Amazon API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an Amazon API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to Amazon Security Token Service (Amazon STS). For a list of services that support temporary security credentials from Amazon STS, see [Amazon Web Services services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from Amazon STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed Amazon API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all Amazon services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 400

IncompleteSignature

The request signature does not conform to Amazon standards.

HTTP Status Code: 400

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

InvalidAction

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 400

InvalidClientTokenId

The X.509 certificate or Amazon access key ID provided does not exist in our records.

HTTP Status Code: 403

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 400

OptInRequired

The Amazon access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

ValidationException

The input fails to satisfy the constraints specified by an Amazon service.

HTTP Status Code: 400