

Amazon IoT TwinMaker



Amazon IoT TwinMaker: API Reference

Table of Contents

Welcome	1
Actions	2
BatchPutPropertyValues	4
Request Syntax	4
URI Request Parameters	5
Request Body	5
Response Syntax	5
Response Elements	7
Errors	7
See Also	8
CancelMetadataTransferJob	9
Request Syntax	9
URI Request Parameters	9
Request Body	9
Response Syntax	9
Response Elements	10
Errors	11
See Also	12
CreateComponentType	13
Request Syntax	13
URI Request Parameters	15
Request Body	15
Response Syntax	18
Response Elements	18
Errors	19
See Also	20
CreateEntity	21
Request Syntax	21
URI Request Parameters	25
Request Body	26
Response Syntax	28
Response Elements	28
Errors	29
See Also	30

CreateMetadataTransferJob	31
Request Syntax	31
URI Request Parameters	32
Request Body	32
Response Syntax	33
Response Elements	33
Errors	34
See Also	35
CreateScene	36
Request Syntax	36
URI Request Parameters	36
Request Body	36
Response Syntax	38
Response Elements	39
Errors	39
See Also	40
CreateSyncJob	41
Request Syntax	41
URI Request Parameters	41
Request Body	42
Response Syntax	42
Response Elements	43
Errors	43
See Also	44
CreateWorkspace	46
Request Syntax	46
URI Request Parameters	46
Request Body	46
Response Syntax	48
Response Elements	48
Errors	48
See Also	49
DeleteComponentType	51
Request Syntax	51
URI Request Parameters	51
Request Body	51

Response Syntax	51
Response Elements	52
Errors	52
See Also	53
DeleteEntity	54
Request Syntax	54
URI Request Parameters	54
Request Body	54
Response Syntax	55
Response Elements	55
Errors	55
See Also	56
DeleteScene	57
Request Syntax	57
URI Request Parameters	57
Request Body	57
Response Syntax	57
Response Elements	58
Errors	58
See Also	58
DeleteSyncJob	60
Request Syntax	60
URI Request Parameters	60
Request Body	60
Response Syntax	60
Response Elements	61
Errors	61
See Also	62
DeleteWorkspace	63
Request Syntax	63
URI Request Parameters	63
Request Body	63
Response Syntax	63
Response Elements	63
Errors	64
See Also	65

ExecuteQuery	66
Request Syntax	66
URI Request Parameters	66
Request Body	66
Response Syntax	67
Response Elements	68
Errors	68
See Also	69
GetComponentType	71
Request Syntax	71
URI Request Parameters	71
Request Body	71
Response Syntax	71
Response Elements	74
Errors	77
See Also	78
GetEntity	79
Request Syntax	79
URI Request Parameters	79
Request Body	79
Response Syntax	79
Response Elements	83
Errors	86
See Also	86
GetMetadataTransferJob	88
Request Syntax	88
URI Request Parameters	88
Request Body	88
Response Syntax	88
Response Elements	90
Errors	92
See Also	92
GetPricingPlan	94
Request Syntax	94
URI Request Parameters	94
Request Body	94

Response Syntax	94
Response Elements	95
Errors	95
See Also	96
GetPropertyValue	97
Request Syntax	97
URI Request Parameters	98
Request Body	98
Response Syntax	101
Response Elements	102
Errors	103
See Also	104
GetPropertyValueHistory	105
Request Syntax	105
URI Request Parameters	106
Request Body	106
Response Syntax	110
Response Elements	111
Errors	111
See Also	112
GetScene	114
Request Syntax	114
URI Request Parameters	114
Request Body	114
Response Syntax	114
Response Elements	115
Errors	118
See Also	118
GetSyncJob	120
Request Syntax	120
URI Request Parameters	120
Request Body	120
Response Syntax	120
Response Elements	121
Errors	122
See Also	123

GetWorkspace	125
Request Syntax	125
URI Request Parameters	125
Request Body	125
Response Syntax	125
Response Elements	126
Errors	127
See Also	128
ListComponents	129
Request Syntax	129
URI Request Parameters	129
Request Body	129
Response Syntax	130
Response Elements	131
Errors	132
See Also	132
ListComponentTypes	134
Request Syntax	134
URI Request Parameters	134
Request Body	134
Response Syntax	135
Response Elements	136
Errors	137
See Also	137
ListEntities	139
Request Syntax	139
URI Request Parameters	139
Request Body	139
Response Syntax	140
Response Elements	141
Errors	141
See Also	142
ListMetadataTransferJobs	143
Request Syntax	143
URI Request Parameters	143
Request Body	143

Response Syntax	144
Response Elements	145
Errors	146
See Also	146
ListProperties	148
Request Syntax	148
URI Request Parameters	148
Request Body	148
Response Syntax	150
Response Elements	152
Errors	152
See Also	153
ListScenes	154
Request Syntax	154
URI Request Parameters	154
Request Body	154
Response Syntax	155
Response Elements	155
Errors	156
See Also	156
ListSyncJobs	158
Request Syntax	158
URI Request Parameters	158
Request Body	158
Response Syntax	159
Response Elements	159
Errors	160
See Also	161
ListSyncResources	162
Request Syntax	162
URI Request Parameters	162
Request Body	163
Response Syntax	164
Response Elements	164
Errors	165
See Also	165

ListTagsForResource	167
Request Syntax	167
URI Request Parameters	167
Request Body	167
Response Syntax	168
Response Elements	168
Errors	169
See Also	169
ListWorkspaces	171
Request Syntax	171
URI Request Parameters	171
Request Body	171
Response Syntax	172
Response Elements	172
Errors	173
See Also	173
TagResource	175
Request Syntax	175
URI Request Parameters	175
Request Body	175
Response Syntax	176
Response Elements	176
Errors	176
See Also	177
UntagResource	178
Request Syntax	178
URI Request Parameters	178
Request Body	178
Response Syntax	179
Response Elements	179
Errors	179
See Also	179
UpdateComponentType	181
Request Syntax	181
URI Request Parameters	183
Request Body	183

Response Syntax	186
Response Elements	186
Errors	187
See Also	188
UpdateEntity	189
Request Syntax	189
URI Request Parameters	193
Request Body	194
Response Syntax	195
Response Elements	195
Errors	196
See Also	197
UpdatePricingPlan	198
Request Syntax	198
URI Request Parameters	198
Request Body	198
Response Syntax	199
Response Elements	199
Errors	200
See Also	200
UpdateScene	202
Request Syntax	202
URI Request Parameters	202
Request Body	203
Response Syntax	204
Response Elements	204
Errors	204
See Also	205
UpdateWorkspace	206
Request Syntax	206
URI Request Parameters	206
Request Body	206
Response Syntax	207
Response Elements	207
Errors	208
See Also	209

Data Types	210
BatchPutPropertyError	213
Contents	213
See Also	213
BatchPutPropertyErrorEntry	215
Contents	215
See Also	215
BundleInformation	216
Contents	216
See Also	216
ColumnDescription	217
Contents	217
See Also	217
ComponentPropertyGroupRequest	218
Contents	218
See Also	218
ComponentPropertyGroupResponse	220
Contents	220
See Also	220
ComponentRequest	222
Contents	222
See Also	223
ComponentResponse	224
Contents	224
See Also	226
ComponentSummary	227
Contents	227
See Also	229
ComponentTypeSummary	230
Contents	230
See Also	231
ComponentUpdateRequest	232
Contents	232
See Also	233
CompositeComponentRequest	234
Contents	234

See Also	235
CompositeComponentTypeRequest	236
Contents	236
See Also	236
CompositeComponentTypeResponse	237
Contents	237
See Also	237
CompositeComponentUpdateRequest	238
Contents	238
See Also	239
DataConnector	240
Contents	240
See Also	240
DataType	241
Contents	241
See Also	242
DataValue	243
Contents	243
See Also	245
DestinationConfiguration	246
Contents	246
See Also	246
EntityPropertyReference	247
Contents	247
See Also	248
EntitySummary	249
Contents	249
See Also	251
ErrorDetails	252
Contents	252
See Also	252
FilterByAsset	253
Contents	253
See Also	254
FilterByAssetModel	255
Contents	255

See Also	256
FilterByComponentType	257
Contents	257
See Also	257
FilterByEntity	258
Contents	258
See Also	258
FunctionRequest	259
Contents	259
See Also	259
FunctionResponse	261
Contents	261
See Also	262
InterpolationParameters	263
Contents	263
See Also	263
lotSiteWiseSourceConfiguration	264
Contents	264
See Also	264
lotSiteWiseSourceConfigurationFilter	265
Contents	265
See Also	265
lotTwinMakerDestinationConfiguration	266
Contents	266
See Also	266
lotTwinMakerSourceConfiguration	267
Contents	267
See Also	267
lotTwinMakerSourceConfigurationFilter	268
Contents	268
See Also	268
LambdaFunction	269
Contents	269
See Also	269
ListComponentTypesFilter	270
Contents	270

See Also	271
ListEntitiesFilter	272
Contents	272
See Also	273
ListMetadataTransferJobsFilter	274
Contents	274
See Also	274
MetadataTransferJobProgress	276
Contents	276
See Also	276
MetadataTransferJobStatus	278
Contents	278
See Also	278
MetadataTransferJobSummary	280
Contents	280
See Also	281
OrderBy	282
Contents	282
See Also	282
ParentEntityUpdateRequest	283
Contents	283
See Also	283
PricingPlan	284
Contents	284
See Also	285
PropertyDefinitionRequest	286
Contents	286
See Also	287
PropertyDefinitionResponse	289
Contents	289
See Also	291
PropertyFilter	292
Contents	292
See Also	292
PropertyGroupRequest	294
Contents	294

See Also	294
PropertyGroupResponse	295
Contents	295
See Also	295
PropertyLatestValue	297
Contents	297
See Also	297
PropertyRequest	298
Contents	298
See Also	298
PropertyResponse	299
Contents	299
See Also	299
PropertySummary	300
Contents	300
See Also	301
PropertyValue	302
Contents	302
See Also	303
PropertyValueEntry	304
Contents	304
See Also	304
PropertyValueHistory	305
Contents	305
See Also	305
Relationship	306
Contents	306
See Also	306
RelationshipValue	307
Contents	307
See Also	307
Row	308
Contents	308
See Also	308
S3DestinationConfiguration	309
Contents	309

See Also	309
S3SourceConfiguration	310
Contents	310
See Also	310
SceneError	311
Contents	311
See Also	311
SceneSummary	312
Contents	312
See Also	313
SourceConfiguration	314
Contents	314
See Also	314
Status	316
Contents	316
See Also	316
SyncJobStatus	317
Contents	317
See Also	317
SyncJobSummary	318
Contents	318
See Also	319
SyncResourceFilter	320
Contents	320
See Also	321
SyncResourceStatus	322
Contents	322
See Also	322
SyncResourceSummary	323
Contents	323
See Also	324
TabularConditions	325
Contents	325
See Also	325
WorkspaceSummary	326
Contents	326

See Also	327
Common Parameters	328
Common Errors	331

Welcome

Amazon IoT TwinMaker is a service with which you can build operational digital twins of physical systems. Amazon IoT TwinMaker overlays measurements and analysis from real-world sensors, cameras, and enterprise applications so you can create data visualizations to monitor your physical factory, building, or industrial plant. You can use this real-world data to monitor operations and diagnose and repair errors.

This document was last published on May 16, 2024.

Actions

The following actions are supported:

- [BatchPutPropertyValues](#)
- [CancelMetadataTransferJob](#)
- [CreateComponentType](#)
- [CreateEntity](#)
- [CreateMetadataTransferJob](#)
- [CreateScene](#)
- [CreateSyncJob](#)
- [CreateWorkspace](#)
- [DeleteComponentType](#)
- [DeleteEntity](#)
- [DeleteScene](#)
- [DeleteSyncJob](#)
- [DeleteWorkspace](#)
- [ExecuteQuery](#)
- [GetComponentType](#)
- [GetEntity](#)
- [GetMetadataTransferJob](#)
- [GetPricingPlan](#)
- [GetPropertyValue](#)
- [GetPropertyValueHistory](#)
- [GetScene](#)
- [GetSyncJob](#)
- [GetWorkspace](#)
- [ListComponents](#)
- [ListComponentTypes](#)
- [ListEntities](#)
- [ListMetadataTransferJobs](#)

- [ListProperties](#)
- [ListScenes](#)
- [ListSyncJobs](#)
- [ListSyncResources](#)
- [ListTagsForResource](#)
- [ListWorkspaces](#)
- [TagResource](#)
- [UntagResource](#)
- [UpdateComponentType](#)
- [UpdateEntity](#)
- [UpdatePricingPlan](#)
- [UpdateScene](#)
- [UpdateWorkspace](#)

BatchPutPropertyValues

Sets values for multiple time series properties.

Request Syntax

```
POST /workspaces/workspaceId/entity-properties HTTP/1.1
Content-type: application/json
```

```
{
  "entries": [
    {
      "entityPropertyReference": {
        "componentName": "string",
        "componentPath": "string",
        "entityId": "string",
        "externalIdProperty": {
          "string": "string"
        },
        "propertyName": "string"
      },
      "propertyValues": [
        {
          "time": "string",
          "timestamp": number,
          "value": {
            "booleanValue": boolean,
            "doubleValue": number,
            "expression": "string",
            "integerValue": number,
            "listValue": [
              "DataValue"
            ],
            "longValue": number,
            "mapValue": {
              "string": "DataValue"
            },
            "relationshipValue": {
              "targetComponentName": "string",
              "targetEntityId": "string"
            },
            "stringValue": "string"
          }
        }
      ]
    }
  ]
}
```

```
    }
  ]
}
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace that contains the properties to set.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

entries

An object that maps strings to the property value entries to set. Each string in the mapping must be unique to this object.

Type: Array of [PropertyValueEntry](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "errorEntries": [
```

```
{
  "errors": [
    {
      "entry": {
        "entityPropertyReference": {
          "componentName": "string",
          "componentPath": "string",
          "entityId": "string",
          "externalIdProperty": {
            "string": "string"
          },
          "propertyName": "string"
        },
        "propertyValues": [
          {
            "time": "string",
            "timestamp": number,
            "value": {
              "booleanValue": boolean,
              "doubleValue": number,
              "expression": "string",
              "integerValue": number,
              "listValue": [
                "DataValue"
              ],
              "longValue": number,
              "mapValue": {
                "string": "DataValue"
              },
              "relationshipValue": {
                "targetComponentName": "string",
                "targetEntityId": "string"
              },
              "stringValue": "string"
            }
          }
        ]
      },
      "errorCode": "string",
      "errorMessage": "string"
    }
  ]
}
```



```
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

errorEntries

Entries that caused errors in the batch put operation.

Type: Array of [BatchPutPropertyErrorEntry](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CancelMetadataTransferJob

Cancels the metadata transfer job.

Request Syntax

```
PUT /metadata-transfer-jobs/metadataTransferJobId/cancel HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

metadataTransferJobId

The metadata transfer job Id.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "metadataTransferJobId": "string",
  "progress": {
    "failedCount": number,
    "skippedCount": number,
    "succeededCount": number,
    "totalCount": number
  },
}
```

```
"status": {  
  "error": {  
    "code": "string",  
    "message": "string"  
  },  
  "queuedPosition": number,  
  "state": "string"  
},  
"updateDateTime": number  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The metadata transfer job ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

metadataTransferJobId

The metadata transfer job Id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

progress

The metadata transfer job's progress.

Type: [MetadataTransferJobProgress](#) object

status

The metadata transfer job's status.

Type: [MetadataTransferJobStatus](#) object

updateDateTime

Used to update the DateTime property.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConflictException

A conflict occurred.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateComponentType

Creates a component type.

Request Syntax

POST /workspaces/*workspaceId*/component-types/*componentTypeId* HTTP/1.1

Content-type: application/json

```
{
  "componentTypeName": "string",
  "compositeComponentTypes": {
    "string" : {
      "componentTypeId": "string"
    }
  },
  "description": "string",
  "extendsFrom": [ "string" ],
  "functions": {
    "string" : {
      "implementedBy": {
        "isNative": boolean,
        "lambda": {
          "arn": "string"
        }
      },
      "requiredProperties": [ "string" ],
      "scope": "string"
    }
  },
  "isSingleton": boolean,
  "propertyDefinitions": {
    "string" : {
      "configuration": {
        "string" : "string"
      },
      "dataType": {
        "allowedValues": [
          {
            "booleanValue": boolean,
            "doubleValue": number,
            "expression": "string",
            "integerValue": number,
```

```
    "listValue": [
      "DataValue"
    ],
    "longValue": number,
    "mapValue": {
      "string" : "DataValue"
    },
    "relationshipValue": {
      "targetComponentName": "string",
      "targetEntityId": "string"
    },
    "stringValue": "string"
  }
],
"nestedType": "DataType",
"relationship": {
  "relationshipType": "string",
  "targetComponentTypeId": "string"
},
"unitOfMeasure": "string"
},
"defaultValue": {
  "booleanValue": boolean,
  "doubleValue": number,
  "expression": "string",
  "integerValue": number,
  "listValue": [
    "DataValue"
  ],
  "longValue": number,
  "mapValue": {
    "string" : "DataValue"
  },
  "relationshipValue": {
    "targetComponentName": "string",
    "targetEntityId": "string"
  },
  "stringValue": "string"
},
"displayName": "string",
"isExternalId": boolean,
"isRequiredInEntity": boolean,
"isStoredExternally": boolean,
```



```
    "isTimeSeries": boolean
  }
},
"propertyGroups": {
  "string" : {
    "groupType": "string",
    "propertyNames": [ "string" ]
  }
},
"tags": {
  "string" : "string"
}
}
```

URI Request Parameters

The request uses the following URI parameters.

componentTypeId

The ID of the component type.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: Yes

workspaceId

The ID of the workspace that contains the component type.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

componentTypeName

A friendly name for the component type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `.*[^\u0000-\u001F\u007F]*.*`

Required: No

compositeComponentTypes

This is an object that maps strings to `compositeComponentTypes` of the `componentType`. `CompositeComponentType` is referenced by `componentTypeId`.

Type: String to [CompositeComponentTypeRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Required: No

description

The description of the component type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

extendsFrom

Specifies the parent component type to extend.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

Required: No

functions

An object that maps strings to the functions in the component type. Each string in the mapping must be unique to this object.

Type: String to [FunctionRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Required: No

isSingleton

A Boolean value that specifies whether an entity can have more than one component of this type.

Type: Boolean

Required: No

propertyDefinitions

An object that maps strings to the property definitions in the component type. Each string in the mapping must be unique to this object.

Type: String to [PropertyDefinitionRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Required: No

propertyGroups

Type: String to [PropertyGroupRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Required: No

tags

Metadata that you can use to manage the component type.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`)

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `.*`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "creationDateTime": number,
  "state": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the component type.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

creationDateTime

The date and time when the entity was created.

Type: Timestamp

state

The current state of the component type.

Type: String

Valid Values: CREATING | UPDATING | DELETING | ACTIVE | ERROR

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConflictException

A conflict occurred.

HTTP Status Code: 409

InternalServerError

An unexpected error has occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateEntity

Creates an entity.

Request Syntax

```
POST /workspaces/workspaceId/entities HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "components": {
    "string": {
      "componentTypeId": "string",
      "description": "string",
      "properties": {
        "string": {
          "definition": {
            "configuration": {
              "string": "string"
            },
            "dataType": {
              "allowedValues": [
                {
                  "booleanValue": boolean,
                  "doubleValue": number,
                  "expression": "string",
                  "integerValue": number,
                  "listValue": [
                    "DataValue"
                  ],
                  "longValue": number,
                  "mapValue": {
                    "string": "DataValue"
                  },
                  "relationshipValue": {
                    "targetComponentName": "string",
                    "targetEntityId": "string"
                  },
                  "stringValue": "string"
                }
              ],
              "nestedType": "DataType",
              "relationship": {
```

```
        "relationshipType": "string",
        "targetComponentTypeId": "string"
    },
    "type": "string",
    "unitOfMeasure": "string"
},
"defaultValue": {
    "booleanValue": boolean,
    "doubleValue": number,
    "expression": "string",
    "integerValue": number,
    "listValue": [
        "DataValue"
    ],
    "longValue": number,
    "mapValue": {
        "string" : "DataValue"
    },
    "relationshipValue": {
        "targetComponentName": "string",
        "targetEntityId": "string"
    },
    "stringValue": "string"
},
"displayname": "string",
"IsExternalId": boolean,
"IsRequiredInEntity": boolean,
"IsStoredExternally": boolean,
"IsTimeSeries": boolean
},
"updateType": "string",
"value": {
    "booleanValue": boolean,
    "doubleValue": number,
    "expression": "string",
    "integerValue": number,
    "listValue": [
        "DataValue"
    ],
    "longValue": number,
    "mapValue": {
        "string" : "DataValue"
    },
    "relationshipValue": {
```



```

        "targetComponentName": "string",
        "targetEntityId": "string"
    },
    "stringValue": "string"
}
}
},
"propertyGroups": {
    "string" : {
        "groupType": "string",
        "propertyNames": [ "string" ],
        "updateType": "string"
    }
}
},
"compositeComponents": {
    "string" : {
        "description": "string",
        "properties": {
            "string" : {
                "definition": {
                    "configuration": {
                        "string" : "string"
                    },
                    "dataType": {
                        "allowedValues": [
                            {
                                "booleanValue": boolean,
                                "doubleValue": number,
                                "expression": "string",
                                "integerValue": number,
                                "listValue": [
                                    "DataValue"
                                ],
                                "longValue": number,
                                "mapValue": {
                                    "string" : "DataValue"
                                },
                                "relationshipValue": {
                                    "targetComponentName": "string",
                                    "targetEntityId": "string"
                                },
                                "stringValue": "string"
                            }
                        ]
                    }
                }
            }
        }
    }
}
}
}
}
}
}

```

```
    }
  ],
  "nestedType": "DataType",
  "relationship": {
    "relationshipType": "string",
    "targetComponentTypeId": "string"
  },
  "type": "string",
  "unitOfMeasure": "string"
},
"defaultValue": {
  "booleanValue": boolean,
  "doubleValue": number,
  "expression": "string",
  "integerValue": number,
  "listValue": [
    "DataValue"
  ],
  "longValue": number,
  "mapValue": {
    "string" : "DataValue"
  },
  "relationshipValue": {
    "targetComponentName": "string",
    "targetEntityId": "string"
  },
  "stringValue": "string"
},
"displayname": "string",
"isExternalId": boolean,
"isRequiredInEntity": boolean,
"isStoredExternally": boolean,
"isTimeSeries": boolean
},
"updateType": "string",
"value": {
  "booleanValue": boolean,
  "doubleValue": number,
  "expression": "string",
  "integerValue": number,
  "listValue": [
    "DataValue"
  ],
  "longValue": number,
```

```
        "mapValue": {
            "string": "DataValue"
        },
        "relationshipValue": {
            "targetComponentName": "string",
            "targetEntityId": "string"
        },
        "stringValue": "string"
    }
},
"propertyGroups": {
    "string": {
        "groupType": "string",
        "propertyNames": [ "string" ],
        "updateType": "string"
    }
}
},
"description": "string",
"entityId": "string",
"entityName": "string",
"parentEntityId": "string",
"tags": {
    "string": "string"
}
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace that contains the entity.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

components

An object that maps strings to the components in the entity. Each string in the mapping must be unique to this object.

Type: String to [ComponentRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Required: No

compositeComponents

This is an object that maps strings to `compositeComponent` updates in the request. Each key of the map represents the `componentPath` of the `compositeComponent`.

Type: String to [CompositeComponentRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 2048.

Key Pattern: `[a-zA-Z_\-0-9/]+`

Required: No

description

The description of the entity.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

entityId

The ID of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

Required: No

entityName

The name of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[^\u0000-\u001F\u007F]+`

Required: Yes

parentEntityId

The ID of the entity's parent entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `\$ROOT|^[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

Required: No

tags

Metadata that you can use to manage the entity.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/+\\-@]*)`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: .*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "creationDateTime": number,
  "entityId": "string",
  "state": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the entity.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

creationDateTime

The date and time when the entity was created.

Type: Timestamp

entityId

The ID of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

state

The current state of the entity.

Type: String

Valid Values: CREATING | UPDATING | DELETING | ACTIVE | ERROR

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConflictException

A conflict occurred.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateMetadataTransferJob

Creates a new metadata transfer job.

Request Syntax

```
POST /metadata-transfer-jobs HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "description": "string",
  "destination": {
    "iotTwinMakerConfiguration": {
      "workspace": "string"
    },
    "s3Configuration": {
      "location": "string"
    },
    "type": "string"
  },
  "metadataTransferJobId": "string",
  "sources": [
    {
      "iotSiteWiseConfiguration": {
        "filters": [
          { ... }
        ]
      },
      "iotTwinMakerConfiguration": {
        "filters": [
          { ... }
        ],
        "workspace": "string"
      },
      "s3Configuration": {
        "location": "string"
      },
      "type": "string"
    }
  ]
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

description

The metadata transfer job description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: . *

Required: No

destination

The metadata transfer job destination.

Type: [DestinationConfiguration](#) object

Required: Yes

metadataTransferJobId

The metadata transfer job Id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: No

sources

The metadata transfer job sources.

Type: Array of [SourceConfiguration](#) objects

Array Members: Fixed number of 1 item.

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "creationDateTime": number,
  "metadataTransferJobId": "string",
  "status": {
    "error": {
      "code": "string",
      "message": "string"
    },
    "queuedPosition": number,
    "state": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The metadata transfer job ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.]+`

creationDateTime

The The metadata transfer job creation DateTime property.

Type: Timestamp

metadataTransferJobId

The metadata transfer job Id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

status

The metadata transfer job response status.

Type: [MetadataTransferJobStatus](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConflictException

A conflict occurred.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateScene

Creates a scene.

Request Syntax

```
POST /workspaces/workspaceId/scenes HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "capabilities": [ "string" ],
  "contentLocation": "string",
  "description": "string",
  "sceneId": "string",
  "sceneMetadata": {
    "string" : "string"
  },
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace that contains the scene.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

capabilities

A list of capabilities that the scene uses to render itself.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: .*

Required: No

contentLocation

The relative path that specifies the location of the content definition file.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: [sS]3://[A-Za-z0-9._/-]+

Required: Yes

description

The description for this scene.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

sceneId

The ID of the scene.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

sceneMetadata

The request metadata.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Value Length Constraints: Minimum length of 0. Maximum length of 2048.

Value Pattern: `.*`

Required: No

tags

Metadata that you can use to manage the scene.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_\.:/=+\-@]*)`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `.*`

Required: No

Response Syntax

```
HTTP/1.1 200
```



```
Content-type: application/json

{
  "arn": "string",
  "creationDateTime": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the scene.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

creationDateTime

The date and time when the scene was created.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConflictException

A conflict occurred.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateSyncJob

This action creates a SyncJob.

Request Syntax

```
POST /workspaces/workspaceId/sync-jobs/syncSource HTTP/1.1  
Content-type: application/json
```

```
{  
  "syncRole": "string",  
  "tags": {  
    "string" : "string"  
  }  
}
```

URI Request Parameters

The request uses the following URI parameters.

syncSource

The sync source.

Note

Currently the only supported syncSource is SITEWISE .

Pattern: [a-zA-Z_0-9]+

Required: Yes

workspaceId

The workspace ID.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

syncRole

The SyncJob IAM role. This IAM role is used by the SyncJob to read from the syncSource, and create, update, or delete the corresponding resources.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iam:[0-9]{12}:role/.*`

Required: Yes

tags

The SyncJob tags.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: `([\p{L}\p{Z}\p{N}_.:/=+\-@]*)`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `.*`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "creationDateTime": number,
```

```
"state": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The SyncJob ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\w/a-zA-Z0-9_-\.\:]+`

creationDateTime

The date and time for the SyncJob creation.

Type: Timestamp

state

The SyncJob response state.

Type: String

Valid Values: CREATING | INITIALIZING | ACTIVE | DELETING | ERROR

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConflictException

A conflict occurred.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)

- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

CreateWorkspace

Creates a workplace.

Request Syntax

```
POST /workspaces/workspaceId HTTP/1.1  
Content-type: application/json
```

```
{  
  "description": "string",  
  "role": "string",  
  "s3Location": "string",  
  "tags": {  
    "string" : "string"  
  }  
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the workspace.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

role

The ARN of the execution role associated with the workspace.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:((aws)|(aws-cn)|(aws-us-gov)):iam::[0-9]{12}:role/*

Required: No

s3Location

The ARN of the Amazon Simple Storage Service bucket where resources associated with the workspace are stored.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: .*(^arn:((aws)|(aws-cn)|(aws-us-gov)):s3:::)([a-zA-Z0-9_-]+\$).*

Required: No

tags

Metadata that you can use to manage the workspace

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: ([\p{L}\p{Z}\p{N}_.:/+\\-@]*)

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: . *

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "creationDateTime": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the workspace.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

creationDateTime

The date and time when the workspace was created.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConflictException

A conflict occurred.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)

- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteComponentType

Deletes a component type.

Request Syntax

```
DELETE /workspaces/workspaceId/component-types/componentTypeId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

componentTypeId

The ID of the component type to delete.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: Yes

workspaceId

The ID of the workspace that contains the component type.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{  
  "state": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

state

The current state of the component type to be deleted.

Type: String

Valid Values: CREATING | UPDATING | DELETING | ACTIVE | ERROR

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteEntity

Deletes an entity.

Request Syntax

```
DELETE /workspaces/workspaceId/entities/entityId?isRecursive=isRecursive HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

entityId

The ID of the entity to delete.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.]*[a-zA-Z0-9]+`

Required: Yes

isRecursive

A Boolean value that specifies whether the operation deletes child entities.

workspaceId

The ID of the workspace that contains the entity to delete.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "state": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

state

The current state of the deleted entity.

Type: String

Valid Values: CREATING | UPDATING | DELETING | ACTIVE | ERROR

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteScene

Deletes a scene.

Request Syntax

```
DELETE /workspaces/workspaceId/scenes/sceneId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

sceneId

The ID of the scene to delete.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

workspaceId

The ID of the workspace.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)

- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteSyncJob

Delete the SyncJob.

Request Syntax

```
DELETE /workspaces/workspaceId/sync-jobs/syncSource HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

syncSource

The sync source.

Note

Currently the only supported syncSource is SITEWISE .

Pattern: [a-zA-Z_0-9]+

Required: Yes

workspaceId

The workspace ID.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json

{
  "state": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

state

The SyncJob response state.

Type: String

Valid Values: CREATING | INITIALIZING | ACTIVE | DELETING | ERROR

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerError

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

DeleteWorkspace

Deletes a workspace.

Request Syntax

```
DELETE /workspaces/workspaceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace to delete.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "message": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

message

The string that specifies the delete result for the workspace.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ExecuteQuery

Run queries to access information from your knowledge graph of entities within individual workspaces.

Note

The ExecuteQuery action only works with [Amazon Java SDK2](#). ExecuteQuery will not work with any Amazon Java SDK version < 2.x.

Request Syntax

```
POST /queries/execution HTTP/1.1
Content-type: application/json
```

```
{
  "maxResults": number,
  "nextToken": "string",
  "queryStatement": "string",
  "workspaceId": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

The maximum number of results to return at one time. The default is 50.

Type: Integer

Valid Range: Minimum value of 1. Maximum value of 100.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

queryStatement

The query statement.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 1000.

Pattern: [\\s\\S]+

Required: Yes

workspaceId

The ID of the workspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\\-0-9]*[a-zA-Z0-9]+

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "columnDescriptions": [
    {
```

```
    "name": "string",
    "type": "string"
  }
],
"nextToken": "string",
"rows": [
  {
    "rowData": [ JSON value ]
  }
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

columnDescriptions

A list of ColumnDescription objects.

Type: Array of [ColumnDescription](#) objects

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: . *

rows

Represents a single row in the query results.

Type: Array of [Row](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

QueryTimeoutException

The query timeout exception.

HTTP Status Code: 400

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)

- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

GetComponentType

Retrieves information about a component type.

Request Syntax

```
GET /workspaces/workspaceId/component-types/componentTypeId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

componentTypeId

The ID of the component type.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: Yes

workspaceId

The ID of the workspace that contains the component type.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
```

```
"componentTypeId": "string",
"componentTypeName": "string",
"compositeComponentTypes": {
  "string" : {
    "componentTypeId": "string",
    "isInherited": boolean
  }
},
"creationDateTime": number,
"description": "string",
"extendsFrom": [ "string" ],
"functions": {
  "string" : {
    "implementedBy": {
      "isNative": boolean,
      "lambda": {
        "arn": "string"
      }
    },
    "isInherited": boolean,
    "requiredProperties": [ "string" ],
    "scope": "string"
  }
},
"isAbstract": boolean,
"isSchemaInitialized": boolean,
"isSingleton": boolean,
"propertyDefinitions": {
  "string" : {
    "configuration": {
      "string" : "string"
    },
    "dataType": {
      "allowedValues": [
        {
          "booleanValue": boolean,
          "doubleValue": number,
          "expression": "string",
          "integerValue": number,
          "listValue": [
            "DataValue"
          ],
          "longValue": number,
          "mapValue": {
```

```
        "string" : "DataValue"
    },
    "relationshipValue": {
        "targetComponentName": "string",
        "targetEntityId": "string"
    },
    "stringValue": "string"
}
],
"nestedType": "DataType",
"relationship": {
    "relationshipType": "string",
    "targetComponentTypeId": "string"
},
"type": "string",
"unitOfMeasure": "string"
},
"defaultValue": {
    "booleanValue": boolean,
    "doubleValue": number,
    "expression": "string",
    "integerValue": number,
    "listValue": [
        "DataValue"
    ],
    "longValue": number,
    "mapValue": {
        "string" : "DataValue"
    },
    "relationshipValue": {
        "targetComponentName": "string",
        "targetEntityId": "string"
    },
    "stringValue": "string"
},
"displayname": "string",
"isExternalId": boolean,
"isFinal": boolean,
"isImported": boolean,
"isInherited": boolean,
"isRequiredInEntity": boolean,
"isStoredExternally": boolean,
"isTimeSeries": boolean
}
```

```
  },
  "propertyGroups": {
    "string": {
      "groupType": "string",
      "isInherited": boolean,
      "propertyNames": [ "string" ]
    }
  },
  "status": {
    "error": {
      "code": "string",
      "message": "string"
    },
    "state": "string"
  },
  "syncSource": "string",
  "updateDateTime": number,
  "workspaceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the component type.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\w/a-zA-Z0-9_-\.\:]+`

componentTypeId

The ID of the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

componentTypeName

The component type name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `.*[^\u0000-\u001F\u007F]*.*`

compositeComponentTypes

This is an object that maps strings to `compositeComponentTypes` of the `componentType`. `CompositeComponentType` is referenced by `componentTypeId`.

Type: String to [CompositeComponentTypeResponse](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

creationDateTime

The date and time when the component type was created.

Type: Timestamp

description

The description of the component type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

extendsFrom

The name of the parent component type that this component type extends.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

functions

An object that maps strings to the functions in the component type. Each string in the mapping must be unique to this object.

Type: String to [FunctionResponse](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

isAbstract

A Boolean value that specifies whether the component type is abstract.

Type: Boolean

isSchemaInitialized

A Boolean value that specifies whether the component type has a schema initializer and that the schema initializer has run.

Type: Boolean

isSingleton

A Boolean value that specifies whether an entity can have more than one component of this type.

Type: Boolean

propertyDefinitions

An object that maps strings to the property definitions in the component type. Each string in the mapping must be unique to this object.

Type: String to [PropertyDefinitionResponse](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

propertyGroups

The maximum number of results to return at one time. The default is 25.

Valid Range: Minimum value of 1. Maximum value of 250.

Type: String to [PropertyGroupResponse](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

[status](#)

The current status of the component type.

Type: [Status](#) object

[syncSource](#)

The syncSource of the SyncJob, if this entity was created by a SyncJob.

Type: String

Pattern: `[a-zA-Z_0-9]+`

[updateDateTime](#)

The date and time when the component was last updated.

Type: Timestamp

[workspaceId](#)

The ID of the workspace that contains the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

GetEntity

Retrieves information about an entity.

Request Syntax

```
GET /workspaces/workspaceId/entities/entityId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

entityId

The ID of the entity.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.]*[a-zA-Z0-9]+`

Required: Yes

workspaceId

The ID of the workspace.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
```

```

"areAllComponentsReturned": boolean,
"arn": "string",
"components": {
  "string" : {
    "areAllCompositeComponentsReturned": boolean,
    "areAllPropertiesReturned": boolean,
    "componentName": "string",
    "componentTypeId": "string",
    "compositeComponents": {
      "string" : {
        "componentName": "string",
        "componentPath": "string",
        "componentTypeId": "string",
        "definedIn": "string",
        "description": "string",
        "propertyGroups": {
          "string" : {
            "groupType": "string",
            "isInherited": boolean,
            "propertyNames": [ "string" ]
          }
        },
        "status": {
          "error": {
            "code": "string",
            "message": "string"
          },
          "state": "string"
        },
        "syncSource": "string"
      }
    },
    "definedIn": "string",
    "description": "string",
    "properties": {
      "string" : {
        "areAllPropertyValuesReturned": boolean,
        "definition": {
          "configuration": {
            "string" : "string"
          },
          "dataType": {
            "allowedValues": [
              {

```

```
        "booleanValue": boolean,
        "doubleValue": number,
        "expression": "string",
        "integerValue": number,
        "listValue": [
            "DataValue"
        ],
        "longValue": number,
        "mapValue": {
            "string" : "DataValue"
        },
        "relationshipValue": {
            "targetComponentName": "string",
            "targetEntityId": "string"
        },
        "stringValue": "string"
    }
],
"nestedType": "DataType",
"relationship": {
    "relationshipType": "string",
    "targetComponentTypeId": "string"
},
"type": "string",
"unitOfMeasure": "string"
},
"defaultValue": {
    "booleanValue": boolean,
    "doubleValue": number,
    "expression": "string",
    "integerValue": number,
    "listValue": [
        "DataValue"
    ],
    "longValue": number,
    "mapValue": {
        "string" : "DataValue"
    },
    "relationshipValue": {
        "targetComponentName": "string",
        "targetEntityId": "string"
    },
    "stringValue": "string"
},
},
```

```
    "displayName": "string",
    "isExternalId": boolean,
    "isFinal": boolean,
    "isImported": boolean,
    "isInherited": boolean,
    "isRequiredInEntity": boolean,
    "isStoredExternally": boolean,
    "isTimeSeries": boolean
  },
  "value": {
    "booleanValue": boolean,
    "doubleValue": number,
    "expression": "string",
    "integerValue": number,
    "listValue": [
      "DataValue"
    ],
    "longValue": number,
    "mapValue": {
      "string" : "DataValue"
    },
    "relationshipValue": {
      "targetComponentName": "string",
      "targetEntityId": "string"
    },
    "stringValue": "string"
  }
}
},
"propertyGroups": {
  "string" : {
    "groupType": "string",
    "isInherited": boolean,
    "propertyNames": [ "string" ]
  }
},
"status": {
  "error": {
    "code": "string",
    "message": "string"
  },
  "state": "string"
},
"syncSource": "string"
```

```
    }
  },
  "creationDateTime": number,
  "description": "string",
  "entityId": "string",
  "entityName": "string",
  "hasChildEntities": boolean,
  "parentEntityId": "string",
  "status": {
    "error": {
      "code": "string",
      "message": "string"
    },
    "state": "string"
  },
  "syncSource": "string",
  "updateDateTime": number,
  "workspaceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

areAllComponentsReturned

This flag notes whether all components are returned in the API response. The maximum number of components returned is 30.

Type: Boolean

arn

The ARN of the entity.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

components

An object that maps strings to the components in the entity. Each string in the mapping must be unique to this object.

Type: String to [ComponentResponse](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

creationDateTime

The date and time when the entity was created.

Type: Timestamp

description

The description of the entity.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

entityId

The ID of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

entityName

The name of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[^\u0000-\u001F\u007F]+`

hasChildEntities

A Boolean value that specifies whether the entity has associated child entities.

Type: Boolean

parentEntityId

The ID of the parent entity for this entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `^\$ROOT|^[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9. :]*[a-zA-Z0-9]+`

status

The current status of the entity.

Type: [Status](#) object

syncSource

The syncSource of the sync job, if this entity was created by a sync job.

Type: String

Pattern: `[a-zA-Z_0-9]+`

updateDateTime

The date and time when the entity was last updated.

Type: Timestamp

workspaceId

The ID of the workspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)

- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

GetMetadataTransferJob

Retrieves information about a metadata transfer job.

Request Syntax

```
GET /metadata-transfer-jobs/metadataTransferJobId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

metadataTransferJobId

The metadata transfer job Id.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "creationDateTime": number,
  "description": "string",
  "destination": {
    "iotTwinMakerConfiguration": {
      "workspace": "string"
    },
    "s3Configuration": {
      "location": "string"
    }
  },
}
```

```
    "type": "string"
  },
  "metadataTransferJobId": "string",
  "metadataTransferJobRole": "string",
  "progress": {
    "failedCount": number,
    "skippedCount": number,
    "succeededCount": number,
    "totalCount": number
  },
  "reportUrl": "string",
  "sources": [
    {
      "iotSiteWiseConfiguration": {
        "filters": [
          { ... }
        ]
      },
      "iotTwinMakerConfiguration": {
        "filters": [
          { ... }
        ],
        "workspace": "string"
      },
      "s3Configuration": {
        "location": "string"
      },
      "type": "string"
    }
  ],
  "status": {
    "error": {
      "code": "string",
      "message": "string"
    },
    "queuedPosition": number,
    "state": "string"
  },
  "updateDateTime": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The metadata transfer job ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

creationDateTime

The metadata transfer job's creation DateTime property.

Type: Timestamp

description

The metadata transfer job description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

destination

The metadata transfer job's destination.

Type: [DestinationConfiguration](#) object

metadataTransferJobId

The metadata transfer job Id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

metadataTransferJobRole

The metadata transfer job's role.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iam::[0-9]{12}:role/.*`

progress

The metadata transfer job's progress.

Type: [MetadataTransferJobProgress](#) object

reportUrl

The metadata transfer job's report URL.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `.*`

sources

The metadata transfer job's sources.

Type: Array of [SourceConfiguration](#) objects

Array Members: Fixed number of 1 item.

status

The metadata transfer job's status.

Type: [MetadataTransferJobStatus](#) object

updateDateTime

The metadata transfer job's update DateTime property.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)

- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

GetPricingPlan

Gets the pricing plan.

Request Syntax

```
GET /pricingplan HTTP/1.1
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "currentPricingPlan": {
    "billableEntityCount": number,
    "bundleInformation": {
      "bundleNames": [ "string" ],
      "pricingTier": "string"
    },
    "effectiveDateTime": number,
    "pricingMode": "string",
    "updateDateTime": number,
    "updateReason": "string"
  },
  "pendingPricingPlan": {
    "billableEntityCount": number,
    "bundleInformation": {
      "bundleNames": [ "string" ],
      "pricingTier": "string"
    },
    "effectiveDateTime": number,
    "pricingMode": "string",
```



```
    "updateDateTime": number,  
    "updateReason": "string"  
  }  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

currentPricingPlan

The chosen pricing plan for the current billing cycle.

Type: [PricingPlan](#) object

pendingPricingPlan

The pending pricing plan.

Type: [PricingPlan](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerError

An unexpected error has occurred.

HTTP Status Code: 500

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

GetPropertyValue

Gets the property values for a component, component type, entity, or workspace.

You must specify a value for either `componentName`, `componentTypeId`, `entityId`, or `workspaceId`.

Request Syntax

```
POST /workspaces/workspaceId/entity-properties/value HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "componentName": "string",
  "componentPath": "string",
  "componentTypeId": "string",
  "entityId": "string",
  "maxResults": number,
  "nextToken": "string",
  "propertyGroupName": "string",
  "selectedProperties": [ "string" ],
  "tabularConditions": {
    "orderBy": [
      {
        "order": "string",
        "propertyName": "string"
      }
    ],
    "propertyFilters": [
      {
        "operator": "string",
        "propertyName": "string",
        "value": {
          "booleanValue": boolean,
          "doubleValue": number,
          "expression": "string",
          "integerValue": number,
          "listValue": [
            "DataValue"
          ],
          "longValue": number,
          "mapValue": {
            "string" : "DataValue"
          }
        }
      }
    ]
  }
}
```

```
    },
    "relationshipValue": {
      "targetComponentName": "string",
      "targetEntityId": "string"
    },
    "stringValue": "string"
  }
}
]
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace whose values the operation returns.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

componentName

The name of the component whose property values the operation returns.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-0-9]+`

Required: No

componentPath

This string specifies the path to the composite component, starting from the top-level component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[a-zA-Z_\-0-9/]+`

Required: No

componentTypeId

The ID of the component type whose property values the operation returns.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

Required: No

entityId

The ID of the entity whose property values the operation returns.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

Required: No

maxResults

The maximum number of results to return at one time. The default is 25.

Valid Range: Minimum value of 1. Maximum value of 250.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

propertyGroupName

The property group name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\-0-9]+

Required: No

selectedProperties

The properties whose values the operation returns.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: Yes

tabularConditions

The tabular conditions.

Type: [TabularConditions](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "nextToken": "string",
  "propertyValues": {
    "string" : {
      "propertyReference": {
        "componentName": "string",
        "componentPath": "string",
        "entityId": "string",
        "externalIdProperty": {
          "string" : "string"
        },
        "propertyName": "string"
      },
      "propertyValue": {
        "booleanValue": boolean,
        "doubleValue": number,
        "expression": "string",
        "integerValue": number,
        "listValue": [
          "DataValue"
        ],
        "longValue": number,
        "mapValue": {
          "string" : "DataValue"
        },
        "relationshipValue": {
          "targetComponentName": "string",
          "targetEntityId": "string"
        },
        "stringValue": "string"
      }
    }
  }
}
```

```

    }
  }
},
"tabularPropertyValues": [
  [
    {
      "string" : {
        "booleanValue": boolean,
        "doubleValue": number,
        "expression": "string",
        "integerValue": number,
        "listValue": [
          "DataValue"
        ],
        "longValue": number,
        "mapValue": {
          "string" : "DataValue"
        },
        "relationshipValue": {
          "targetComponentName": "string",
          "targetEntityId": "string"
        },
        "stringValue": "string"
      }
    }
  ]
]
}

```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

propertyValues

An object that maps strings to the properties and latest property values in the response. Each string in the mapping must be unique to this object.

Type: String to [PropertyLatestValue](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

tabularPropertyValues

A table of property values.

Type: Array of arrays of string to [DataValue](#) object maps

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConnectorFailureException

The connector failed.

HTTP Status Code: 424

ConnectorTimeoutException

The connector timed out.

HTTP Status Code: 424

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

GetPropertyValueHistory

Retrieves information about the history of a time series property value for a component, component type, entity, or workspace.

You must specify a value for `workspaceId`. For entity-specific queries, specify values for `componentName` and `entityId`. For cross-entity queries, specify a value for `componentTypeId`.

Request Syntax

```
POST /workspaces/workspaceId/entity-properties/history HTTP/1.1
```

```
Content-type: application/json
```

```
{
  "componentName": "string",
  "componentPath": "string",
  "componentTypeId": "string",
  "endDateTime": number,
  "endTime": "string",
  "entityId": "string",
  "interpolation": {
    "interpolationType": "string",
    "intervalInSeconds": number
  },
  "maxResults": number,
  "nextToken": "string",
  "orderByTime": "string",
  "propertyFilters": [
    {
      "operator": "string",
      "propertyName": "string",
      "value": {
        "booleanValue": boolean,
        "doubleValue": number,
        "expression": "string",
        "integerValue": number,
        "listValue": [
          "DataValue"
        ],
        "longValue": number,
        "mapValue": {
          "string" : "DataValue"
        }
      }
    }
  ]
}
```

```
        "relationshipValue": {
            "targetComponentName": "string",
            "targetEntityId": "string"
        },
        "stringValue": "string"
    }
},
"selectedProperties": [ "string" ],
"startDateTime": number,
"startTime": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

componentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\-0-9]+

Required: No

componentPath

This string specifies the path to the composite component, starting from the top-level component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: [a-zA-Z_\-0-9/]+

Required: No

componentTypeId

The ID of the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: No

endDateTime

This parameter has been deprecated.

The date and time of the latest property value to return.

Type: Timestamp

Required: No

endTime

The ISO8601 DateTime of the latest property value to return.

For more information about the ISO8601 DateTime format, see the data type [PropertyValue](#).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 35.

Required: No

entityId

The ID of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

Required: No

interpolation

An object that specifies the interpolation type and the interval over which to interpolate data.

Type: [InterpolationParameters](#) object

Required: No

maxResults

The maximum number of results to return at one time. The default is 25.

Valid Range: Minimum value of 1. Maximum value of 250.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: `.*`

Required: No

orderByTime

The time direction to use in the result order.

Type: String

Valid Values: ASCENDING | DESCENDING

Required: No

propertyFilters

A list of objects that filter the property value history request.

Type: Array of [PropertyFilter](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

selectedProperties

A list of properties whose value histories the request retrieves.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: Yes

startDateTime

This parameter has been deprecated.

The date and time of the earliest property value to return.

Type: Timestamp

Required: No

startTime

The ISO8601 DateTime of the earliest property value to return.

For more information about the ISO8601 DateTime format, see the data type [PropertyValue](#).

Type: String

Length Constraints: Minimum length of 20. Maximum length of 35.

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "nextToken": "string",
  "propertyValues": [
    {
      "entityPropertyReference": {
        "componentName": "string",
        "componentPath": "string",
        "entityId": "string",
        "externalIdProperty": {
          "string": "string"
        },
        "propertyName": "string"
      },
      "values": [
        {
          "time": "string",
          "timestamp": number,
          "value": {
            "booleanValue": boolean,
            "doubleValue": number,
            "expression": "string",
            "integerValue": number,
            "listValue": [
              "DataValue"
            ],
            "longValue": number,
            "mapValue": {
              "string": "DataValue"
            },
            "relationshipValue": {
```



```
        "targetComponentName": "string",
        "targetEntityId": "string"
    },
    "stringValue": "string"
}
]
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

propertyValues

An object that maps strings to the property definitions in the component type. Each string in the mapping must be unique to this object.

Type: Array of [PropertyValueHistory](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConnectorFailureException

The connector failed.

HTTP Status Code: 424

ConnectorTimeoutException

The connector timed out.

HTTP Status Code: 424

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)

- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

GetScene

Retrieves information about a scene.

Request Syntax

```
GET /workspaces/workspaceId/scenes/sceneId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

sceneId

The ID of the scene.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

workspaceId

The ID of the workspace that contains the scene.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200  
Content-type: application/json
```

```
{
  "arn": "string",
  "capabilities": [ "string" ],
  "contentLocation": "string",
  "creationDateTime": number,
  "description": "string",
  "error": {
    "code": "string",
    "message": "string"
  },
  "generatedSceneMetadata": {
    "string" : "string"
  },
  "sceneId": "string",
  "sceneMetadata": {
    "string" : "string"
  },
  "updateDateTime": number,
  "workspaceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the scene.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

capabilities

A list of capabilities that the scene uses to render.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: .*

contentLocation

The relative path that specifies the location of the content definition file.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: [sS]3://[A-Za-z0-9._/-]+

creationDateTime

The date and time when the scene was created.

Type: Timestamp

description

The description of the scene.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

error

The SceneResponse error.

Type: [SceneError](#) object

generatedSceneMetadata

The generated scene metadata.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Value Length Constraints: Minimum length of 0. Maximum length of 2048.

Value Pattern: `.*`

sceneId

The ID of the scene.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

sceneMetadata

The response metadata.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Value Length Constraints: Minimum length of 0. Maximum length of 2048.

Value Pattern: `.*`

updateDateTime

The date and time when the scene was last updated.

Type: Timestamp

workspaceId

The ID of the workspace that contains the scene.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)

- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

GetSyncJob

Gets the SyncJob.

Request Syntax

```
GET /sync-jobs/syncSource?workspace=workspaceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

syncSource

The sync source.

Note

Currently the only supported syncSource is SITEWISE .

Pattern: [a-zA-Z_0-9]+

Required: Yes

workspaceId

The workspace ID.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Content-type: application/json

```
{
  "arn": "string",
  "creationDateTime": number,
  "status": {
    "error": {
      "code": "string",
      "message": "string"
    },
    "state": "string"
  },
  "syncRole": "string",
  "syncSource": "string",
  "updateDateTime": number,
  "workspaceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The sync job ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\w/a-zA-Z0-9_-\.\:]+`

creationDateTime

The creation date and time.

Type: Timestamp

status

The SyncJob response status.

Type: [SyncJobStatus](#) object

[syncRole](#)

The sync IAM role.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iam::[0-9]{12}:role/.*`

[syncSource](#)

The sync source.

Note

Currently the only supported syncSource is SITEWISE.

Type: String

Pattern: `[a-zA-Z_0-9]+`

[updateDateTime](#)

The update date and time.

Type: Timestamp

[workspaceId](#)

The ID of the workspace that contains the sync job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)

- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

GetWorkspace

Retrieves information about a workspace.

Request Syntax

```
GET /workspaces/workspaceId HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace.

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+|^arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_-]+`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

```
Content-type: application/json
```

```
{
  "arn": "string",
  "creationDateTime": number,
  "description": "string",
  "linkedServices": [ "string" ],
  "role": "string",
  "s3Location": "string",
```

```
"updateDateTime": number,  
"workspaceId": "string"  
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the workspace.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

creationDateTime

The date and time when the workspace was created.

Type: Timestamp

description

The description of the workspace.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

linkedServices

A list of services that are linked to the workspace.

Type: Array of strings

Pattern: `[a-zA-Z_0-9]+`

role

The ARN of the execution role associated with the workspace.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iam::[0-9]{12}:role/.*`

s3Location

The ARN of the Amazon S3 bucket where resources associated with the workspace are stored.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: `.*(^arn:((aws)|(aws-cn)|(aws-us-gov)):s3:::)([a-zA-Z0-9_-]+)$.*`

updateDateTime

The date and time when the workspace was last updated.

Type: Timestamp

workspaceId

The ID of the workspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListComponents

This API lists the components of an entity.

Request Syntax

```
POST /workspaces/workspaceId/entities/entityId/components-list HTTP/1.1
Content-type: application/json
```

```
{
  "componentPath": "string",
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

entityId

The ID for the entity whose metadata (component/properties) is returned by the operation.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.]*[a-zA-Z0-9]+`

Required: Yes

workspaceId

The workspace ID.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

componentPath

This string specifies the path to the composite component, starting from the top-level component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: [a-zA-Z_\-0-9/]+

Required: No

maxResults

The maximum number of results returned at one time. The default is 25.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "componentSummaries": [
    {
```

```
    "componentName": "string",
    "componentPath": "string",
    "componentTypeId": "string",
    "definedIn": "string",
    "description": "string",
    "propertyGroups": {
      "string" : {
        "groupType": "string",
        "isInherited": boolean,
        "propertyNames": [ "string" ]
      }
    },
    "status": {
      "error": {
        "code": "string",
        "message": "string"
      },
      "state": "string"
    },
    "syncSource": "string"
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

componentSummaries

A list of objects that contain information about the components.

Type: Array of [ComponentSummary](#) objects

nextToken

The string that specifies the next page of component results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)

- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListComponentTypes

Lists all component types in a workspace.

Request Syntax

```
POST /workspaces/workspaceId/component-types-list HTTP/1.1  
Content-type: application/json
```

```
{  
  "filters": [  
    { ... }  
  ],  
  "maxResults": number,  
  "nextToken": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

filters

A list of objects that filter the request.

Type: Array of [ListComponentTypesFilter](#) objects

Required: No

maxResults

The maximum number of results to return at one time. The default is 25.

Valid Range: Minimum value of 1. Maximum value of 250.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "componentTypeSummaries": [
    {
      "arn": "string",
      "componentTypeId": "string",
      "componentTypeName": "string",
      "creationDateTime": number,
      "description": "string",
      "status": {
        "error": {
          "code": "string",
          "message": "string"
        }
      },
    },
  ],
}
```

```
        "state": "string"
      },
      "updateDateTime": number
    }
  ],
  "maxResults": number,
  "nextToken": "string",
  "workspaceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

componentTypeSummaries

A list of objects that contain information about the component types.

Type: Array of [ComponentTypeSummary](#) objects

maxResults

Specifies the maximum number of results to display.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

workspaceId

The ID of the workspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerError

An unexpected error has occurred.

HTTP Status Code: 500

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)

- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListEntities

Lists all entities in a workspace.

Request Syntax

```
POST /workspaces/workspaceId/entities-list HTTP/1.1  
Content-type: application/json
```

```
{  
  "filters": [  
    { ... }  
  ],  
  "maxResults": number,  
  "nextToken": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

filters

A list of objects that filter the request.

Note

Only one object is accepted as a valid input.

Type: Array of [ListEntitiesFilter](#) objects

Required: No

maxResults

The maximum number of results to return at one time. The default is 25.

Valid Range: Minimum value of 1. Maximum value of 250.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "entitySummaries": [
    {
      "arn": "string",
      "creationDateTime": number,
```

```
"description": "string",
"entityId": "string",
"entityName": "string",
"hasChildEntities": boolean,
"parentEntityId": "string",
"status": {
  "error": {
    "code": "string",
    "message": "string"
  },
  "state": "string"
},
"updateDateTime": number
}
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

entitySummaries

A list of objects that contain information about the entities.

Type: Array of [EntitySummary](#) objects

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListMetadataTransferJobs

Lists the metadata transfer jobs.

Request Syntax

```
POST /metadata-transfer-jobs-list HTTP/1.1
Content-type: application/json

{
  "destinationType": "string",
  "filters": [
    { ... }
  ],
  "maxResults": number,
  "nextToken": "string",
  "sourceType": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

destinationType

The metadata transfer job's destination type.

Type: String

Valid Values: s3 | iotsitewise | iottwinmaker

Required: Yes

filters

An object that filters metadata transfer jobs.

Type: Array of [ListMetadataTransferJobsFilter](#) objects

Required: No

maxResults

The maximum number of results to return at one time.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

sourceType

The metadata transfer job's source type.

Type: String

Valid Values: s3 | iotsitewise | iottwinmaker

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "metadataTransferJobSummaries": [
    {
      "arn": "string",
```

```
    "creationDateTime": number,
    "metadataTransferJobId": "string",
    "progress": {
      "failedCount": number,
      "skippedCount": number,
      "succeededCount": number,
      "totalCount": number
    },
    "status": {
      "error": {
        "code": "string",
        "message": "string"
      },
      "queuedPosition": number,
      "state": "string"
    },
    "updateDateTime": number
  }
],
"nextToken": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

metadataTransferJobSummaries

The metadata transfer job summaries.

Type: Array of [MetadataTransferJobSummary](#) objects

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)

- [Amazon SDK for Ruby V3](#)

ListProperties

This API lists the properties of a component.

Request Syntax

```
POST /workspaces/workspaceId/properties-list HTTP/1.1
Content-type: application/json
```

```
{
  "componentName": "string",
  "componentPath": "string",
  "entityId": "string",
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The workspace ID.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

componentName

The name of the component whose properties are returned by the operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-0-9]+`

Required: No

componentPath

This string specifies the path to the composite component, starting from the top-level component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[a-zA-Z_\-0-9/]+`

Required: No

entityId

The ID for the entity whose metadata (component/properties) is returned by the operation.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:\-]*[a-zA-Z0-9]+`

Required: Yes

maxResults

The maximum number of results returned at one time. The default is 25.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

Response Syntax

HTTP/1.1 200

Content-type: application/json

```
{
  "nextToken": "string",
  "propertySummaries": [
    {
      "areAllPropertyValuesReturned": boolean,
      "definition": {
        "configuration": {
          "string": "string"
        },
        "dataType": {
          "allowedValues": [
            {
              "booleanValue": boolean,
              "doubleValue": number,
              "expression": "string",
              "integerValue": number,
              "listValue": [
                "DataValue"
              ],
              "longValue": number,
              "mapValue": {
                "string": "DataValue"
              },
              "relationshipValue": {
                "targetComponentName": "string",
                "targetEntityId": "string"
              },
              "stringValue": "string"
            }
          ],
          "nestedType": "DataType",
          "relationship": {
            "relationshipType": "string",
            "targetComponentTypeId": "string"
          }
        }
      }
    }
  ]
}
```



```
    },
    "type": "string",
    "unitOfMeasure": "string"
  },
  "defaultValue": {
    "booleanValue": boolean,
    "doubleValue": number,
    "expression": "string",
    "integerValue": number,
    "listValue": [
      "DataValue"
    ],
    "longValue": number,
    "mapValue": {
      "string" : "DataValue"
    },
    "relationshipValue": {
      "targetComponentName": "string",
      "targetEntityId": "string"
    },
    "stringValue": "string"
  },
  "displayName": "string",
  "isExternalId": boolean,
  "isFinal": boolean,
  "isImported": boolean,
  "isInherited": boolean,
  "isRequiredInEntity": boolean,
  "isStoredExternally": boolean,
  "isTimeSeries": boolean
},
"propertyName": "string",
"value": {
  "booleanValue": boolean,
  "doubleValue": number,
  "expression": "string",
  "integerValue": number,
  "listValue": [
    "DataValue"
  ],
  "longValue": number,
  "mapValue": {
    "string" : "DataValue"
  }
},
```

```
    "relationshipValue": {
      "targetComponentName": "string",
      "targetEntityId": "string"
    },
    "stringValue": "string"
  }
}
]
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The string that specifies the next page of property results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

propertySummaries

A list of objects that contain information about the properties.

Type: Array of [PropertySummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListScenes

Lists all scenes in a workspace.

Request Syntax

```
POST /workspaces/workspaceId/scenes-list HTTP/1.1
Content-type: application/json
```

```
{
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace that contains the scenes.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

maxResults

Specifies the maximum number of results to display.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "sceneSummaries": [
    {
      "arn": "string",
      "contentLocation": "string",
      "creationDateTime": number,
      "description": "string",
      "sceneId": "string",
      "updateDateTime": number
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

sceneSummaries

A list of objects that contain information about the scenes.

Type: Array of [SceneSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)

- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListSyncJobs

List all SyncJobs.

Request Syntax

```
POST /workspaces/workspaceId/sync-jobs-list HTTP/1.1
Content-type: application/json
```

```
{
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace that contains the sync job.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

maxResults

The maximum number of results to return at one time. The default is 50.

Valid Range: Minimum value of 0. Maximum value of 200.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "syncJobSummaries": [
    {
      "arn": "string",
      "creationDateTime": number,
      "status": {
        "error": {
          "code": "string",
          "message": "string"
        },
        "state": "string"
      },
      "syncSource": "string",
      "updateDateTime": number,
      "workspaceId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: . *

syncJobSummaries

The listed SyncJob summaries.

Type: Array of [SyncJobSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListSyncResources

Lists the sync resources.

Request Syntax

```
POST /workspaces/workspaceId/sync-jobs/syncSource/resources-list HTTP/1.1  
Content-type: application/json
```

```
{  
  "filters": [  
    { ... }  
  ],  
  "maxResults": number,  
  "nextToken": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

syncSource

The sync source.

Note

Currently the only supported syncSource is SITEWISE .

Pattern: [a-zA-Z_0-9]+

Required: Yes

workspaceId

The ID of the workspace that contains the sync job.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

filters

A list of objects that filter the request.

The following filter combinations are supported:

- Filter with state
- Filter with ResourceType and ResourceId
- Filter with ResourceType and ExternalId

Type: Array of [SyncResourceFilter](#) objects

Required: No

maxResults

The maximum number of results to return at one time. The default is 50.

Valid Range: Minimum value of 0. Maximum value of 200.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "syncResources": [
    {
      "externalId": "string",
      "resourceId": "string",
      "resourceType": "string",
      "status": {
        "error": {
          "code": "string",
          "message": "string"
        },
        "state": "string"
      },
      "updateDateTime": number
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

syncResources

The sync resources.

Type: Array of [SyncResourceSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)

- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListTagsForResource

Lists all tags associated with a resource.

Request Syntax

```
POST /tags-list HTTP/1.1
Content-type: application/json

{
  "maxResults": number,
  "nextToken": "string",
  "resourceARN": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

The maximum number of results to return at one time. The default is 25.

Valid Range: Minimum value of 1. Maximum value of 250.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

resourceARN

The ARN of the resource.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:(aws)|(aws-cn)|(aws-us-gov):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "tags": {
    "string" : "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

tags

Metadata that you can use to manage a resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`[\p{L}\p{Z}\p{N}_ . : / = + \ - @] *`)

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: .*

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)

- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

ListWorkspaces

Retrieves information about workspaces in the current account.

Request Syntax

```
POST /workspaces-list HTTP/1.1
Content-type: application/json
```

```
{
  "maxResults": number,
  "nextToken": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

maxResults

The maximum number of results to return at one time. The default is 25.

Valid Range: Minimum value of 1. Maximum value of 250.

Type: Integer

Valid Range: Minimum value of 0. Maximum value of 200.

Required: No

nextToken

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "nextToken": "string",
  "workspaceSummaries": [
    {
      "arn": "string",
      "creationDateTime": number,
      "description": "string",
      "linkedServices": [ "string" ],
      "updateDateTime": number,
      "workspaceId": "string"
    }
  ]
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

[nextToken](#)

The string that specifies the next page of results.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 17880.

Pattern: .*

[workspaceSummaries](#)

A list of objects that contain information about the workspaces.

Type: Array of [WorkspaceSummary](#) objects

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)

- [Amazon SDK for Ruby V3](#)

TagResource

Adds tags to a resource.

Request Syntax

```
POST /tags HTTP/1.1
Content-type: application/json

{
  "resourceARN": "string",
  "tags": {
    "string" : "string"
  }
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

resourceARN

The ARN of the resource.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\w/a-zA-Z0-9_-\.\:]+`

Required: Yes

tags

Metadata to add to this resource.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 128.

Key Pattern: (`[\p{L}\p{Z}\p{N}_ . : / = + \ - @] *`)

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `. *`

Required: Yes

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

TooManyTagsException

The number of tags exceeds the limit.

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UntagResource

Removes tags from a resource.

Request Syntax

```
DELETE /tags?resourceARN=resourceARN&tagKeys=tagKeys HTTP/1.1
```

URI Request Parameters

The request uses the following URI parameters.

resourceARN

The ARN of the resource.

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

Required: Yes

tagKeys

A list of tag key names to remove from the resource. You don't specify the value. Both the key and its associated value are removed.

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `([\p{L}\p{Z}\p{N}_\.:/=+\-@]*)`

Required: Yes

Request Body

The request does not have a request body.

Response Syntax

```
HTTP/1.1 200
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response with an empty HTTP body.

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateComponentType

Updates information in a component type.

Request Syntax

PUT /workspaces/*workspaceId*/component-types/*componentTypeId* HTTP/1.1

Content-type: application/json

```
{
  "componentTypeName": "string",
  "compositeComponentTypes": {
    "string" : {
      "componentTypeId": "string"
    }
  },
  "description": "string",
  "extendsFrom": [ "string" ],
  "functions": {
    "string" : {
      "implementedBy": {
        "isNative": boolean,
        "lambda": {
          "arn": "string"
        }
      },
      "requiredProperties": [ "string" ],
      "scope": "string"
    }
  },
  "isSingleton": boolean,
  "propertyDefinitions": {
    "string" : {
      "configuration": {
        "string" : "string"
      },
      "dataType": {
        "allowedValues": [
          {
            "booleanValue": boolean,
            "doubleValue": number,
            "expression": "string",
            "integerValue": number,
```

```
    "listValue": [
      "DataValue"
    ],
    "longValue": number,
    "mapValue": {
      "string" : "DataValue"
    },
    "relationshipValue": {
      "targetComponentName": "string",
      "targetEntityId": "string"
    },
    "stringValue": "string"
  }
],
"nestedType": "DataType",
"relationship": {
  "relationshipType": "string",
  "targetComponentTypeId": "string"
},
"unitOfMeasure": "string"
},
"defaultValue": {
  "booleanValue": boolean,
  "doubleValue": number,
  "expression": "string",
  "integerValue": number,
  "listValue": [
    "DataValue"
  ],
  "longValue": number,
  "mapValue": {
    "string" : "DataValue"
  },
  "relationshipValue": {
    "targetComponentName": "string",
    "targetEntityId": "string"
  },
  "stringValue": "string"
},
"displayName": "string",
"isExternalId": boolean,
"isRequiredInEntity": boolean,
"isStoredExternally": boolean,
```



```
    "isTimeSeries": boolean
  }
},
"propertyGroups": {
  "string" : {
    "groupType": "string",
    "propertyNames": [ "string" ]
  }
}
}
```

URI Request Parameters

The request uses the following URI parameters.

componentTypeId

The ID of the component type.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: Yes

workspaceId

The ID of the workspace.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

componentTypeName

The component type name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `.*[^\u0000-\u001F\u007F]*.*`

Required: No

compositeComponentTypes

This is an object that maps strings to `compositeComponentTypes` of the `componentType`. `CompositeComponentType` is referenced by `componentTypeId`.

Type: String to [CompositeComponentTypeRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Required: No

description

The description of the component type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

extendsFrom

Specifies the component type that this component type extends.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

Required: No

functions

An object that maps strings to the functions in the component type. Each string in the mapping must be unique to this object.

Type: String to [FunctionRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

isSingleton

A Boolean value that specifies whether an entity can have more than one component of this type.

Type: Boolean

Required: No

propertyDefinitions

An object that maps strings to the property definitions in the component type. Each string in the mapping must be unique to this object.

Type: String to [PropertyDefinitionRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

propertyGroups

The property groups.

Type: String to [PropertyGroupRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "arn": "string",
  "componentTypeId": "string",
  "state": "string",
  "workspaceId": "string"
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

arn

The ARN of the component type.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

componentTypeId

The ID of the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-\0-9:]+`

state

The current state of the component type.

Type: String

Valid Values: CREATING | UPDATING | DELETING | ACTIVE | ERROR

workspaceId

The ID of the workspace that contains the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateEntity

Updates an entity.

Request Syntax

PUT /workspaces/*workspaceId*/entities/*entityId* HTTP/1.1

Content-type: application/json

```
{
  "componentUpdates": {
    "string" : {
      "componentTypeId": "string",
      "description": "string",
      "propertyGroupUpdates": {
        "string" : {
          "groupType": "string",
          "propertyNames": [ "string" ],
          "updateType": "string"
        }
      },
    },
    "propertyUpdates": {
      "string" : {
        "definition": {
          "configuration": {
            "string" : "string"
          },
        },
        "dataType": {
          "allowedValues": [
            {
              "booleanValue": boolean,
              "doubleValue": number,
              "expression": "string",
              "integerValue": number,
              "listValue": [
                "DataValue"
              ],
              "longValue": number,
              "mapValue": {
                "string" : "DataValue"
              },
              "relationshipValue": {
                "targetComponentName": "string",

```

```
        "targetEntityId": "string"
      },
      "stringValue": "string"
    }
  ],
  "nestedType": "DataType",
  "relationship": {
    "relationshipType": "string",
    "targetComponentTypeId": "string"
  },
  "type": "string",
  "unitOfMeasure": "string"
},
"defaultValue": {
  "booleanValue": boolean,
  "doubleValue": number,
  "expression": "string",
  "integerValue": number,
  "listValue": [
    "DataValue"
  ],
  "longValue": number,
  "mapValue": {
    "string" : "DataValue"
  },
  "relationshipValue": {
    "targetComponentName": "string",
    "targetEntityId": "string"
  },
  "stringValue": "string"
},
"displayname": "string",
"isExternalId": boolean,
"isRequiredInEntity": boolean,
"isStoredExternally": boolean,
"isTimeSeries": boolean
},
"updateType": "string",
"value": {
  "booleanValue": boolean,
  "doubleValue": number,
  "expression": "string",
  "integerValue": number,
  "listValue": [
```



```

        "DataValue"
    ],
    "longValue": number,
    "mapValue": {
        "string" : "DataValue"
    },
    "relationshipValue": {
        "targetComponentName": "string",
        "targetEntityId": "string"
    },
    "stringValue": "string"
    }
}
},
"updateType": "string"
}
},
"compositeComponentUpdates": {
    "string" : {
        "description": "string",
        "propertyGroupUpdates": {
            "string" : {
                "groupType": "string",
                "propertyNames": [ "string" ],
                "updateType": "string"
            }
        },
        "propertyUpdates": {
            "string" : {
                "definition": {
                    "configuration": {
                        "string" : "string"
                    },
                    "dataType": {
                        "allowedValues": [
                            {
                                "booleanValue": boolean,
                                "doubleValue": number,
                                "expression": "string",
                                "integerValue": number,
                                "listValue": [
                                    "DataValue"
                                ],
                                "longValue": number,

```

```
        "mapValue": {
            "string": "DataValue"
        },
        "relationshipValue": {
            "targetComponentName": "string",
            "targetEntityId": "string"
        },
        "stringValue": "string"
    }
],
"nestedType": "DataType",
"relationship": {
    "relationshipType": "string",
    "targetComponentTypeId": "string"
},
"type": "string",
"unitOfMeasure": "string"
},
"defaultValue": {
    "booleanValue": boolean,
    "doubleValue": number,
    "expression": "string",
    "integerValue": number,
    "listValue": [
        "DataValue"
    ],
    "longValue": number,
    "mapValue": {
        "string": "DataValue"
    },
    "relationshipValue": {
        "targetComponentName": "string",
        "targetEntityId": "string"
    },
    "stringValue": "string"
},
"displayName": "string",
"isExternalId": boolean,
"isRequiredInEntity": boolean,
"isStoredExternally": boolean,
"isTimeSeries": boolean
},
"updateType": "string",
"value": {
```

```

        "booleanValue": boolean,
        "doubleValue": number,
        "expression": "string",
        "integerValue": number,
        "listValue": [
            "DataValue"
        ],
        "longValue": number,
        "mapValue": {
            "string" : "DataValue"
        },
        "relationshipValue": {
            "targetComponentName": "string",
            "targetEntityId": "string"
        },
        "stringValue": "string"
    }
}
},
"updateType": "string"
}
},
"description": "string",
"entityName": "string",
"parentEntityUpdate": {
    "parentEntityId": "string",
    "updateType": "string"
}
}
}

```

URI Request Parameters

The request uses the following URI parameters.

entityId

The ID of the entity.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

Required: Yes

workspaceId

The ID of the workspace that contains the entity.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

componentUpdates

An object that maps strings to the component updates in the request. Each string in the mapping must be unique to this object.

Type: String to [ComponentUpdateRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Required: No

compositeComponentUpdates

This is an object that maps strings to `compositeComponent` updates in the request. Each key of the map represents the `componentPath` of the `compositeComponent`.

Type: String to [CompositeComponentUpdateRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 2048.

Key Pattern: `[a-zA-Z_\-0-9/]+`

Required: No

description

The description of the entity.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: . *

Required: No

entityName

The name of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [^\u0000-\u001F\u007F]+

Required: No

parentEntityUpdate

An object that describes the update request for a parent entity.

Type: [ParentEntityUpdateRequest](#) object

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "state": string,
  "updateDateTime": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

state

The current state of the entity update.

Type: String

Valid Values: CREATING | UPDATING | DELETING | ACTIVE | ERROR

updateDateTime

The date and time when the entity was last updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

ConflictException

A conflict occurred.

HTTP Status Code: 409

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdatePricingPlan

Update the pricing plan.

Request Syntax

```
POST /pricingplan HTTP/1.1
Content-type: application/json

{
  "bundleNames": [ "string" ],
  "pricingMode": "string"
}
```

URI Request Parameters

The request does not use any URI parameters.

Request Body

The request accepts the following data in JSON format.

bundleNames

The bundle names.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

pricingMode

The pricing mode.

Type: String

Valid Values: BASIC | STANDARD | TIERED_BUNDLE

Required: Yes

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "currentPricingPlan": {
    "billableEntityCount": number,
    "bundleInformation": {
      "bundleNames": [ "string" ],
      "pricingTier": "string"
    },
    "effectiveDateTime": number,
    "pricingMode": "string",
    "updateDateTime": number,
    "updateReason": "string"
  },
  "pendingPricingPlan": {
    "billableEntityCount": number,
    "bundleInformation": {
      "bundleNames": [ "string" ],
      "pricingTier": "string"
    },
    "effectiveDateTime": number,
    "pricingMode": "string",
    "updateDateTime": number,
    "updateReason": "string"
  }
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

currentPricingPlan

Update the current pricing plan.

Type: [PricingPlan](#) object

[pendingPricingPlan](#)

Update the pending pricing plan.

Type: [PricingPlan](#) object

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)

- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateScene

Updates a scene.

Request Syntax

```
PUT /workspaces/workspaceId/scenes/sceneId HTTP/1.1  
Content-type: application/json
```

```
{  
  "capabilities": [ "string" ],  
  "contentLocation": "string",  
  "description": "string",  
  "sceneMetadata": {  
    "string" : "string"  
  }  
}
```

URI Request Parameters

The request uses the following URI parameters.

sceneId

The ID of the scene.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

workspaceId

The ID of the workspace that contains the scene.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

Request Body

The request accepts the following data in JSON format.

capabilities

A list of capabilities that the scene uses to render.

Type: Array of strings

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: .*

Required: No

contentLocation

The relative path that specifies the location of the content definition file.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: [sS]3://[A-Za-z0-9._/-]+

Required: No

description

The description of this scene.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

sceneMetadata

The scene metadata.

Type: String to string map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Value Length Constraints: Minimum length of 0. Maximum length of 2048.

Value Pattern: `.*`

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json

{
  "updateDateTime": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

updateDateTime

The date and time when the scene was last updated.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

UpdateWorkspace

Updates a workspace.

Request Syntax

```
PUT /workspaces/workspaceId HTTP/1.1  
Content-type: application/json
```

```
{  
  "description": "string",  
  "role": "string",  
  "s3Location": "string"  
}
```

URI Request Parameters

The request uses the following URI parameters.

workspaceId

The ID of the workspace.

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: [a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+

Required: Yes

Request Body

The request accepts the following data in JSON format.

description

The description of the workspace.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

role

The ARN of the execution role associated with the workspace.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: arn:((aws)|(aws-cn)|(aws-us-gov)):iam::[0-9]{12}:role/.*

Required: No

s3Location

The ARN of the S3 bucket where resources associated with the workspace are stored.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 1024.

Pattern: .*(^arn:((aws)|(aws-cn)|(aws-us-gov)):s3:::)([a-zA-Z0-9_-]+\$).*

Required: No

Response Syntax

```
HTTP/1.1 200
Content-type: application/json
```

```
{
  "updateDateTime": number
}
```

Response Elements

If the action is successful, the service sends back an HTTP 200 response.

The following data is returned in JSON format by the service.

updateDateTime

The date and time of the current update.

Type: Timestamp

Errors

For information about the errors that are common to all actions, see [Common Errors](#).

AccessDeniedException

Access is denied.

HTTP Status Code: 403

InternalServerErrorException

An unexpected error has occurred.

HTTP Status Code: 500

ResourceNotFoundException

The resource wasn't found.

HTTP Status Code: 404

ServiceQuotaExceededException

The service quota was exceeded.

HTTP Status Code: 402

ThrottlingException

The rate exceeds the limit.

HTTP Status Code: 429

ValidationException

Failed

HTTP Status Code: 400

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon Command Line Interface](#)
- [Amazon SDK for .NET](#)
- [Amazon SDK for C++](#)
- [Amazon SDK for Go v2](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for JavaScript V3](#)
- [Amazon SDK for PHP V3](#)
- [Amazon SDK for Python](#)
- [Amazon SDK for Ruby V3](#)

Data Types

The Amazon IoT TwinMaker API contains several data types that various actions use. This section describes each data type in detail.

Note

The order of each element in a data type structure is not guaranteed. Applications should not assume a particular order.

The following data types are supported:

- [BatchPutPropertyError](#)
- [BatchPutPropertyErrorEntry](#)
- [BundleInformation](#)
- [ColumnDescription](#)
- [ComponentPropertyGroupRequest](#)
- [ComponentPropertyGroupResponse](#)
- [ComponentRequest](#)
- [ComponentResponse](#)
- [ComponentSummary](#)
- [ComponentTypeSummary](#)
- [ComponentUpdateRequest](#)
- [CompositeComponentRequest](#)
- [CompositeComponentTypeRequest](#)
- [CompositeComponentTypeResponse](#)
- [CompositeComponentUpdateRequest](#)
- [DataConnector](#)
- [DataType](#)
- [DataValue](#)
- [DestinationConfiguration](#)
- [EntityPropertyReference](#)

- [EntitySummary](#)
- [ErrorDetails](#)
- [FilterByAsset](#)
- [FilterByAssetModel](#)
- [FilterByComponentType](#)
- [FilterByEntity](#)
- [FunctionRequest](#)
- [FunctionResponse](#)
- [InterpolationParameters](#)
- [lotSiteWiseSourceConfiguration](#)
- [lotSiteWiseSourceConfigurationFilter](#)
- [lotTwinMakerDestinationConfiguration](#)
- [lotTwinMakerSourceConfiguration](#)
- [lotTwinMakerSourceConfigurationFilter](#)
- [LambdaFunction](#)
- [ListComponentTypesFilter](#)
- [ListEntitiesFilter](#)
- [ListMetadataTransferJobsFilter](#)
- [MetadataTransferJobProgress](#)
- [MetadataTransferJobStatus](#)
- [MetadataTransferJobSummary](#)
- [OrderBy](#)
- [ParentEntityUpdateRequest](#)
- [PricingPlan](#)
- [PropertyDefinitionRequest](#)
- [PropertyDefinitionResponse](#)
- [PropertyFilter](#)
- [PropertyGroupRequest](#)
- [PropertyGroupResponse](#)
- [PropertyLatestValue](#)

- [PropertyRequest](#)
- [PropertyResponse](#)
- [PropertySummary](#)
- [PropertyValue](#)
- [PropertyValueEntry](#)
- [PropertyValueHistory](#)
- [Relationship](#)
- [RelationshipValue](#)
- [Row](#)
- [S3DestinationConfiguration](#)
- [S3SourceConfiguration](#)
- [SceneError](#)
- [SceneSummary](#)
- [SourceConfiguration](#)
- [Status](#)
- [SyncJobStatus](#)
- [SyncJobSummary](#)
- [SyncResourceFilter](#)
- [SyncResourceStatus](#)
- [SyncResourceSummary](#)
- [TabularConditions](#)
- [WorkspaceSummary](#)

BatchPutPropertyError

An error returned by the `BatchPutProperty` action.

Contents

entry

An object that contains information about errors returned by the `BatchPutProperty` action.

Type: [PropertyValueEntry](#) object

Required: Yes

errorCode

The error code.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: Yes

errorMessage

The error message.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

BatchPutPropertyErrorEntry

An object that contains information about errors returned by the BatchPutProperty action.

Contents

errors

A list of objects that contain information about errors returned by the BatchPutProperty action.

Type: Array of [BatchPutPropertyError](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

BundleInformation

Information about the pricing bundle.

Contents

bundleNames

The bundle names.

Type: Array of strings

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: Yes

pricingTier

The pricing tier.

Type: String

Valid Values: TIER_1 | TIER_2 | TIER_3 | TIER_4

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ColumnDescription

A description of the column in the query results.

Contents

name

The name of the column description.

Type: String

Pattern: .*

Required: No

type

The type of the column description.

Type: String

Valid Values: NODE | EDGE | VALUE

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ComponentPropertyGroupRequest

The component property group request.

Contents

groupType

The group type.

Type: String

Valid Values: TABULAR

Required: No

propertyNames

The property names.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\-0-9]+

Required: No

updateType

The update type.

Type: String

Valid Values: UPDATE | DELETE | CREATE

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ComponentPropertyGroupResponse

The component property group response.

Contents

groupType

The group type.

Type: String

Valid Values: TABULAR

Required: Yes

isInherited

A Boolean value that specifies whether the property group is inherited from a parent entity

Type: Boolean

Required: Yes

propertyNames

The names of properties

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\-0-9]+

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)

- [Amazon SDK for Ruby V3](#)

ComponentRequest

An object that sets information about a component type create or update request.

Contents

componentTypeId

The ID of the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: No

description

The description of the component request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

properties

An object that maps strings to the properties to set in the component type. Each string in the mapping must be unique to this object.

Type: String to [PropertyRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

propertyGroups

The property groups.

Type: String to [ComponentPropertyGroupRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ComponentResponse

An object that returns information about a component type create or update request.

Contents

areAllCompositeComponentsReturned

This flag notes whether all `compositeComponents` are returned in the API response.

Type: Boolean

Required: No

areAllPropertiesReturned

This flag notes whether all properties of the component are returned in the API response. The maximum number of properties returned is 800.

Type: Boolean

Required: No

componentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-0-9]+`

Required: No

componentTypeId

The ID of the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

Required: No

compositeComponents

This lists objects that contain information about the `compositeComponents`.

Type: String to [ComponentSummary](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Required: No

definedIn

The name of the property definition set in the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `.*`

Required: No

description

The description of the component type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

properties

An object that maps strings to the properties to set in the component type. Each string in the mapping must be unique to this object.

Type: String to [PropertyResponse](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

propertyGroups

The property groups.

Type: String to [ComponentPropertyGroupResponse](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

status

The status of the component type.

Type: [Status](#) object

Required: No

syncSource

The syncSource of the sync job, if this entity was created by a sync job.

Type: String

Pattern: [a-zA-Z_0-9]+

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ComponentSummary

An object that returns information about a component summary.

Contents

componentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-0-9]+`

Required: Yes

componentTypeId

The ID of the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

Required: Yes

status

The status of the component type.

Type: [Status](#) object

Required: Yes

componentPath

This string specifies the path to the composite component, starting from the top-level component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: [a-zA-Z_\-0-9/]+

Required: No

definedIn

The name of the property definition set in the request.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

description

The description of the component request.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

propertyGroups

The property groups.

Type: String to [ComponentPropertyGroupResponse](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9/]+

Required: No

syncSource

The syncSource of the sync job, if this entity was created by a sync job.

Type: String

Pattern: `[a-zA-Z_0-9]+`

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ComponentTypeSummary

An object that contains information about a component type.

Contents

arn

The ARN of the component type.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

Required: Yes

componentTypeId

The ID of the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

Required: Yes

creationDateTime

The date and time when the component type was created.

Type: Timestamp

Required: Yes

updateDateTime

The date and time when the component type was last updated.

Type: Timestamp

Required: Yes

componentTypeName

The component type name.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `.*[^\u0000-\u001F\u007F]*.*`

Required: No

description

The description of the component type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

status

The current status of the component type.

Type: [Status](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ComponentUpdateRequest

The component update request.

Contents

componentTypeId

The ID of the component type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: No

description

The description of the component type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: . *

Required: No

propertyGroupUpdates

The property group updates.

Type: String to [ComponentPropertyGroupRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

propertyUpdates

An object that maps strings to the properties to set in the component type update. Each string in the mapping must be unique to this object.

Type: String to [PropertyRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Required: No

updateType

The update type of the component update request.

Type: String

Valid Values: CREATE | UPDATE | DELETE

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

CompositeComponentRequest

An object that sets information about the composite component update request.

Contents

description

The description of the component type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: . *

Required: No

properties

This is an object that maps strings to the properties to set in the component type. Each string in the mapping must be unique to this object.

Type: String to [PropertyRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

propertyGroups

The property groups.

Type: String to [ComponentPropertyGroupRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

CompositeComponentTypeRequest

An object that sets information about the composite component types of a component type.

Contents

`componentTypeId`

This is the `componentTypeId` that the `compositeComponentType` refers to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

CompositeComponentTypeResponse

An object that returns information about the composite component types of a component type.

Contents

componentTypeId

This is the `componentTypeId` that this `compositeComponentType` refers to.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

Required: No

isInherited

This boolean indicates whether this `compositeComponentType` is inherited from its parent.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

CompositeComponentUpdateRequest

An object that sets information about the composite component update request.

Contents

description

The description of the component type.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

propertyGroupUpdates

The property group updates.

Type: String to [ComponentPropertyGroupRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

propertyUpdates

An object that maps strings to the properties to set in the component type update. Each string in the mapping must be unique to this object.

Type: String to [PropertyRequest](#) object map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: [a-zA-Z_\-0-9]+

Required: No

updateType

The update type of the component update request.

Type: String

Valid Values: CREATE | UPDATE | DELETE

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

DataConnector

The data connector.

Contents

isNative

A Boolean value that specifies whether the data connector is native to Amazon IoT TwinMaker.

Type: Boolean

Required: No

lambda

The Lambda function associated with this data connector.

Type: [LambdaFunction](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Data Type

An object that specifies the data type of a property.

Contents

type

The underlying type of the data type.

Type: String

Valid Values: RELATIONSHIP | STRING | LONG | BOOLEAN | INTEGER | DOUBLE | LIST | MAP

Required: Yes

allowedValues

The allowed values for this data type.

Type: Array of [DataValue](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

nestedType

The nested type in the data type.

Type: [DataType](#) object

Required: No

relationship

A relationship that associates a component with another component.

Type: [Relationship](#) object

Required: No

unitOfMeasure

The unit of measure used in this data type.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

DataValue

An object that specifies a value for a property.

Contents

booleanValue

A Boolean value.

Type: Boolean

Required: No

doubleValue

A double value.

Type: Double

Required: No

expression

An expression that produces the value.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 316.

Pattern: (`^\${Parameters}\.[a-zA-z]+([a-zA-z_0-9]*)\}$`)

Required: No

integerValue

An integer value.

Type: Integer

Required: No

listValue

A list of multiple values.

Type: Array of [DataValue](#) objects

Array Members: Minimum number of 0 items. Maximum number of 50 items.

Required: No

longValue

A long value.

Type: Long

Required: No

mapValue

An object that maps strings to multiple DataValue objects.

Type: String to [DataValue](#) object map

Map Entries: Minimum number of 0 items. Maximum number of 50 items.

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: .*

Required: No

relationshipValue

A value that relates a component to another component.

Type: [RelationshipValue](#) object

Required: No

stringValue

A string value.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

DestinationConfiguration

The [link to action] metadata transfer job destination configuration.

Contents

type

The destination type.

Type: String

Valid Values: `s3` | `iotsitewise` | `iottwinmaker`

Required: Yes

iotTwinMakerConfiguration

The metadata transfer job Amazon IoT TwinMaker configuration.

Type: [lotTwinMakerDestinationConfiguration](#) object

Required: No

s3Configuration

The metadata transfer job S3 configuration. [need to add S3 entity]

Type: [S3DestinationConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

EntityPropertyReference

An object that uniquely identifies an entity property.

Contents

propertyName

The name of the property.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-0-9]+`

Required: Yes

componentName

The name of the component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-0-9]+`

Required: No

componentPath

This string specifies the path to the composite component, starting from the top-level component.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 2048.

Pattern: `[a-zA-Z_\-0-9/]+`

Required: No

entityId

The ID of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

Required: No

externalIdProperty

A mapping of external IDs to property names. External IDs uniquely identify properties from external data stores.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `.*`

Value Length Constraints: Minimum length of 1. Maximum length of 256.

Value Pattern: `.*`

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

EntitySummary

An object that contains information about an entity.

Contents

arn

The ARN of the entity.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\/a-zA-Z0-9_\-\.\.]+`

Required: Yes

creationDateTime

The date and time when the entity was created.

Type: Timestamp

Required: Yes

entityId

The ID of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-\0-9.]*[a-zA-Z0-9]+`

Required: Yes

entityName

The name of the entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[^\u0000-\u001F\u007F]+`

Required: Yes

status

The current status of the entity.

Type: [Status](#) object

Required: Yes

updateDateTime

The last date and time when the entity was updated.

Type: Timestamp

Required: Yes

description

The description of the entity.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

hasChildEntities

An **eventual** Boolean value that specifies whether the entity has child entities or not.

Type: Boolean

Required: No

parentEntityId

The ID of the parent entity.

Type: String

ErrorDetails

The error details.

Contents

code

The error code.

Type: String

Valid Values: VALIDATION_ERROR | INTERNAL_FAILURE | SYNC_INITIALIZING_ERROR | SYNC_CREATING_ERROR | SYNC_PROCESSING_ERROR | SYNC_DELETING_ERROR | PROCESSING_ERROR | COMPOSITE_COMPONENT_FAILURE

Required: No

message

The error message.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

FilterByAsset

Filter by asset. You can include multiple filters when you export your Amazon IoT SiteWise content. See [Export metadata examples](#) in the Amazon IoT SiteWise User Guide.

Contents

assetExternalId

The external-Id property of an asset.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 128.

Pattern: `.*[a-zA-Z0-9_][a-zA-Z_\-0-9.:]*[a-zA-Z0-9_]+.*`

Required: No

assetId

Filter by asset Id.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}`

Required: No

includeAssetModel

Set to true to include the asset model that the specified asset uses.

Type: Boolean

Required: No

includeOffspring

Set to true to include all associated asset models in the hierarchy of the specified asset model.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

FilterByAssetModel

Filter by asset model.

Contents

assetModelExternalId

The external-Id property of an asset model.

Type: String

Length Constraints: Minimum length of 2. Maximum length of 128.

Pattern: `.*[a-zA-Z0-9_][a-zA-Z_\-0-9.:]*[a-zA-Z0-9_]+.*`

Required: No

assetModelId

The asset model Id.

Type: String

Length Constraints: Fixed length of 36.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}`

Required: No

includeAssets

Set to true to include all assets that use the specified asset model.

Type: Boolean

Required: No

includeOffspring

Set to true to include all associated asset models in the hierarchy of the specified asset model.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

FilterByComponentType

Filter by component type.

Contents

`componentTypeId`

The component type Id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\.\-0-9:]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

FilterByEntity

Filter by entity.

Contents

entityId

The entity Id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

FunctionRequest

The function request body.

Contents

implementedBy

The data connector.

Type: [DataConnector](#) object

Required: No

requiredProperties

The required properties of the function.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-0-9]+`

Required: No

scope

The scope of the function.

Type: String

Valid Values: ENTITY | WORKSPACE

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)

- [Amazon SDK for Ruby V3](#)

FunctionResponse

The function response.

Contents

implementedBy

The data connector.

Type: [DataConnector](#) object

Required: No

isInherited

Indicates whether this function is inherited.

Type: Boolean

Required: No

requiredProperties

The required properties of the function.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-\0-9]+`

Required: No

scope

The scope of the function.

Type: String

Valid Values: ENTITY | WORKSPACE

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

InterpolationParameters

An object that specifies how to interpolate data in a list.

Contents

interpolationType

The interpolation type.

Type: String

Valid Values: LINEAR

Required: No

intervalInSeconds

The interpolation time interval in seconds.

Type: Long

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

lotSiteWiseSourceConfiguration

The metadata transfer job Amazon IoT SiteWise source configuration.

Contents

filters

The Amazon IoT SiteWise source configuration filters.

Type: Array of [lotSiteWiseSourceConfigurationFilter](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

lotSiteWiseSourceConfigurationFilter

The Amazon IoT SiteWise source configuration filter.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

filterByAsset

Filter by asset.

Type: [FilterByAsset](#) object

Required: No

filterByAssetModel

Filter by asset model.

Type: [FilterByAssetModel](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

IoT TwinMaker Destination Configuration

The metadata transfer job Amazon IoT TwinMaker destination configuration.

Contents

workspace

The IoT TwinMaker workspace.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_-\.\:]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

IoT TwinMaker Source Configuration

The metadata transfer job Amazon IoT TwinMaker source configuration.

Contents

workspace

The IoT TwinMaker workspace.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

Required: Yes

filters

The metadata transfer job Amazon IoT TwinMaker source configuration filters.

Type: Array of [IoT TwinMaker Source Configuration Filter](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

IoT TwinMakerSourceConfigurationFilter

The metadata transfer job Amazon IoT TwinMaker source configuration filter.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

filterByComponentType

Filter by component type.

Type: [FilterByComponentType](#) object

Required: No

filterByEntity

Filter by entity.

Type: [FilterByEntity](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

LambdaFunction

The Lambda function.

Contents

arn

The ARN of the Lambda function.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):lambda:[a-z0-9-]+:[0-9]{12}:function:[\a-zA-Z0-9_-]+`

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ListComponentTypesFilter

An object that filters items in a list of component types.

Note

Only one object is accepted as a valid input.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

extendsFrom

The component type that the component types in the list extend.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: No

isAbstract

A Boolean value that specifies whether the component types in the list are abstract.

Type: Boolean

Required: No

namespace

The namespace to which the component types in the list belong.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ListEntitiesFilter

An object that filters items in a list of entities.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

componentTypeId

The ID of the component type in the entities in the list.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: No

externalId

The external-Id property of a component. The external-Id property is the primary key of an external storage system.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

parentEntityId

The parent of the entities in the list.

Type: String

ListMetadataTransferJobsFilter

The ListMetadataTransferJobs filter.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

state

The filter state.

Type: String

Valid Values: VALIDATING | PENDING | RUNNING | CANCELLING | ERROR | COMPLETED | CANCELLED

Required: No

workspaceId

The workspace Id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)

- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

MetadataTransferJobProgress

The metadata transfer job's progress.

Contents

failedCount

The count of assets that failed during the process.

Type: Integer

Required: No

skippedCount

The count of assets that were skipped during the process.

Type: Integer

Required: No

succeededCount

The count of assets successfully transferred.

Type: Integer

Required: No

totalCount

The total count of assets in the transfer process.

Type: Integer

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)

- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

MetadataTransferJobStatus

The metadata transfer job status.

Contents

error

The metadata transfer job error.

Type: [ErrorDetails](#) object

Required: No

queuedPosition

The queued position.

Type: Integer

Required: No

state

The metadata transfer job state.

Type: String

Valid Values: VALIDATING | PENDING | RUNNING | CANCELLING | ERROR | COMPLETED | CANCELLED

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

MetadataTransferJobSummary

The metadata transfer job summary.

Contents

arn

The metadata transfer job summary ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\w/a-zA-Z0-9_\-\.\:]+`

Required: Yes

creationDateTime

The metadata transfer job summary creation DateTime object.

Type: Timestamp

Required: Yes

metadataTransferJobId

The metadata transfer job summary Id.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

status

The metadata transfer job summary status.

Type: [MetadataTransferJobStatus](#) object

Required: Yes

updateDateTime

The metadata transfer job summary update DateTime object

Type: Timestamp

Required: Yes

progress

The metadata transfer job summary progress.

Type: [MetadataTransferJobProgress](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

OrderBy

Filter criteria that orders the return output. It can be sorted in ascending or descending order.

Contents

propertyName

The property name.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: Yes

order

The set order that filters results.

Type: String

Valid Values: ASCENDING | DESCENDING

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

ParentEntityUpdateRequest

The parent entity update request.

Contents

updateType

The type of the update.

Type: String

Valid Values: UPDATE | DELETE

Required: Yes

parentEntityId

The ID of the parent entity.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `\$ROOT|^[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9. :]*[a-zA-Z0-9]+`

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PricingPlan

The pricing plan.

Contents

effectiveDateTime

The effective date and time of the pricing plan.

Type: Timestamp

Required: Yes

pricingMode

The pricing mode.

Type: String

Valid Values: BASIC | STANDARD | TIERED_BUNDLE

Required: Yes

updateDateTime

The set date and time for updating a pricing plan.

Type: Timestamp

Required: Yes

updateReason

The update reason for changing a pricing plan.

Type: String

Valid Values: DEFAULT | PRICING_TIER_UPDATE | ENTITY_COUNT_UPDATE | PRICING_MODE_UPDATE | OVERWRITTEN

Required: Yes

billableEntityCount

The billable entity count.

Type: Long

Required: No

bundleInformation

The pricing plan's bundle information.

Type: [BundleInformation](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyDefinitionRequest

An object that sets information about a property.

Contents

configuration

A mapping that specifies configuration information about the property. Use this field to specify information that you read from and write to an external source.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Value Pattern: `.*`

Required: No

dataType

An object that contains information about the data type.

Type: [DataType](#) object

Required: No

defaultValue

An object that contains the default value.

Type: [DataValue](#) object

Required: No

displayName

A friendly name for the property.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `.*[^\u0000-\u001F\u007F]*.*`

Required: No

isExternalId

A Boolean value that specifies whether the property ID comes from an external data store.

Type: Boolean

Required: No

isRequiredInEntity

A Boolean value that specifies whether the property is required.

Type: Boolean

Required: No

isStoredExternally

A Boolean value that specifies whether the property is stored externally.

Type: Boolean

Required: No

isTimeSeries

A Boolean value that specifies whether the property consists of time series data.

Type: Boolean

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyDefinitionResponse

An object that contains response data from a property definition request.

Contents

dataType

An object that contains information about the data type.

Type: [DataType](#) object

Required: Yes

isExternalId

A Boolean value that specifies whether the property ID comes from an external data store.

Type: Boolean

Required: Yes

isFinal

A Boolean value that specifies whether the property definition can be updated.

Type: Boolean

Required: Yes

isImported

A Boolean value that specifies whether the property definition is imported from an external data store.

Type: Boolean

Required: Yes

isInherited

A Boolean value that specifies whether the property definition is inherited from a parent entity.

Type: Boolean

Required: Yes

isRequiredInEntity

A Boolean value that specifies whether the property is required in an entity.

Type: Boolean

Required: Yes

isStoredExternally

A Boolean value that specifies whether the property is stored externally.

Type: Boolean

Required: Yes

isTimeSeries

A Boolean value that specifies whether the property consists of time series data.

Type: Boolean

Required: Yes

configuration

A mapping that specifies configuration information about the property.

Type: String to string map

Key Length Constraints: Minimum length of 1. Maximum length of 256.

Key Pattern: `[a-zA-Z_\-0-9]+`

Value Pattern: `.*`

Required: No

defaultValue

An object that contains the default value.

Type: [DataValue](#) object

Required: No

displayName

A friendly name for the property.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `.*[^\u0000-\u001F\u007F]*.*`

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyFilter

An object that filters items returned by a property request.

Contents

operator

The operator associated with this property filter.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

propertyName

The property name associated with this property filter.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

value

The value associated with this property filter.

Type: [DataValue](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyGroupRequest

Contents

groupType

The group type.

Type: String

Valid Values: TABULAR

Required: No

propertyNames

The names of properties.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\-0-9]+

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyGroupResponse

The property group response

Contents

groupType

The group types.

Type: String

Valid Values: TABULAR

Required: Yes

isInherited

A Boolean value that specifies whether the property group is inherited from a parent entity

Type: Boolean

Required: Yes

propertyNames

The names of properties.

Type: Array of strings

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\-0-9]+

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)

- [Amazon SDK for Ruby V3](#)

PropertyLatestValue

The latest value of the property.

Contents

propertyReference

An object that specifies information about a property.

Type: [EntityPropertyReference](#) object

Required: Yes

propertyValue

The value of the property.

Type: [DataValue](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyRequest

An object that sets information about a property.

Contents

definition

An object that specifies information about a property.

Type: [PropertyDefinitionRequest](#) object

Required: No

updateType

The update type of the update property request.

Type: String

Valid Values: UPDATE | DELETE | CREATE

Required: No

value

The value of the property.

Type: [DataValue](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyResponse

An object that contains information about a property response.

Contents

areAllPropertyValuesReturned

This flag notes whether all values of a list or map type property are returned in the API response. The maximum number of values per property returned is 50.

Type: Boolean

Required: No

definition

An object that specifies information about a property.

Type: [PropertyDefinitionResponse](#) object

Required: No

value

The value of the property.

Type: [DataValue](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertySummary

This is an object that contains the information of a property.

Contents

propertyName

This is the name of the property.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\-0-9]+

Required: Yes

areAllPropertyValuesReturned

This flag notes whether all values of a list or map type property are returned in the API response. The maximum number of values per property returned is 50.

Type: Boolean

Required: No

definition

This is the schema for the property.

Type: [PropertyDefinitionResponse](#) object

Required: No

value

This is the value for the property.

Type: [DataValue](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyValue

An object that contains information about a value for a time series property.

Contents

value

An object that specifies a value for a time series property.

Type: [DataValue](#) object

Required: Yes

time

ISO8601 DateTime of a value for a time series property.

The time for when the property value was recorded in ISO 8601 format: `YYYY-MM-DDThh:mm:ss[.SSSSSSSSSS][Z/±HH:mm]`.

- `[YYYY]`: year
- `[MM]`: month
- `[DD]`: day
- `[hh]`: hour
- `[mm]`: minute
- `[ss]`: seconds
- `[.SSSSSSSSSS]`: additional precision, where precedence is maintained. For example: `[.573123]` is equal to 573123000 nanoseconds.
- `Z`: default timezone UTC
- `± HH:mm`: time zone offset in Hours and Minutes.

Required sub-fields: `YYYY-MM-DDThh:mm:ss` and `[Z/±HH:mm]`

Type: String

Length Constraints: Minimum length of 20. Maximum length of 35.

Required: No

timestamp

This member has been deprecated.

The timestamp of a value for a time series property.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyValueEntry

An object that specifies information about time series property values. This object is used and consumed by the [BatchPutPropertyValues](#) action.

Contents

entityPropertyReference

An object that contains information about the entity that has the property.

Type: [EntityPropertyReference](#) object

Required: Yes

propertyValues

A list of objects that specify time series property values.

Type: Array of [PropertyValue](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

PropertyValueHistory

The history of values for a time series property.

Contents

entityPropertyReference

An object that uniquely identifies an entity property.

Type: [EntityPropertyReference](#) object

Required: Yes

values

A list of objects that contain information about the values in the history of a time series property.

Type: Array of [PropertyValue](#) objects

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Relationship

An object that specifies a relationship with another component type.

Contents

relationshipType

The type of the relationship.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: .*

Required: No

targetComponentTypeId

The ID of the target component type associated with this relationship.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: [a-zA-Z_\.\-0-9:]+

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

RelationshipValue

A value that associates a component and an entity.

Contents

targetComponentName

The name of the target component associated with the relationship value.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 256.

Pattern: `[a-zA-Z_\-0-9]+`

Required: No

targetEntityId

The ID of the target entity associated with this relationship value.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[0-9a-f]{8}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{4}-[0-9a-f]{12}|^[a-zA-Z0-9][a-zA-Z_\-0-9.:]*[a-zA-Z0-9]+`

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Row

Represents a single row in the query results.

Contents

rowData

The data in a row of query results.

Type: Array of JSON values

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

S3DestinationConfiguration

The S3 destination configuration.

Contents

location

The S3 destination configuration location.

Type: String

Pattern: `.*(^arn:((aws)|(aws-cn)|(aws-us-gov)):s3:::)([/a-zA-Z0-9_-]+$).*`

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

S3SourceConfiguration

The S3 destination source configuration.

Contents

location

The S3 destination source configuration location.

Type: String

Pattern: `.*(^arn:((aws)|(aws-cn)|(aws-us-gov)):s3:::)([a-zA-Z0-9_-]+)\/(
[/.a-zA-Z0-9_-]+$).*`

Required: Yes

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SceneError

The scene error.

Contents

code

The SceneError code.

Type: String

Valid Values: MATTERPORT_ERROR

Required: No

message

The SceneError message.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SceneSummary

An object that contains information about a scene.

Contents

arn

The ARN of the scene.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

Required: Yes

contentLocation

The relative path that specifies the location of the content definition file.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 256.

Pattern: `[sS]3://[A-Za-z0-9._/-]+`

Required: Yes

creationDateTime

The date and time when the scene was created.

Type: Timestamp

Required: Yes

sceneId

The ID of the scene.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

updateDateTime

The date and time when the scene was last updated.

Type: Timestamp

Required: Yes

description

The scene description.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: `.*`

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SourceConfiguration

The source configuration.

Contents

type

The source configuration type.

Type: String

Valid Values: `s3` | `iotsitewise` | `iottwinmaker`

Required: Yes

iotSiteWiseConfiguration

The source configuration IoT SiteWise configuration.

Type: [lotSiteWiseSourceConfiguration](#) object

Required: No

iotTwinMakerConfiguration

The source configuration IoT TwinMaker configuration.

Type: [lotTwinMakerSourceConfiguration](#) object

Required: No

s3Configuration

The source configuration S3 configuration.

Type: [S3SourceConfiguration](#) object

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Status

An object that represents the status of an entity, component, component type, or workspace.

Contents

error

The error message.

Type: [ErrorDetails](#) object

Required: No

state

The current state of the entity, component, component type, or workspace.

Type: String

Valid Values: CREATING | UPDATING | DELETING | ACTIVE | ERROR

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SyncJobStatus

The SyncJob status.

Contents

error

The SyncJob error.

Type: [ErrorDetails](#) object

Required: No

state

The SyncJob status state.

Type: String

Valid Values: CREATING | INITIALIZING | ACTIVE | DELETING | ERROR

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SyncJobSummary

The SyncJob summary.

Contents

arn

The SyncJob summary ARN.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\a-zA-Z0-9_\-\.\:]+`

Required: No

creationDateTime

The creation date and time.

Type: Timestamp

Required: No

status

The SyncJob summaries status.

Type: [SyncJobStatus](#) object

Required: No

syncSource

The sync source.

Type: String

Pattern: `[a-zA-Z_0-9]+`

Required: No

updateDateTime

The update date and time.

Type: Timestamp

Required: No

workspaceId

The ID of the workspace that contains the sync job.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SyncResourceFilter

The sync resource filter.

Contents

Important

This data type is a UNION, so only one of the following members can be specified when used or returned.

externalId

The external ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: No

resourceId

The sync resource filter resource ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: No

resourceType

The sync resource filter resource type

Type: String

Valid Values: ENTITY | COMPONENT_TYPE

Required: No

state

The sync resource filter's state.

Type: String

Valid Values: INITIALIZING | PROCESSING | DELETED | IN_SYNC | ERROR

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SyncResourceStatus

The sync resource status.

Contents

error

The status error.

Type: [ErrorDetails](#) object

Required: No

state

The sync resource status state.

Type: String

Valid Values: INITIALIZING | PROCESSING | DELETED | IN_SYNC | ERROR

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

SyncResourceSummary

The sync resource summary.

Contents

externalId

The external ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: No

resourceId

The resource ID.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: No

resourceType

The resource type.

Type: String

Valid Values: ENTITY | COMPONENT_TYPE

Required: No

status

The sync resource summary status.

Type: [SyncResourceStatus](#) object

Required: No

updateDateTime

The update date and time.

Type: Timestamp

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

TabularConditions

The tabular conditions.

Contents

orderBy

Filter criteria that orders the output. It can be sorted in ascending or descending order.

Type: Array of [OrderBy](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

propertyFilters

You can filter the request using various logical operators and a key-value format. For example:

```
{"key": "serverType", "value": "webServer"}
```

Type: Array of [PropertyFilter](#) objects

Array Members: Minimum number of 1 item. Maximum number of 10 items.

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

WorkspaceSummary

An object that contains information about a workspace.

Contents

arn

The ARN of the workspace.

Type: String

Length Constraints: Minimum length of 20. Maximum length of 2048.

Pattern: `arn:((aws)|(aws-cn)|(aws-us-gov)):iottwinmaker:[a-z0-9-]+:[0-9]{12}:[\w/a-zA-Z0-9_\-\.\:]+`

Required: Yes

creationDateTime

The date and time when the workspace was created.

Type: Timestamp

Required: Yes

updateDateTime

The date and time when the workspace was last updated.

Type: Timestamp

Required: Yes

workspaceId

The ID of the workspace.

Type: String

Length Constraints: Minimum length of 1. Maximum length of 128.

Pattern: `[a-zA-Z_0-9][a-zA-Z_\-0-9]*[a-zA-Z0-9]+`

Required: Yes

description

The description of the workspace.

Type: String

Length Constraints: Minimum length of 0. Maximum length of 2048.

Pattern: .*

Required: No

linkedServices

A list of services that are linked to the workspace.

Type: Array of strings

Pattern: [a-zA-Z_0-9]+

Required: No

See Also

For more information about using this API in one of the language-specific Amazon SDKs, see the following:

- [Amazon SDK for C++](#)
- [Amazon SDK for Java V2](#)
- [Amazon SDK for Ruby V3](#)

Common Parameters

The following list contains the parameters that all actions use for signing Signature Version 4 requests with a query string. Any action-specific parameters are listed in the topic for that action. For more information about Signature Version 4, see [Signing Amazon API requests](#) in the *IAM User Guide*.

Action

The action to be performed.

Type: string

Required: Yes

Version

The API version that the request is written for, expressed in the format YYYY-MM-DD.

Type: string

Required: Yes

X-Amz-Algorithm

The hash algorithm that you used to create the request signature.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Valid Values: AWS4-HMAC-SHA256

Required: Conditional

X-Amz-Credential

The credential scope value, which is a string that includes your access key, the date, the region you are targeting, the service you are requesting, and a termination string ("aws4_request"). The value is expressed in the following format: *access_key/YYYYMMDD/region/service/aws4_request*.

For more information, see [Create a signed Amazon API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-Date

The date that is used to create the signature. The format must be ISO 8601 basic format (YYYYMMDD'T'HHMMSS'Z'). For example, the following date time is a valid X-Amz-Date value: 20120325T120000Z.

Condition: X-Amz-Date is optional for all requests; it can be used to override the date used for signing requests. If the Date header is specified in the ISO 8601 basic format, X-Amz-Date is not required. When X-Amz-Date is used, it always overrides the value of the Date header. For more information, see [Elements of an Amazon API request signature](#) in the *IAM User Guide*.

Type: string

Required: Conditional

X-Amz-Security-Token

The temporary security token that was obtained through a call to Amazon Security Token Service (Amazon STS). For a list of services that support temporary security credentials from Amazon STS, see [Amazon Web Services that work with IAM](#) in the *IAM User Guide*.

Condition: If you're using temporary security credentials from Amazon STS, you must include the security token.

Type: string

Required: Conditional

X-Amz-Signature

Specifies the hex-encoded signature that was calculated from the string to sign and the derived signing key.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

X-Amz-SignedHeaders

Specifies all the HTTP headers that were included as part of the canonical request. For more information about specifying signed headers, see [Create a signed Amazon API request](#) in the *IAM User Guide*.

Condition: Specify this parameter when you include authentication information in a query string instead of in the HTTP authorization header.

Type: string

Required: Conditional

Common Errors

This section lists the errors common to the API actions of all Amazon services. For errors specific to an API action for this service, see the topic for that API action.

AccessDeniedException

You do not have sufficient access to perform this action.

HTTP Status Code: 403

ExpiredTokenException

The security token included in the request is expired

HTTP Status Code: 403

IncompleteSignature

The request signature does not conform to Amazon standards.

HTTP Status Code: 403

InternalFailure

The request processing has failed because of an unknown error, exception or failure.

HTTP Status Code: 500

MalformedHttpRequestException

Problems with the request at the HTTP level, e.g. we can't decompress the body according to the decompression algorithm specified by the content-encoding.

HTTP Status Code: 400

NotAuthorized

You do not have permission to perform this action.

HTTP Status Code: 401

OptInRequired

The Amazon access key ID needs a subscription for the service.

HTTP Status Code: 403

RequestAbortedException

Convenient exception that can be used when a request is aborted before a reply is sent back (e.g. client closed connection).

HTTP Status Code: 400

RequestEntityTooLargeException

Problems with the request at the HTTP level. The request entity is too large.

HTTP Status Code: 413

RequestExpired

The request reached the service more than 15 minutes after the date stamp on the request or more than 15 minutes after the request expiration date (such as for pre-signed URLs), or the date stamp on the request is more than 15 minutes in the future.

HTTP Status Code: 400

RequestTimeoutException

Problems with the request at the HTTP level. Reading the Request timed out.

HTTP Status Code: 408

ServiceUnavailable

The request has failed due to a temporary failure of the server.

HTTP Status Code: 503

ThrottlingException

The request was denied due to request throttling.

HTTP Status Code: 400

UnrecognizedClientException

The X.509 certificate or Amazon access key ID provided does not exist in our records.

HTTP Status Code: 403

UnknownOperationException

The action or operation requested is invalid. Verify that the action is typed correctly.

HTTP Status Code: 404

ValidationError

The input fails to satisfy the constraints specified by an Amazon service.

HTTP Status Code: 400